RIDE

(Registry Information Database Exchange formats)

David Kessens <davidk@ISI.EDU>

Why do we need RIDE ?!?

- We want to be able to find data in Internet registries regardless what underlying techniques are used and regardless where the data is stored

  - Trend: more routing registries, more local (and may be regional) IP registries, more TLD registries
    .
  - We cannot and could not require registries to use specific systems to maintain their data, we can ask (require?) to also publish their data in a RIDE compliant way.
    (r)whois(++) can support their native formats AND access other databases that use other formats as long as they are willing to also publish their data RIDE compliant

Previous efforts didn't succeed

- We couldn't force people to give up their own internal systems
- There was no well defined mapping between data of different registries
  - an exchange format scales better O(n) then having special purpose software for every possible mapping $O(n^2)$
- Political problems: everybody wanted to have their own system as 'the' standard

How can we succeed this time ?!?

- Keep it simple!!!

  No excuses for not supporting the exchange format, customers will ask for it

- Everybody can use their own native formats, but some might even choose to use the exchange format as their native format

- No political problems

What will RIDE do?

- Define which data we will exchange and how it is named
  - Example:

    auth-num: AS226

    translates to:

    dataitem ‘ASN’ has a value of ‘AS226’

What will RIDE do?

- Define standarized dataformats for Internet registries (IP, routing, domain registries)

  - Example:

    dataitem ‘ASN’ has a value of ‘AS226’

    might be represented as:

    - ASN { AS226 }
    - ASN=AS226
    - ask Curtis
    - many other good choices ...

What will RIDE do?

❍ Define how one can access the data

- http
- ftp
- other mechanisms ...

What will RIDE do?

- Define how one can find the data

  register in DNS:

```
RA.routing.registries.int   CNAME whois.ra.net
RA.routing.registries.int   TXT available: ASN, route, ...
RA.routing.registries.int   TXT protocols: RIDE, WHOIS(43),
                                           RAWHOIS(5055)
RA.routing.registries.int   TXT updates-to: auto-dbm@ra.net
```

What will RIDE do?

- Eventually, define a distributed system to access and also modify this data
    - We can use existing technologies or modify them if they are suitable for our needs...

How to get involved ?

- Send mail to <ride-request@ISI.EDU>

  with

  subscribe ride

  in the body of the message and Bill might approve you as a member of the list