

class GTK::V3::Gtk::GtkButton

Table of Contents

- 0.1 [GtkButton — A widget that emits a signal when clicked on](#)
- 1 [Synopsis](#)
- 2 [Methods](#)
 - 2.1 [gtk_button_new](#)
 - 2.2 [\[gtk_button_\] new_with_label](#)
 - 2.3 [\[gtk_button_\] get_label](#)
 - 2.4 [\[gtk_button_\] set_label](#)
 - 2.5 [new](#)

```
unit class GTK::V3::Gtk::GtkButton;  
also is GTK::V3::Gtk::GtkBin;
```

GtkButton — A widget that emits a signal when clicked on

Synopsis

```
my GTK::V3::Gtk::GtkButton $start-button .= new(:label<Start>);
```

Methods

gtk_button_new

```
method gtk_button_new ( --> N-GObject )
```

Creates a new native button object

[gtk_button_] new_with_label

```
method gtk_button_new_with_label ( Str $label --> N-GObject )
```

Creates a new native button object with a label

[gtk_button_] get_label

```
method gtk_button_get_label ( --> Str )
```

Get text label of button

[gtk_button_] set_label

```
method gtk_button_set_label ( Str $label )
```

Set a label ob the button

new

```
multi submethod BUILD ( Str :$label )
```

Creates a new button object with a label

```
multi submethod BUILD ( Bool :$empty )
```

Create an empty button

```
multi submethod BUILD ( :$widget! )
```

Create a button using a native object from elsewhere. See also `Gtk::V3::Glib::GObject`.

```
multi submethod BUILD ( Str :$build-id! )
```

Create a button using a native object from a builder. See also `Gtk::V3::Glib::GObject`.

Generated using `Pod::Render`, `Pod::To::HTML`, ©Google prettify, Camelia™ (the butterfly), `Pod::To::HTML`, ©Google prettify, Camelia™ (the butterfly)