IEEE P1003.0 Draft 13 – September 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

— Network events

— Network service alarms

— Network security alarms

(3) The ability to log

— Network events

— Network availability

— Network load

— Network performance

(4) The ability to test network performance and reliability

4.3.4.2 External Environment Interface Services

At the external interface, there are several types of services that are provided. These include:

— Data transfer and connectivity

— Routing and relay services

— Services provided by the application platform directly to an incoming connection

— Network management and security services provided to other networks and other nodes within a network

— Network management user interface

This clause does not address the user interface to the general network services such as file transfer or mail sending. That is covered by the command interface clause, 4.9. As stated above, this clause covers the network management user interface.

In addition, there are a number of other areas of external interface requirements that are not covered in this guide. They include:

— Physical network interface connections

— Electrical specifications for network connections

— Specifications for physical network construction

These are important requirements that need to be specified when describing the complete external interface of a computer system. There is a great deal of important standardization in this area, but it is beyond the scope of this guide to cover the subject. For more detail on these areas of the external environment interface, see the ‘OMNICOM book.’’

CRS : This is intended to be a reference to the 3 inch thick book that Andy brought in...

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.3.4.2.1 Data Transfer and Connectivity

Services required at the EEI in the area of data transfer and connectivity include:

— The ability to connect and interoperate with other standards-based systems using standards-based protocols including X.25 and OSI.

— The ability to connect and interoperate with systems using de facto networking interfaces such as TCP/IP and UUCP

— The ability to connect and interoperate with personal computer and workstation networks.

— The ability to interoperate with industry leading networking interfaces.

4.3.4.2.2 Routing and Relay Services

Services required at the EEI in the area of routing and relay capabilities include:

(1) Ability to relay information through a system between like networks.

(2) Ability to gateway information through a system between unlike networks at a data transfer level. Examples of this type of gateway include:

— Local Area Network (LAN) to LAN

— LAN to Wide Area Network (WAN)

— WAN to Global Area Network (GAN)

— Networks to point-to-point connections

— Point-to-point connections to networks

(3) Ability to convert information from one format to another when transferring between unlike computer systems or networks. Information that may need to be converted includes:

— Mail messages

— File contents

— Printer file contents

The primary requirement for the routing and gateway services is to make any necessary relays and gateways transparent to the applications and systems using the network. This requires complete gateways and relays.

4.3.4.2.3 Services Provided by the Application Platform at the EEI

These EEI services are those provided to incoming connections that are not directed to an end-user application or server. These incoming connections are directed to standard services that can be provided by systems. These services include:

— Remote logon and terminal emulation

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

— Remote execution of commands

— File transfer services

— Remote authentication

— Remote data access

— Remote status information

— Mail delivery services

— Directory services

To access these services each user does not need to provide an application on the remote host. Simply by connecting to the service, the application platform will provide the service.

4.3.4.2.4 Network Management and Security Services

These EEI Services allow remote systems to be managed and monitored. Network management services include:

— The ability to get network status information

— The ability to get network configuration information

— The ability to test network functionality

— The ability to make network configuration changes

The security services allow the system management to control access to system resources and system information. Security services include:

— The ability to protect the system from intruders

— The ability to provide selective access to sensitive system resources

— The ability to manage the network security

4.3.4.2.5 Network Management and Security User Services

These EEI Services allow users and/or network administrators to control and configure their network. These network management services include:

— The ability to get network status information

— The ability to get network configuration information

— The ability to test network functionality

— The ability to make network configuration changes

The security services allow the system management to control access to system resources and system information. Security services include:

— The ability to protect the system from intruders

— The ability to provide selective access to sensitive system resources

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

— The ability to manage the network security

4.3.5 Standards, Specifications, and Gaps

4.3.5.1 Current Standards in the POSIX OSE

CRS : These are the beginning of the standards sections. I still have yet to type in all of the standards descriptions. Please provide comments regarding other services listed above that have current or emerging standards.

CRS : Figure 4-6 from draft 12 is retained in this section. The box ''posix application interface'' is removed. The figure is referenced as part of the OSI protocol stack in the standards table.

See Table 4-4.

Table 4-4 – Current Networking Standards

Service	API /EEI	Specification	Subclause
Protocol Stack	E	ISO /OSI	4.3.? (See Figure 4-10)
Local Area Networking	E	ISO 802.3	4.3.?
	E	ISO 802.4	
	E	ISO 802.5	
Wide Area Networking	E	CCITT X.25	4.3.?
Directory Services	E	X.500	4.3.?
File Transfer	E	OSI FTAM	4.3.?
Message Handling	E	ISO /CCITT X.400	4.3.?
	A	APIA ?	
Virtual Terminal	E	OSI /VT	4.3.?
Network Management	E	ISO 9596	4.3.?
	E	ISO 9593	
	E	ISO /NMF	
Network Security	E	ISO 803.10	4.3.?
Distributed System Services	E?	ISO DP	4.3.?
Distributed Transaction Services	E?	ISP 10026, ISO 8587	4.3.?

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.3.5.2 Emerging Standards

See Table 4-5.

Table 4-5 – Emerging Networking Standards

Service	API /EEI	Specification	Subclause
Mainframe Networking	A	IEEE P1003.10	4.3.?
	A	IEEE P1003.11	
Network Security	Both?	IEEE P1003.6	4.3.?
	Both?	SIRS 233	
	?	X3T4	
Simple Network Interface	A	IEEE P1003.12	4.3.?
Detailed Network Interface	A	IEEE P1238.1	4.3.?
	A	X.400, APIA	
	A	IEEE P1003.10	
Distributed File Management	A	IEEE P1003.8 TFA	4.3.?
Directory Services	A	IEEE P1003.17	4.3.?
File Transfer	A	IEEE P1238 Bindings	4.3.?
	A	IEEE P1237	
	?	ECMA 127	
Message Handling	E	IEEE P1224 Bindings	4.3.?
	A	IEEE P1003.13	
Remote Procedure Call (RPC)	A	ECMA 127	4.3.?
	A?	ISO DIS 10148	
	A	IEEE P1237	
Distributed System Services	?	ECMA 127	4.3.?
Remote Data Access	Both?	SAG X3.T2	4.3.?
Distributed Transaction Services	Both?	IEEE P1003.11	4.3.?
Print Services	E?	X3H3	4.3.?

4.3.5.3 Gaps in Available Standards

See Table 4-6.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Table 4-6 – Gaps in Networking Standards

Service	API/EEI	Specification	Subclause
Local Area Networking	E	MIL-STD-1777 (IP)	4.3.?
	E	MIL-STD-1778 (TCP)	
PC Networking	E	X/Open PCI:SMB	4.3.?
	E	X/Open PCI:(PC)NFS	
Wide Area Networking	E	TCP/IP	4.3.?
	E	UUCP	
Mainframe Networking	?	X/Open CPIC	4.3.?
Network Management	Both?	X/Open System Management	4.3.?
	E	RFC-1098 (SNMP)	
Simple Network Interface	A	X/Open XTI	4.3.?
Detailed Network Interface	A	System V Streams	4.3.?
	A	Berkeley Sockets	
Directory Services	E	RFC-1034 (TCP/IP Domain Naming)	4.3.?
System Status	E	RFC-1194 (TCP/IP Finger)	4.3.?
File Transfer	E	MIL-STD-1780 (TCP/IP FTP)	4.3.?
Message Handling	E	MIL-STD-1781 (TCP/IP SMTP)	4.3.?
Virtual Terminal	E	MIL-STD-1782 (TCP/IP Telnet)	4.3.?
Network Time Protocol	E	RFC-1129 (Internet Time)	4.3.?
Distributed Transaction Services	Both?	X/Open XTP	4.3.?

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.



Figure 4-10 – OSI Network Services Standards

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.4 Database Services

Responsibility: Sandra Swearingen

4.4.1 Overview and Rationale

This subclause describes an overview of an architectural framework for discussing database management. It also describes the services provided to application programs and users, and it describes standards, current and emerging, that standardize those database services.

Database management is an important component of the POSIX Open System Environment; in a large class of application programs, especially those used in business, database access through a database management system plays a key role. For portability and interoperability, an application using a database must be isolated from the hardware and software retrieval methods as much as possible. Otherwise the application must have the data manipulation capability coded in its own programs. This might be done if performance is a key issue and the data is very unique. The cost is portability and interoperability.

The following metrics can be used to measure the performance of specific implementations of Database Management Systems. In some cases there are standardized benchmarks, such as the Transaction Processing Council (TPC-A) performance benchmark, that allow rigorous comparison of competing products.

— Time to load a database

— Time to recover a database after a failure

— Database throughput in ‘‘transactions per second’’

— Maximum size database in bytes

— Maximum size of a table in rows

— Service response time

— Concurrency

— Maximum number of concurrent users

— Maximum number of concurrent transactions

4.4.2 Scope

Included within the component of database management are various structured ‘‘data models,’’ including indexed files and network, relational, semantic, and object-oriented databases. Specifically excluded from consideration are services for accessing data that is not part of a database. This subclause discusses database management services from both the application program and user points of view.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Database services provided to application programs by this component, for example, include the ability to create, alter, or drop tables, records, and fields and the ability to insert, select, and update data included in the structures above.

Included within this component are also utility capabilities such as database administration services.

The list of standards below is comprehensive: there are no standards or emerging standards in the database area that are excluded from the POSIX OSE. There are no standards in this area that are known to be inconsistent with POSIX.1 {2}.

4.4.3 POSIX OSE Database Services Reference Model D

4.4.3.1 Reference Model D

In this subclause, the conventional view of Database Management is related to the POSIX reference model described earlier.

The application programmer's view of the database model is introduced first. Quite simply, an application program, through a *Database API*, requests database services. For convenience in the following discussion, the agent responsible for providing those services is called the *Database Manager* . The database manager is responsible for providing the application access to the *Database* . See Figure 4-11.

This figure also demonstrates the concept of a *Database Utility Program* : one or more special application programs, usually provided by a database vendor, that perform utility services on the database. Such utilities might reorganize the database, recover the database after a system failure, etc.

The traditional database model can be incorporated into the POSIX reference model, as in Figure 4-12. This depiction of the model shows that the database manager is really just part of the overall POSIX Open System Environment and is available to the application through the POSIX OSE API.

The model depicted in Figure 4-12. is sufficient to describe an application developer's view of the POSIX OSE API in general, and the database API specifically. The four lines labeled ''Database API'' represent the Database Applications Program Interface services, which are discussed in 4.4.4.1.

4.4.3.2 Implementation Aspects D

Some real world considerations of the POSIX Reference Model were discussed in 3.6. One of the real-world approaches described is ''layering.'' Note that in the marketplace, Database Managers are often independently purchasable components that are effectively implemented as layers. Another consideration is Database Manager portability. It is not a requirement that a a database manager sit on top of a POSIX OSE API, but there is very important value to the user in terms of portability if the database manager implementation does indeed sit on a POSIX API. This means that the database manager itself is portable. It should be

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.



Figure 4-11 – The Traditional Database Model

noted that there will probably be implementations available of database managers that do not, in fact, sit on top of a POSIX API (or sit only partially on top of a POSIX API), that nonetheless provide the user the same database API. Such an implementation, using both POSIX API services and non-POSIX API services was described as ''expansion'' (see 3.6.1). Note that even though the model is drawn with only a single database manager, that does not imply that there may only be a single database manager available to an application. In fact, the coexistence of several database managers on the same system is consistent with this model, as is the ability of a single application to access two or more different database managers. The following extensions to the above model are specifically accommodated:

— There may be more than one database API. For example, there may be an ''SQL'' API and an ''ISAM'' API.

— There may be more than one database manager implementation for each different API. (For example, by two competing database vendors.)

— Applications may access more than one database manager.

This document has not described how a database manager is implemented in a POSIX Open System Environment, nor is it within the scope of this document to do so. It should be noted, though, that this model is very general and does not constrain the implementor. This model supports a number of varying real world implementation techniques, including:

— Application and database manager linked into a single process.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.



Figure 4-12 – POSIX Database Reference Model

— Database manager consisting of more than one process.

— Database manager consisting of a client part linked into the application process and a server part running as a process on the same or another system.

4.4.4 Service Requirements

The Database Manager described in the previous subclause provides services to the Application Program via the Database API, and the Database Utility Programs provide other services (e.g., to human users such as a ‘‘Database Administrator’’). This subclause describes the service requirements of all service users of the system. It is intended to be a complete list of service requirements rather than examples. Database Services are the specialized data services required to create, access, and manage databases located on a processor node. A uniform use of database services shall be available across POSIX-compliant machines. Users of these services include end users and those charged with the ongoing management of the information processing and database infrastructure.

4.4.4.1 Application Program Interface Services

This subclause describes the major categories of database services available at the POSIX Application Program Interface (API). These services include:

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

— Data Definition and Manipulation Services

— Data Access Services

— Data Integrity Services

— Miscellaneous Services

The following paragraphs clarify that these services should be provided for a large class of objects, access methods, and types of database systems.

Types of Data Objects
: Ability to perform the above operations on a variety of types of data objects, such as text, graphics, image, documents, and voice.

Types of Access Methods
: Ability to perform the above operations using a variety of access methods, such as indexed sequential access, nonindexed sequential access, and direct access.

Types of Database Management Systems
: Ability to perform the above operations on a variety of types of file and database management systems, and database management systems, such as relational, network, semantic, and object oriented databases, and heterogeneous combinations of these database management systems.

4.4.4.1.1 Data Definition and Manipulation Services

These services relate to the ability of application programs to define and manipulate data. These services are:

— Data definition — ability to create, alter, or drop tables, views, records, fields, and/or data

— Data Manipulation — ability to insert, select, update, and delete tables, views, records, fields, and data

4.4.4.1.2 Data Access Services

These services relate to the ability of application programs to interrogate databases. These services are:

— Data Query Facilities — ability to specify search conditions, consisting of a combination of select lists, predicates, and comparison operators

— Data Transparency — ability to transparently access data regardless of the location of that data.

— Remote Data Access — ability to access and update remote data

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.4.4.1.3 Data Integrity Services

These services relate to the ability of database management systems to protect the databases from hardware and software malfunctions.

- — Locking — ability to specify locking of data to some degree of granularity
- — Consistency — ability to specify and execute check and referential constraints that help ensure data correctness
- — Transaction Control — ability to specify commit and rollback commands and guarantee serializability
- — Synchronous Writes (Durability?) — ability to force the writing of data to nonvolatile storage

4.4.4.1.4 Miscellaneous Services

These services relate to other services required for the automated management of databases.

- — Privilege Administration — ability to grant and revoke privileges for accessing and administering data
- — Exception Handling — ability to have applications that are interrupted and notified of exception conditions, to receive control of the machine and take action in response to these exception conditions—even if the action is to ''continue''
- — Screen Definitions — ability to create screen definitions, and define, display, and/or paint screens
- — Reporting — ability to create formatted reports.
- — Dynamic Facilities — ability to temporarily turn control of a database to the end user for interactive access and manipulation of data, and then return control to the application.
- — Data Dictionary Services — ability to get data about the data (i.e., metadata) stored in the database. This allows users and applications to use the database contents in a much more flexible way. These services allow a user to create, access, and manage this metadata much in the same way as other databases are maintained.

4.4.4.2 External Environment Interface Services

External Environment Interface services are required for distributed database management systems. Also, to enable two or more databases to communicate with each other, a common interchange format is required. See 4.5.

D

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.4.4.3 Database Resource Management Services

These services are not visible to the application programmer at the Database API. These services are usually provided by Database Utility Programs. These services include:

— Database Administration Services

— Database Recovery Services

— Distributed Database Management Services

— Heterogeneous Environment Support Services

4.4.4.3.1 Database Administration Services

Ability for a designated data administrator to structure and configuration manage a database as a whole. The administrator allocates resources and monitors utilization to assure that authorized users receive the proper services. Archive functions, journaling, and logging services are available to the user and administrator on a selective basis.

4.4.4.3.2 Database Recovery Services

Ability to decide that there has been a failure, allow recovery from failure, and permit a slave copy to become a master copy.

4.4.4.3.3 Distributed Database Management Services

Supports the partitioning and partial replication of the databases.

4.4.4.3.4 Heterogeneous Environment Support Services

Permits local database systems to be of different types (e.g., inverted list, hierarchical, network, relational) by providing translators between the local database form and a general ‘‘network language.’’

4.4.4.3.5 Flagger

Ability for programmers to be alerted about any code that does not conform to the standard in question, or about any code that is not processed in a conforming manner.

4.4.5 Standards, Specifications, and Gaps

There are currently four database standards, either completed or under development. These are the relational data language SQL, a network data language called NDL, the Information Resource Dictionary System (IRDS) for data dictionary work, and a Remote Data Access (RDA) protocol. Table 4-7 summarizes the service requirements provided by the various standards.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Table 4-7 – Database Standards

Service		Specification	Subclause
Data Definition and Manipulation Services Data Access Services Data Integrity Services	SQL:	ISO 9075 ANSI X3.135 ANSI X3.168	4.4.5.1
Data Definition and Manipulation Services Data Access Services Data Integrity Services	NDL:	ISO 8907	4.4.5.1
Miscellaneous Services (Data Security and Integrity, Exception Handling, Screen Definitions, Reporting, Dynamic Facilities, Data Dictionary Services) Database Resource Management Services (Database Administration, Recovery From Failure)	IRDS:	ISO DP 10027.N2642, (IRDS Framework) ISO DP 8800 N2132, (IRDS Interfaces) ANSI X3.138	4.4.5.2
External Environment Interface Services	RDA:	ISO/IEC DP 9759	4.4.5.2

4.4.5.1 Current Standards in the POSIX OSE

This subclause describes the current accepted standards that apply to this area.

SQL Standard Database Language

ANSI X3.135.1 (ISO 9075, FIPS 127)

ANSI X3.168

There is a lot of activity by ANSI and ISO in this area. The standards referenced above are all related, but may not all be ''current'' at the time you read this guide. The base document is the 1989 ANSI document. ISO and FIPS documents based on it should be used. Earlier ISO and FIPS documents are based on earlier versions of the ANSI document and consequently may not be consistent with the latest ANSI document. Beware of this in making decisions about which of the standards are relevant to your decisions. These standards, developed in 1982-1989 by the ANSI X3H2 Database Committee, specify data access capabilities based on ''structured query language'' and the relational database model.

The X3.135 standard provides for many of the services described in 4.4.4, including Data Definition, Manipulation, and Integrity. It provides for two levels of compliance: the weaker Level 1 and the more capable Level 2.

While X3.135 deals with SQL independently of programming language, X3.168 binds, or embeds SQL within the programming languages COBOL, FORTRAN, Pascal, PL/1, C, and Ada.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Work is currently planned by ANSI and ISO to include ''generalized triggers,'' ''generalized assertions,'' ''recursive expressions,'' ''escape from SQL,'' subtables, and support tools for object oriented and knowledge-based systems.

NDL Standard Database Language

ISO 8907

ANSI X3.133

This standard, developed in 1981-1986 by the ANSI X3H2 Database Committee, specifies a data definition language (DDL) and data manipulation language (DML) for network model databases. This work is an outgrowth of the 1978 CODASYL specifications.

This standard provides for many of the services described in 4.4.4, including Data Definition, Manipulation, Access, and Integrity. The above services apply only to network databases (i.e., not to relational or semantic databases.)

No follow-on NDL activities are being conducted by ISO or ANSI.

4.4.5.2 Emerging Standards in the POSIX OSE

This subclause describes the activities currently in progress to further standardize this area.

Remote Data Access (RDA) Protocol

ISO DP 9579:

Part I, *Generic Remote Database Access* — DP 2

Part II, *SQL Specialization* — DP 1

This standard, developed by the ECMA Technical Committee on Database Standards, TC22, submitted to ISO in 1985, specifies a protocol that allows remote access and updating, via OSI communications protocols, of relational databases or of database systems that support SQL.

This standard provides for the Data Transparency, Remote Data Access, and Support for Heterogeneous Environment requirements described in 4.4. This protocol is aimed at relational databases and other database types that provide access via relational interfaces such as SQL.

Much work is planned on in this area by the ISO committee ISO TC97/SC21/WG3. A specific area of current interest is a generic RDA that uses a nonspecific database language (i.e., not SQL.)

Information Resource Dictionary System (IRDS)

ANSI X3.138 FIPS Pub 156, April 5, 1989

ANSI X3H4/90-28 (draft, 4 Apr 90)
IRDS Export/Import File Format

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

ISO DP 10027 N2642 (1988) IRDS Framework

ISO DP 8800 N2132 (1988) IRDS Services Interfaces

These standards are being developed by the ANSI X3H4 Database Group and the ISO/IEC /JTC 1/SC21 Working Group 3. Both groups are addressing the general area of data dictionaries, but, as described below, the emphases of the activities differ.

The ANSI group addresses, primarily, the user interface area, that is, how does a human user access the Data Dictionary Services described in 4.4.4.

The ISO groups concentrate more on the service interfaces (APIs) among lower level components and utilities of the database model.

Differences in scope and incompatibilities exist between the model being developed by ISO and the model approved by ANSI. They are independently developing the Services Interface, and an export/import facility.

4.4.5.3 Gaps in Available Standards

There are two significant areas described in 4.4.4 as requirements that are not addressed by standards:

— Methods to access data such as hashing and indexed sequential access to data is not currently standardized. There is no consensus in the standards community as to whether such standardization would be beneficial.

— Standardization of semantic and object oriented models have also not taken place, though groups like the ANSI Database system study group (DBSSG) are currently investigating the feasibility of standardization in these areas.

— I/O Services such as screen generation.

— Management and control of database services. Also include all gaps (all services without standards).

4.4.6 OSE Cross-Category Services

D

4.4.6.1 Security

Ability to specify access control mechanisms.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

4.4.7 Related Standards

The standards and activities described in this subclause are related to the above and may also be relevant to your activities.

There are several areas closely related to the Database area that are worth considering with respect to standardization.

The first area to consider is the communications and networking area. Interoperability for distributed applications or the use of distributed databases may indicate the use of communications software adhering to networking standards. See 4.3 for further discussion of that area. (Specifically consider the following standards described in that subclause:

ISO/IEC 9804.3	(OSI CCR services)
ISO/IEC 9805.3	(OSI CCR protocol)
ISO 8824	*Information Processing Systems— OSI — Specification of Abstract Syntax Notation One (ASN. 1)*
ISO 8825	*Information Processing Systems— OSI — Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN. 1)*

The second area to consider is transaction processing. That area goes further in addressing the total requirements for distributed applications. See 4.10.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.