IEEE P1003.2 Draft 11.2 – September 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

Identifier Index

[	**test** — Evaluate expression {4.62}	631
ar	**ar** — Create and maintain library archives {6.1}	687
asa	**asa** — Interpret carriage-control characters {C.1}	813
awk	**awk** — Pattern scanning and processing language {4.1}	263
basename	**basename** — Return nondirectory portion of pathname {4.2}	297
bc	**bc** — Arbitrary-precision arithmetic language {4.3}	301
break	**break** — Exit from **for**, **while**, or **until** loop {3.14.1}	246
c89	**c89** — Compile Standard C programs {A.1}	726
case	**case** Conditional Construct {3.9.4.3}	227
cat	**cat** — Concatenate and print files {4.4}	318
cd	**cd** — Change working directory {4.5}	322
chgrp	**chgrp** — Change file group ownership {4.6}	326
chmod	**chmod** — Change file modes {4.7}	329
chown	**chown** — Change file ownership {4.8}	337
cksum	**cksum** — Write file checksums and sizes {4.9}	341
cmp	**cmp** — Compare two files {4.10}	347
colon	colon — Null utility {3.14.2}	247
comm	**comm** — Select or reject lines common to two files {4.11}	350
command	**command** — Execute a simple command {4.12}	354
confstr ()	C Binding for Get String-Valued Configurable Variables {B.10.1}	809
continue	**continue** — Continue **for**, **while**, or **until** loop {3.14.3}	248
cp	**cp** — Copy files {4.13}	359
cut	**cut** — Cut out selected fields of each line of a file {4.14}	368
date	**date** — Write the date and time {4.15}	373
dd	**dd** — Convert and copy a file {4.16}	379
diff	**diff** — Compare two files {4.17}	388
dirname	**dirname** — Return directory portion of pathname {4.18}	395
dot	**dot** — Execute commands in current environment {3.14.4}	248
echo	**echo** — Write arguments to standard output {4.19}	399
ed	**ed** — Edit text {4.20}	402
env	**env** — Set environment for command invocation {4.21}	419
eval	**eval** — Construct command by concatenating arguments {3.14.5}	249
exec	**exec** — Execute commands and open, close, and/or copy file descriptors {3.14.6}	250
exit	**exit** — Cause the shell to exit {3.14.7}	251
export	**export** — Set export attribute for variables {3.14.8}	252
expr	**expr** — Evaluate arguments as an expression {4.22}	423

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

false	**false** — Return false value {4.23}	428
find	**find** — Find files {4.24}	430
fnmatch ()	C Binding for Match Filename or Pathname {B.6}	794
fold	**fold** — Fold lines {4.25}	438
for	**for** Loop {3.9.4.2}	226
fort77	**fort77** — FORTRAN compiler {C.2}	817
fpathconf ()	C Binding for Get Numeric-Valued Configurable Variables {B.10.2}	811
getconf	**getconf** — Get configuration values {4.26}	442
getenv ()	C Binding for Access Environment Variables {B.4}	786
getopt ()	C Binding for Command Option Parsing {B.7}	796
getopts	**getopts** — Parse utility options {4.27}	447
glob ()	C Binding for Generate Pathnames Matching a Pattern {B.8}	799
glob_t	Description {B.8.2}	799
grep	**grep** — File pattern searcher {4.28}	452
head	**head** — Copy the first part of files {4.29}	459
id	**id** — Return user identity {4.30}	462
if	**if** Conditional Construct {3.9.4.4}	228
join	**join** — Relational database operator {4.31}	466
kill	**kill** — Terminate or signal processes {4.32}	471
lex	**lex** — Generate programs for lexical tasks {A.2}	736
ln	**ln** — Link files {4.33}	476
locale	**locale** — Get locale-specific information {4.34}	480
localedef	**localedef** — Define locale environment {4.35}	486
logger	**logger** — Log messages {4.36}	491
logname	**logname** — Return user's login name {4.37}	494
lp	**lp** — Send files to a printer {4.38}	496
ls	**ls** — List directory contents {4.39}	502
mailx	**mailx** — Process messages {4.40}	510
make	**make** — Maintain, update, and regenerate groups of programs {6.2}	695
mkdir	**mkdir** — Make directories {4.41}	514
mkfifo	**mkfifo** — Make FIFO special files {4.42}	518
mv	**mv** — Move files {4.43}	521
nohup	**nohup** — Invoke a utility immune to hangups {4.44}	526
od	**od** — Dump files in various formats {4.45}	530
paste	**paste** — Merge corresponding or subsequent lines of files {4.46}	538
pathchk	**pathchk** — Check pathnames {4.47}	543
pathconf ()	C Binding for Get Numeric-Valued Configurable Variables {B.10.2}	811
pax	**pax** — Portable archive interchange {4.48}	548
pclose ()	C Binding for Pipe Communications with Programs {B.3.2}	782
popen ()	C Binding for Pipe Communications with Programs {B.3.2}	782
pr	**pr** — Print files {4.49}	562

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

printf	**printf** — Write formatted output {4.50}	568
pwd	**pwd** — Return working directory name {4.51}	574
read	**read** — Read a line from standard input {4.52}	576
readonly	**readonly** — Set read-only attribute for variables {3.14.9}	253
regcomp ()	C Binding for Regular Expression Matching {B.5}	786
regerror ()	C Binding for Regular Expression Matching {B.5}	786
regexec ()	C Binding for Regular Expression Matching {B.5}	786
regex_t	Description {B.5.2}	786
regfree ()	C Binding for Regular Expression Matching {B.5}	786
regmatch_t	Description {B.5.2}	786
regoff_t	Description {B.5.2}	786
return	**return** — Return from a function {3.14.10}	254
rm	**rm** — Remove directory entries {4.53}	579
rmdir	**rmdir** — Remove directories {4.54}	584
sed	**sed** — Stream editor {4.55}	587
set	**set** — Set/unset options and positional parameters {3.14.11}	254
sh	**sh** — Shell, the standard command language interpreter {4.56}	597
shift	**shift** — Shift positional parameters {3.14.12}	258
sleep	**sleep** — Suspend execution for an interval {4.57}	603
sort	**sort** — Sort, merge, or sequence check text files {4.58}	605
strip	**strip** — Remove unnecessary information from executable files {6.3}	716
stty	**stty** — Set the options for a terminal {4.59}	613
sysconf ()	C Binding for Get Numeric-Valued Configurable Variables {B.10.2}	811
system ()	C Binding for Execute Command {B.3.1}	778
tail	**tail** — Copy the last part of a file {4.60}	623
tee	**tee** — Duplicate standard input {4.61}	628
test	**test** — Evaluate expression {4.62}	631
touch	**touch** — Change file access and modification times {4.63}	640
tr	**tr** — Translate characters {4.64}	645
trap	**trap** — Trap signals {3.14.13}	258
true	**true** — Return true value {4.65}	652
tty	**tty** — Return user's terminal name {4.66}	654
umask	**umask** — Get or set the file mode creation mask {4.67}	657
uname	**uname** — Return system name {4.68}	662
uniq	**uniq** — Report or filter out repeated lines in a file {4.69}	665
unset	**unset** — Unset values and attributes of variables and functions {3.14.14}	260
wait	**wait** — Await process completion {4.70}	669
wc	**wc** — Word, line, and byte count {4.71}	674
while	**until** Loop {3.9.4.6}	229
while	**while** Loop {3.9.4.5}	229

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

wordexp () C Binding for Perform Word Expansions {B.9} 804
wordexp_t Description {B.9.2} 804
xargs **xargs** — Construct argument list(s) and invoke utility {4.72} 678
yacc **yacc** — Yet another compiler compiler {A.3} 750

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Alphabetic Topical Index

A

A/2047 ... 597
/ ... 109
// ... 297, 300, 395, 398
[
  definition of ... 631
Abbreviations ... 50
ABCDEF ... 170, 742
ABC ... 572
absolute pathname
  definition of ... 26
access control
  additional ... 361
  alternate ... 361
Access Environment Variables ... 720, 844
ACK ... 68, 74
ACK ... 56, 618
ACM ... 346
Actions Equivalent to POSIX. 1 Functions ... 144
Actions ... 275
{ACTSIZE} ... 764
ACUTE ... 100-101
adb ... 833
ADD_ASSIGN ... 282, 286-287
address space
  definition of ... 26
ADD_ASSIGN ... 290
affirmative response ... 26, 92, 104, 360, 362-363, 432, 434, 485, 487, 521, 524, 555, 579-581
  definition of ... 26
A-F ... 317
Aim of Character Mnemonics ... 884
<alert>
  definition of ... 26
Algorithms ... 764
Allow Historical Conforming Applications ... 6
AM/PM ... 89
AM/PM ... 374
AND_IF ... 235-236
AND ... 282, 285-287
AND Lists ... 225
AND/OR lists ... 218, 222, 225
AND-OR ... 216
AND/OR ... 218
AND-OR ... 222
AND ... 146, 222, 225, 254-255, 268-269, 290, 296, 433, 525, 583
angle brackets
  definition of ... 26
ANSI ... 826
a.out ... 726-727, 732, 735, 816-818, 822-823
Append Command ... 408
Appending Redirected Output ... 210
APPEND ... 282, 284
APPEND ... 290
Application Conformance ... 15
application
  definition of ... 48
apply ... 681
appropriate privileges ... 26, 32-33, 41, 329, 336, 462, 486-487, 557, 559, 561
  definition of ... 26
ar
  — Create and maintain library archives ... 687, 843
  ... 687-690, 692-694, 728, 732, 818-819
  definition of ... 687
ARFLAGS ... 707-708
ARGC-1 ... 292
ARGC
  awk variable ... 271
ARGC ... 265, 271, 292-293
{ARG_MAX} ... 175-176, 179, 185, 216, 678, 682-683
{ARG_MAX} ... 723
Argument Processing with *getopt* () ... 798
argument
  definition of ... 26
argv ... 26

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.