IEEE P1003.2 Draft 11.2 – September 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

ENVIRON ... 266, 271-272, 292-293
ENV
variable ... 195, 357
EOF ... 303
EOF ... 109, 307, 349, 617, 799
EOL ... 94-99
EOL ... 617
EOT ... 68, 74
EOT ... 56, 618
[EPERM] ... 365
Epoch ... 42
definition of ... 31
equivalence class definition ... 73
equivalence class expression ... 114
equivalence class
definition of ... 31
equivalence classes ... 72
ERASE ... 27, 48, 616-618, 621
ERE ... 125, 282, 286-287
ERE Alternation ... 120
ERE Bracket Expression ... 118
ERE Expression Anchoring ... 120
ERE Grammar ... 124
ERE Ordinary Characters ... 118
ERE Precedence ... 120
ERE Special Characters ... 118
ERE
abbreviation ... 50
definition of ... 50
ERE ... 50, 110-111, 117-120, 124, 127, 136-137, 208, 263-264, 267, 273, 278-279, 288, 290, 294, 454, 458, 741-744, 747
ERE s Matching a Single Character or Collating Element ... 117
ERE s Matching Multiple Characters ... 119
errfunc () ... 801
Error Handling ... 762
Error Numbers ... 774
ERR ... 260
`esac` ... 227-228
Escape Character (Backslash) ... 186
Escape Sequences ... 169
ESC ... 68, 74
ESC ... 56, 618
Establish the Locale ... 143
ETB ... 68, 74
ETB ... 56, 618
`/etc/Makefile` ... 711
ETX ... 68, 74
ETX ... 56, 618
`eval`
— Construct command by concatenating arguments ... 249
... 249
definition of ... 249
`ex` ... 417, 791, 834
Example Regular Expression Matching ... 791
(Example)
Danish Charmap Files ... 887
Danish National Profile ... 847
Examples ... 202
[EXDEV] ... 521
`exec` ... 217, 240-241, 250
exec ... 357, 422, 529, 682
`exec`
definition of ... 250
exec
family ... 31, 42, 51, 107, 179, 221, 232, 246, 358, 678, 683, 778-779
exec () ... 251, 683
execl () ... 778
execlp () ... 422, 778
executable file
definition of ... 31
Execute Shell Command ... 720
execute
definition of ... 31
Execution Environment Utilities ... 263, 832
Execution-Time Symbolic Constants for Portability Specifications ... 777
execv () ... 802
execve () ... 219-221, 714, 802
execvp () ... 422, 778, 802
`exit`
— Cause the shell to exit ... 251
... 251, 254, 275, 290, 601
definition of ... 251
exit () ... 783
EXIT ... 251, 258, 260, 546
_exit () ... 783
expand
definition of ... 183
`export`
— Set export attribute for variables
... 252
... 231, 240-241, 252-253

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

definition of ... 252
expr
— Evaluate arguments as an expression ... 423, 840
... 173-174, 206, 423-424, 426-427
definition of ... 423
Expressions ... 425
Expression Patterns ... 275
Expressions ... 267
{EXPR_NEST_MAX} ... 175, 177, 424
EXPR_NEST_MAX ... 173-174
{EXPR_NEST_MAX} ... 174
EXPR_NEST_MAX ... 775
{EXPR_NEST_MAX} ... 775, 811
extended regular expression
definition of ... 32
Extended Regular Expressions ... 117
extended security controls
definition of ... 32
EXTENDED_REG_EXP ... 94, 97
External Symbols ... 731, 821

F

f77 ... 822
false
— Return false value ... 428, 840
... 51, 53, 207, 428-429
definition of ... 428
FAX ... 847
f() ... 732
FCEDIT
variable ... 195
FD_CLOEXEC ... 780
feature test macro
definition of ... 32
feature test macros ... 772
Features Inherited from POSIX.1 ... 138
FFLAGS ... 706-708
fgrep ... 453, 457, 459
fi ... 227
Field Splitting ... 207
field
definition of ... 183
FIFO special file
definition of ... 32
FIFO ... 32, 34, 40, 140, 347, 351, 361, 388, 433, 502, 506, 518, 520, 599, 624, 627, 631, 841
file access permissions ... 40
File Access Permissions ... 140
file access permissions
definition of ... 32
File Contents ... 142
file descriptor ... 33, 38, 40, 138, 142, 209-213, 250-251, 360-362, 526, 584, 632, 734, 780, 782-783
definition of ... 33
file descriptors ... 138
File Format Notation ... 168, 830
file group class
definition of ... 33
file hierarchy
definition of ... 33
file mode bits
definition of ... 34
file mode creation mask ... 138
file mode
definition of ... 34
file offset
definition of ... 34
file other class
definition of ... 34
file owner class
definition of ... 34
file permission bits ... 32-34
definition of ... 34
file permissions ... 31-34, 37, 44
File Removal ... 141
file serial number
definition of ... 35
file system ... 7, 35, 41, 47, 51-52, 109, 141, 143-144, 159, 162, 166-167, 177, 182, 232, 357, 394, 437, 506-507, 509, 522, 525-526, 543, 552, 560-561, 632, 693-694, 834
definition of ... 35
read-only ... 41
File Time Values ... 142
file times update
definition of ... 35
file type (see *file*)
file type
definition of ... 35
file ... 834
file
access permissions ... 32
block special ... 27
character special ... 29
definition of ... 32
FIFO special ... 32
hierarchy ... 33

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

locale definition ... 63
mode ... 34
offset ... 34
permission bits ... 34
regular ... 42
serial number ... 35
times update ... 35
File-Name Command ... 409
filename portability
definition of ... 34
filename
definition of ... 34
FILENAME
awk variable ... 272
FILE ... 745, 778, 782, 785
filter
definition of ... 35
find
— Find files ... 430, 840
... 5, 51, 142, 176-177, 190, 243, 336, 340, 394, 430-438, 559, 681-682, 795, 834
definition of ... 430
{FIND _DEPTH _MAX} ... 177
{FIND _FILESYS _MAX} ... 177
{FIND _NEWER _MAX} ... 177
flex ... 749
FLT _MANT _DIG ... 537
FMN _PATHNAME ... 795
fnmatch () ... 243, 721, 793-795, 802
definition of ... 794
flags Argument ... 794
<fnmatch.h> ... 794-795
FNM ... 773
FNM _NOESCAPE ... 794
FNM _NOMATCH ... 795
FNM _PATHNAME ... 794-795
FNM _PERIOD ... 794
FNR
awk variable ... 272
FNR ... 280, 293
fo_DK
— (Example) Faroese LC_TIME and LC_-MESSAGES ... 882
fold
— Filter for folding lines ... 840
— Fold lines ... 438
... 178-179, 372, 438-442, 466, 499
definition of ... 438
foo ... 157
for ... 191, 194, 226-227, 234, 239, 246, 248, 269, 275, 296, 547, 683
definition of ... 226
Loop ... 226
foreground process group
definition of ... 35
foreground process
definition of ... 35
foreground ... 27, 35-36
foreground ... 27, 35, 240
fork () ... 41, 139-140, 250, 778-779, 782, 784, 808
<form-feed>
definition of ... 36
fort77
— FORTRAN compiler ... 817, 846
... 813, 817-823
definition of ... 817
FORTRAN Development and Runtime Utilities Options ... 813, 846
FORTRAN -66 ... 822
FORTRAN -8X ... 822
FORTRAN ... 12-14, 48, 179, 706, 725, 748, 777, 813, 816-819, 821-822, 843, 846
FORT _DEV ... 179, 777, 811
FORT _RUN ... 179, 777, 811
fpathconf () ... 722-723, 811
definition of ... 811
fread () ... 778
FS
awk variable ... 272
fstat () ... 32, 35
FTAM ... 847
FTP ... 847
FUNC _NAME ... 282-283, 286-287
FUNC _NAME ... 290
Function Definition Command ... 230
Functions ... 277
fwrite () ... 778

G

gawk ... 297
General Terms ... 26
General ... 1, 829
Generate Pathnames Matching a Pattern ... 722, 844

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Get Numeric-Valued Configurable Variables ... 722
Get POSIX Configurable Variables ... 722, 844
Get String-Valued Configurable Variables ... 722
getconf
— Get configuration values ... 442, 840 ... 52, 107, 174-176, 179-180, 356-358, 418, 442, 444-446, 537, 730
definition of ... 442
getenv () ... 720, 786
definition of ... 786
getgrgid () ... 432
getgrnam () ... 431
GETLINE ... 282, 287
getlogin () ... 494
getopt ... 450
getopt () ... 153, 155, 257, 448, 451-452, 542, 601, 721, 796-797, 799
definition of ... 796
getopts
— Parse utility options ... 447, 840 ... 51-52, 107, 194, 255, 447-452, 797, 799
definition of ... 447
getpwnam () ... 197, 433
getpwuid () ... 432
gid_t ... 36, 45
Global Command ... 409
Global Non-Matched Command ... 414
glob () ... 722, 799-803, 807
definition of ... 799
Error Return Values ... 802
flags Argument ... 800
globfree () ... 722, 799-801
<glob.h> ... 799-801
GLOB ... 773
GLOB _ABORTED ... 801
GLOB _APPEND ... 800-803
GLOB _DOOFFS ... 800-803
GLOB _ERR ... 800-801
GLOB _MARK ... 800
GLOB _NOCHECK ... 800-802
GLOB _NOESCAPE ... 800
GLOB _NOMATCH ... 801
GLOB _NOSORT ... 800
GLOB _NOSPACE ... 801
glob_t
definition of ... 800
GMT0 ... 373, 378
GNU make ... 712
GNU ... 297, 708-709, 712, 714-715, 749
Grammar Conventions ... 22
Grammar Rules ... 756
GRAVE ... 100-101
GREATAND ... 235, 238
grep
— File pattern searcher ... 452, 840 ... 5, 47, 125, 127, 158, 453-458, 471, 709, 791, 834
definition of ... 452
group ID
definition of ... 36
effective ... 31
real ... 42
saved set- ... 42
supplementary ... 44
Grouping Commands ... 226
groups ... 465-466
groups
multiple (see supplementary group ID)

H

hard link
definition of ... 36
hd ... 536
head
— Copy the first part of files ... 459, 840 ... 160, 459-462, 627
definition of ... 459
Header file ... 752
Headers and Function Prototypes ... 774
Help Command ... 410
Help-Mode Command ... 410
Here-Document ... 211
HEX_CHAR ... 94
hexdump ... 536
hierarchy
file ... 33
HIGH ... 77, 80, 114
HISTFILE
variable ... 195
HISTSIZE
variable ... 195

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

home directory
definition of ... 36
HOME
variable ... 20, 103, 194, 197, 199, 252, 260, 322-323, 325, 403-404, 511, 526-527, 599
`$HOME/nohup.out` ... 528-529
HOME ... 20, 136, 202-203, 252-253, 260, 528-529
HP-UX ... 677
HUPCL ... 614
HUP ... 258

I

IBM ... 58, 386-387
ICANON ... 616
ICRNL ... 615
`id`
— Return user identity ... 462, 840 ... 139, 462-463, 465-466
definition of ... 462
IDENTIFIER ... 759-760
IEEE P1003.2 ... 719, 829
IEEE P1003.2a ... 685
IEEE P1003.3.2 ... 826
IEEE P1003.3 ... 826
IEEE Std 100 ... 826
IEEE Std 754 ... 535
IEEE ... 7-8, 11, 48, 67, 346, 685, 776, 826, 829
IEXTEN ... 616
`if` ... 227-229, 247, 255, 269, 296
Conditional Construct ... 228
definition of ... 228
IFS
variable ... 107, 192-196, 203, 207-208, 357, 427, 577, 599-601
IFS ... 194, 218, 357
IGNBRK ... 615
IGNCR ... 615
IGNORE ... 96, 101
IGNORE ... 77-80, 83, 696, 700-701, 714
IGNPAR ... 615
III ... 9, 378
Implementation Conformance ... 12
implementation defined ... 13, 15, 23, 26, 28, 32-33, 38-39, 41, 55, 57, 61, 63-65, 67, 69-70, 91, 103-107, 141, 144, 155, 209, 257, 272-273, 280, 288, 297, 300, 322-323, 325, 329, 332, 336, 360-362, 366-367, 395, 398-399, 402, 411, 431, 476-477, 481, 485-487, 490, 500-502, 504-506, 509-510, 521, 533, 549, 551, 553-558, 560, 592, 613, 616, 632, 641, 647, 661-663, 665, 699-701, 703, 711, 727-728, 731, 733-734, 738-740, 742, 753, 764, 769, 814, 818-819, 821, 833, 835-836
definition of ... 23
implementation
definition of ... 23
`in` ... 191, 227, 270
INCLUDE ... 714, 822
incomplete line
definition of ... 36
INCR _DECR ... 303, 305
INCR ... 282, 286-287
INCR _DECR ... 306
INCR ... 290
Inference Rules ... 703
INITIAL ... 745
INLCR ... 615
INPCK ... 615
Input Grammar ... 758
Input Language ... 753
Input Modes ... 615
input () ... 746-747, 749
Input/Output and General Functions ... 280
Insert Command ... 410
Interactive Global Command ... 410
Interactive Global Not-Matched Command ... 414
interactive shell
definition of ... 183
Interface to the Lexical Analyzer ... 763
Internal Macros ... 705
Internationalization Proposal Areas ... 131
Internationalization Requirements ... 129
Internationalization Syntax ... 133
Internationalization Technical Background ... 129
interval expression ... 116, 119
INTR ... 615-617
INT ... 258, 260
invoke
definition of ... 36
IO_NUMBER ... 235, 238
IO_NUMBER ... 233

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

IRV ... 60, 533, 535, 538
IS 1 ... 68, 74
IS 2 ... 68, 74
IS 3 ... 68, 74
IS 4 ... 68, 74
isatty () ... 654
ISIG ... 616
ISO 10646 ... 884-885
ISO 1539 ... 12, 817, 821
ISO 2022 ... 825
ISO 2047 ... 825, 885
ISO 3166 ... 825, 849
ISO 4217 ... 12, 83
ISO 4873 ... 12, 59, 885
ISO 639 ... 825, 849
ISO 6429 ... 825, 850, 885
ISO 646 ... 884-885
ISO 6937-2 ... 825, 885
ISO 6937 ... 82
ISO 7- ... 12
ISO 8802-3 ... 341, 825
ISO 8806 ... 825
ISO 8859-1 ... 12, 58, 131, 849-850
ISO 8859-2 ... 12, 58
ISO 8859 ... 58-59, 825, 850, 885
ISO 8- ... 12
ISO 9999-1 ... 19
`ISO_10646`
Charmap ... 887
ISO _10646 ... 850, 887
`ISO_8859-1`
Charmap ... 912
ISO _8859 ... 887, 912
ISO /AFNOR ... 48, 826
ISO /IEC 10367 ... 825
ISO /IEC 10646 ... 59, 825, 850
ISO /IEC 646 ... 12, 30, 38, 48-49, 58, 60, 67, 533, 535, 538, 572, 621, 850
ISO /IEC 9899 ... 12, 50
ISO /IEC 9945-1 ... 12, 50, 774
ISO /IEC Conforming POSIX. 2 Application ... 15
IS 1 ... 56
IS 2 ... 56
IS 3 ... 56
IS 4 ... 56
isspace () ... 677
ISTRIP ... 615
IXOFF ... 616
IXON ... 616
IX.1991 ... 378

J

JCL ... 385
JIS ... 826, 886
job control ... 36, 43, 52, 182, 258, 472, 476, 602, 617, 622, 673, 837
definition of ... 36
Join Command ... 411
`join`
— Relational database operator ... 466, 840
... 5, 177, 466-470
definition of ... 466
{JOIN _LINE _MAX} ... 177
JTC 1 ... 826

K

`kill`
— Terminate or signal processes ... 471, 840
... 51-52, 139, 259, 471, 473-476, 671-672, 836
definition of ... 471
kill () ... 471-472
KILL ... 474, 616-618, 621
`kl_DK`
— (Example) Greenlandic `LC_TIME` and `LC_-MESSAGES` ... 883
KornShell ... 9, 185, 187, 190-191, 193, 195, 198-199, 201-202, 204-208, 213, 215, 221, 228, 231-232, 243, 245, 249-250, 254, 256-257, 260, 325, 357, 422, 451, 475, 529, 601-602, 637, 639, 673, 682, 826
`ksh` ... 215, 257

L

LALR ... 761, 764-766, 827
L_ANCHOR ... 122-123
LANG
variable ... 103, 105-106, 161, 194, 265-266, 298, 302, 319, 323, 327, 330, 338, 342, 348, 351, 355, 363, 370, 375, 382,

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

389, 396, 399-400, 403, 420, 423-424, 434, 440, 444, 449, 455, 460, 463, 468, 473, 478, 482, 485, 488, 491, 494, 497, 504, 511, 516, 519, 523, 527, 532, 540, 544, 554, 564-565, 568-569, 574, 577, 581, 585, 589, 600, 603, 608, 619, 625, 629, 634, 642, 646, 655, 658, 663, 666, 670, 675, 680, 689, 697, 717, 729, 737, 751, 815, 819

LANG ... 484-485

language binding ... 1, 9, 13-16, 26-28, 36-37, 44, 87, 174, 176, 179, 209, 719-723, 725, 771, 775, 786, 811, 845

Language-Independent System Services ... 719, 844

LC_COLLATE locale category ... 74, 76, 99, 101

LC_COLLATE ... 74, 76, 95-96, 99, 101

LC_CTYPE locale category ... 68, 99, 122

LC_CTYPE ... 68, 94-95, 99, 122

LC_MESSAGES locale category ... 92, 102

LC_MESSAGES ... 92, 96-97, 102

LC_MONETARY locale category ... 84, 101

LC_MONETARY ... 84, 97, 101

LC_NUMERIC locale category ... 88, 101-102

LC_NUMERIC ... 88, 97-98, 101-102

LC_*
definition of ... 50

LC_*
variable ... 105, 144, 194, 482, 485, 488

LC_ALL locale category ... 106, 485, 752, 767

LC_ALL
variable ... 103, 105, 161, 194, 265-266, 298, 302, 319, 323, 327, 330, 338, 342, 348, 351, 355, 363, 370, 375, 382, 389, 396, 399-400, 403, 420, 423-424, 434, 440, 444, 449, 455, 460, 463, 468, 473, 478, 482-483, 488, 491, 494, 497, 504, 511, 516, 519, 523, 527, 532, 540, 544, 554, 564-565, 568-569, 574, 577, 581, 585, 589, 600, 603, 608, 619, 625, 629, 634, 642, 646, 655, 658, 663, 666, 670, 675, 680, 689, 697, 717, 729, 737, 751, 815, 819

LC_ALL ... 106, 483, 485, 752, 767

LC_COLLATE Category Definition in the POSIX Locale ... 74

LC_COLLATE locale category ... 29, 62, 65, 73, 77, 81-82, 130, 132, 173-174, 481, 485-486, 489, 647-649, 767

LC_COLLATE ... 72

LC_COLLATE
variable ... 61, 103, 105-106, 195, 266, 351, 363, 403, 424, 434, 456, 469, 488, 504, 523, 554, 581, 589, 600, 608, 646, 737

LC_COLLATE ... 29, 62, 65, 72-74, 77, 81-82, 130, 132, 173-174, 481, 484-487, 489, 647-649, 767, 850

LC_CTYPE Category Definition in the POSIX Locale ... 68

LC_CTYPE locale category ... 27, 29, 40, 46, 62, 65, 67, 71, 114, 131, 133-134, 279, 381, 481, 485-486, 489, 533, 539, 606, 648-649, 767

LC_CTYPE ... 67

LC_CTYPE
variable ... 49, 61, 103, 105-106, 195, 266, 298, 302, 319, 324, 327, 330, 338, 342, 348, 351, 355, 363, 370, 375, 382, 389, 396, 402, 404, 420, 424, 434, 440, 444, 449, 456, 460, 464, 469, 473, 478, 482, 488, 492, 497, 504, 511, 516, 519, 524, 527, 532, 540, 544, 554, 565, 569, 577, 581, 585, 589, 600, 604, 608, 619, 625, 629, 634, 643, 646, 655, 658, 663, 667, 670, 675, 680, 689, 697, 717, 729, 737, 751, 815, 820

LC_CTYPE ... 27, 29, 40, 46, 62, 65, 67-68, 71, 114, 131, 133-134, 279, 381, 481, 485-487, 489, 533, 539, 606, 648-649, 767

LC_MESSAGES Category Definition in the POSIX Locale ... 92

LC_MESSAGES locale category ... 26, 37, 63, 92, 363, 434, 464, 523-524, 554, 581, 812

LC_MESSAGES ... 92

LC_MESSAGES
variable ... 61, 92, 104-106, 163, 195, 266, 298, 302, 319, 324, 327, 330, 338, 342, 348, 352, 355, 363, 370, 375, 383, 389, 396, 400, 404, 420, 424, 434, 440, 444, 449, 456, 460, 464, 469, 473, 478, 482, 488, 492-493, 495, 498, 504, 511, 516, 519, 524, 528, 532, 540, 544, 555, 565, 569, 575, 577, 581, 586, 589, 600, 604, 608, 619, 625, 629, 634, 643, 646, 655, 658, 663, 667, 670, 675, 680, 689, 697, 717, 729, 737, 751, 815, 820

LC_MESSAGES ... 26, 37, 63, 92, 363, 434, 464, 485, 487, 523-524, 554, 581, 812, 850, 882-883

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

LC_MONETARY Category Definition in the POSIX Locale ... 84
LC_MONETARY locale category ... 62, 83-84, 86
LC_MONETARY ... 83
LC_MONETARY
variable ... 61, 104-106
LC_MONETARY ... 62, 83-84, 86, 88, 485, 487
LC_NUMERIC Category Definition in the POSIX Locale ... 88
LC_NUMERIC locale category ... 63, 87-88, 170-171, 267, 296, 485
LC_NUMERIC ... 87
LC_NUMERIC
variable ... 61, 104-105, 155, 266, 532, 569, 609
LC_NUMERIC ... 63, 87-88, 170-171, 267, 296, 485, 487
LC_TIME Category Definition in the POSIX Locale ... 89
LC_TIME locale category ... 63, 88, 374, 505, 566
LC_TIME ... 88
LC_TIME
variable ... 61, 104-106, 376, 389, 504, 555, 565, 690-691
LC_TIME ... 63, 88-89, 91, 374, 378, 485, 487, 505, 566, 850, 882-883
LC_TYPE ... 850
LC_TIME locale category ... 89, 102
LC_TIME ... 89, 98-99, 102
LCURL ... 759-760
LDBL_MANT_DIG ... 537
LDFLAGS ... 706-707
leap seconds ... 377
LEFT ... 759-760, 768
LESSAND ... 235, 238
LESSGREAT ... 235, 238
LETTER ... 303-305
LETTER ... 306, 313
`lex`
— Generate programs for lexical tasks ... 736, 845
... 4, 25, 41, 44, 129, 137, 163, 165, 172, 730, 734, 736-742, 744-749, 753, 766, 822
Actions ... 744
definition of ... 736
Definitions ... 740
ERE Precedence ... 743
Escape Sequences ... 743
Regular Expressions ... 741
Rules ... 741
Table Size Declarations ... 741
User Subroutines ... 741
Lexical Structure of the Grammar ... 753
LEX ... 162, 706-707
`lex.yy.c` ... 165, 736, 738-739, 741, 744, 749
LFLAGS ... 706-707
`/lib` ... 109
`libc.a` ... 727, 731
LIBDIR ... 198
`libf.a` ... 818, 821
`libl.a` ... 727, 731, 749
`libm.a` ... 727, 731
Libraries ... 704
`liby.a` ... 727, 731
LIGATURE ... 100-101
{LIMIT} ... 173
Limits ... 764
`<limits.h>` ... 20, 774-775
Line Number Command ... 415
`line` ... 835
line
definition of ... 36
LINENO
variable ... 195
{LINE_MAX} ... 45, 47, 64, 160-161, 175, 177-179, 185, 265, 277, 371, 417-418, 439, 460, 466, 510, 512, 542, 596, 623, 668, 678-679, 682, 776
{LINE_MAX} ... 19
LINE_MAX ... 173-174
{LINE_MAX} ... 174
LINE_MAX ... 775
{LINE_MAX} ... 775, 811
link (see directory entry)
link count
definition of ... 37
link
definition of ... 37
link () ... 3, 36, 477, 479
{LINK_MAX} ... 178
{LINK_MAX} ... 723
List Command ... 411
Lists ... 222
`ln`
— Link files ... 476, 840
... 3, 36, 47, 366, 476-480
definition of ... 476

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Local Modes ... 616
/local ... 109
local ... 231
/local/bin ... 155
Locale Control ... 723, 844
locale definition file ... 63
Locale Definition Grammar ... 93
Locale Definition ... 63
Locale Grammar ... 94
Locale Lexical Conventions ... 93
Locale String Definition Guideline ... 849
locale
— Get locale-specific information ... 480, 840
Locale ... 61
locale ... 480-482, 484-485
Locale ... 830
locale
definition of ... 37
locale
definition of ... 480
localeconv () ... 86
localedef
— Define locale environment ... 486, 840
... 20, 44, 58-63, 65-66, 91, 105, 378, 483-484, 486-490
definition of ... 486
LOCALEDEF ... 179, 777, 811
<locale.h> ... 774, 812
locale ... 5, 14, 20, 26-27, 29, 37, 40, 44, 46, 48-49, 55, 58-68, 71-74, 81, 83-84, 86-99, 103-106, 110, 114, 122, 130-133, 143-144, 153, 155, 161, 170-171, 173-174, 179-180, 215, 245, 254, 265-267, 271, 279, 296, 298, 302, 309, 316-317, 319, 323-324, 327, 330, 338, 342, 348, 350-352, 355, 363, 370, 373-375, 377-378, 382, 389, 395-396, 399-400, 403-404, 420, 423-424, 434, 440, 444, 449, 454-456, 460, 463-464, 468-469, 473, 478, 480-492, 494, 497, 499, 502, 504-505, 510-511, 516, 519, 523-524, 527, 532-5 33, 535-538, 540, 544, 554, 564-569, 572, 574, 577, 581, 585, 589, 600, 603-604, 606-609, 619-620, 625, 629, 634, 642-643, 646-648, 655, 658, 663, 666-667, 670, 675, 680, 689, 691, 697, 717, 719, 723, 729, 737, 748, 751-752, 767, 774, 777, 788, 812, 815, 819-820, 830, 840, 844, 846-850, 887
locate ... 438
LOC _NAME ... 94
logger
— Log messages ... 491, 840
... 491-493, 513
definition of ... 491
login name
definition of ... 37
login session
definition of ... 48
login
definition of ... 37
logname
— Return user's login name ... 494, 840
... 494-496
definition of ... 494
LOGNAME
variable ... 104, 108, 197, 496
logout ... 260
{LONG_MAX} ... 145, 150
{LONG_MIN } ... 150
LONG _NAME _OS ... 138
LOWER -CASE ... 100-101
LOWER ... 101
LOW ... 80
LOW _VALUE ... 100-101
lp
— Send files to a printer ... 496, 841
... 107, 178, 441, 493, 496-497, 499-501, 513, 816
definition of ... 496
LPDEST
variable ... 107, 496, 498-501
lpr ... 501
{LP_LINE _MAX} ... 178
ls
— List directory contents ... 502, 841
... 81, 107, 138, 142, 150, 202, 221, 332, 336, 437, 502-504, 507-509, 555, 558-559, 681, 691, 694
definition of ... 502
lseek () ... 32, 630, 735, 823

M

macro
feature test ... 32
MACRO ... 715
Macros ... 702

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

macros
feature test ... 772
Mail ... 514
MAILRC
variable ... 107, 511, 514
MAIL
variable ... 107
mailto ... 513
mailx
— Process messages ... 510, 841
... 107, 143, 493, 510-514, 835
definition of ... 510
main () ... 745-746, 751, 753, 763-764, 766, 792, 796, 803
make ... 4, 25, 44, 142, 155, 160, 162, 185, 198, 232, 692, 694-716, 767
definition of ... 695
GNU version ... 712
Makefile Execution ... 700
Makefile Syntax ... 699
./Makefile ... 699
./makefile ... 699
./Makefile ... 700
./makefile ... 700
./Makefile ... 711
./makefile ... 711
MAKEFLAGS
variable ... 107, 696, 698, 700, 710, 712, 714
MAKEFLAGS ... 696, 698
MAKE ... 707-708
{MAKE} ... 708
MAKE ... 710, 712
{MAKE} ... 712
MAKESHELL
variable ... 713
malloc () ... 791, 803, 810
many-to-many substitution ... 73
Mark Command ... 411
MARK ... 759
matched
definition of ... 110
Matching Expression ... 425
matching list ... 113
Mathematic Functions ... 145
<math.h> ... 730
MAX ... 773
{MAX_CANON } ... 177-178
{MAX_CANON } ... 723
{MAX_INPUT } ... 178-179
{MAX_INPUT } ... 723
may
definition of ... 23
mb_cur_max ... 56
{MEMSIZE } ... 764
message formats ... 92
messaging ... 92
META _CHAR ... 122, 124
META _CHAR ... 121
MIL -STD -1753 ... 822
MIL -STD -1753 ... 822
MIN ... 618
Miscellaneous Conventions ... 22
mkdir ... 515
mkdir
— Make directories ... 514, 841
... 514-517, 520
definition of ... 514
mkdir () ... 32, 514, 517, 549
mkfifo
— Make FIFO special files ... 518, 841
... 518-520, 835
definition of ... 518
mkfifo () ... 32, 518, 520
mknod ... 366, 835
mktemp ... 547
MOD _ASSIGN ... 282, 286-287
mode
definition of ... 37
mode_t ... 46
Modified Field Descriptors ... 374
MOD _ASSIGN ... 290
monetary formatting ... 83
more ... 213, 320
Move Command ... 411
MS/DOS ... 3
MUL _ASSIGN ... 282, 286-287
MUL _OP ... 303, 305
MUL _ASSIGN ... 290
MUL _OP ... 306
multibyte character ... 28
multicharacter collating element
definition of ... 37
multicharacter collating elements ... 72

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

multiple groups (see supplementary group ID)
multiple weights and equivalence classes ... 72
mv
— Move files ... 521, 841
... 480, 521-526, 584
definition of ... 521
MVS/TSO ... 3
/mybin ... 421
mygrep ... 421

N

NAK ... 68, 74
NAK ... 56, 618
name
definition of ... 183
login ... 37
user ... 45
NAME ... 235-237, 282-287
{NAME_MAX} ... 34, 39, 178, 446, 543, 561, 692
NAME _MAX ... 446
{NAME_MAX} ... 723
NAME ... 22, 233-234, 270, 290
<National Body> Conforming POSIX. 2 Application ... 16
nawk ... 293
negative response
definition of ... 37
<newline> ... 437
definition of ... 37
NEWLINE ... 235, 238, 282-283, 287, 303-304
NEWLINE ... 22, 233, 288, 305, 312
NEW ... 715
next ... 275
NF-1 ... 292
NF
awk variable ... 272
{NGROUPS _MAX} ... 44, 139, 178, 445, 462
NGROUPS _MAX ... 446
{NGROUPS _MAX} ... 723
Ninth Edition UNIX ... 231, 315, 402, 572
NIX ... 158
nl ... 835
{NNONTERM } ... 765
NO-ACCENT ... 100-101
NO_ACCENT ... 101
noclobber option ... 210, 213-214, 255, 546-547
noexpr ... 37, 92, 102
NOFLSH ... 617
nohup
— Invoke a utility immune to hangups
... 526, 841
... 51, 215, 357, 422, 526-529, 682
definition of ... 526
nohup.out ... 526-528
./nohup.out ... 529
NO_MATCH ... 282, 285-287
NONASSOC ... 759-760
nonmatching list ... 113
nonprintable ... 47, 135, 411, 417, 503, 533, 556, 565, 592, 595, 606, 620
Normative References ... 12, 829
NO_MATCH ... 290
NOTE ... 239
NOTES ... 21
NOT ... 222, 269, 433, 525, 583
NPROC ... 712
{NPROD } ... 765
nroff ... 372, 833
NR
awk variable ... 272
{NSTATES } ... 765
{NTERMS } ... 765
Null Command ... 415
null string
definition of ... 31, 37
NULL ... 101
NULL ... 781, 791, 802, 810
NUL ... 68, 74
NUL
definition of ... 37
NUL ... 37, 45, 47, 55, 78, 111, 113, 118, 242, 274, 288, 418, 533, 651, 742, 745, 754, 764
Number Command ... 411
NUMBER ... 94, 97-98, 282, 285, 287, 303-304
NUMBER ... 269, 288, 305-306, 759-760
number-sign
definition of ... 38
numeric formatting ... 87

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

O

O_APPEND ... 141, 210, 630
object file
  definition of ... 38
obsolescent features ... 4-5, 15, 24-25, 104, 107, 135, 154, 198, 205, 227, 254, 256, 332, 386, 402-403, 419, 432, 452-454, 458-459, 461, 466-467, 470-472, 475, 537, 566-567, 605-606, 608, 610-611, 613, 623-624, 626, 640, 642, 644, 654-656, 658, 660, 665-666, 669, 736, 834
obsolescent
  definition of ... 24
O_CREAT ... 361
OCTAL _CHAR ... 94
od
  — Dump files in various formats ... 530, 841
    ... 530, 532-534, 536-537, 709
  definition of ... 530
  Named Characters ... 534
OFF ... 24, 46, 111, 185
off_t ... 786
OFMT
  awk variable ... 272
OFMT ... 271-272, 276, 295
OFS
  awk variable ... 272
OFS ... 271, 276, 292
OLDPWD
  variable ... 325
ONESHELL ... 714
one-to-many mapping ... 72
O_NONBLOCK ... 143, 602
Open File Descriptors for Reading and Writing. ... 212
open file
  definition of ... 38
open () ... 32, 141, 143, 210, 360-361, 387, 602
opendir () ... 801
{OPEN _MAX} ... 178, 212
{OPEN _MAX} ... 723
operand
  definition of ... 38
operator
  definition of ... 183
OPOST ... 616
OPTARG
  variable ... 107, 447-448, 451
OPTARG ... 451
OPTERR
  variable ... 451
OPTIND
  variable ... 107, 447-449, 451
OPTIND ... 451
option
  definition of ... 38
Optional Facility Configuration Values ... 179
option-argument
  definition of ... 38
ORD _CHAR ... 122-125
order_end
  Keyword ... 81
ordering by weights ... 73
order_start
  Keyword ... 77
O_RDONLY ... 142
ORD _CHAR ... 121
OR_IF ... 235-236
OR Lists ... 225
ORS
  awk variable ... 272
ORS ... 276
O_TRUNC ... 141, 360, 387
Output Modes ... 616
Output Statements ... 276
Overall Program Structure ... 267
O_WRONLY ... 360-361

P

P.0 ... 610
PARALLEL ... 712
Parameter Expansion ... 199
parameter
  definition of ... 183
Parameters and Variables ... 192, 831
PARENB ... 614
parent directory
  definition of ... 38
parent process ID
  definition of ... 38
parent process
  definition of ... 38
PARMRK ... 615

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

PARODD ... 614
`passwd` ... 496
`paste`
— Merge corresponding or subsequent lines of files ... 538, 841
... 178, 371, 538, 540-542
definition of ... 538
`patch` ... 394
path prefix
definition of ... 39
`pathchk`
— Check pathnames ... 543, 841
... 213, 543-547
definition of ... 543
pathconf () ... 39, 175, 443, 722-723, 811
definition of ... 811
pathname component
definition of ... 39
Pathname Expansion ... 208
pathname resolution ... 26
Pathname Resolution ... 143
pathname resolution
definition of ... 39
pathname
absolute ... 26
definition of ... 39
relative ... 42
pathname ... 19-20, 26-27, 30, 34-35, 38-40, 42, 46, 48, 61, 103-105, 107-108, 139, 142-143, 155, 157, 181, 194-197, 199, 204-205, 208-209, 213, 219-220, 234, 243-245, 255, 264, 272, 276, 280, 297, 299-301, 318, 320, 323-324, 326, 329, 338, 341-342, 347, 351, 359, 363-364, 369, 380, 388, 390-391, 395, 398, 403, 408-409, 412, 414-415, 427, 430-433, 435-436, 439, 442-443, 454-455, 460-461, 468, 470, 476-477, 487, 497, 502-505, 511, 515, 518, 521, 523-524, 527, 531, 539, 543-548, 550, 552-556, 558, 562, 564, 574-575, 579-582, 585, 588, 598-599, 608, 624, 628, 630, 641-642, 644, 655-656, 666, 674, 676, 687, 689, 696, 699, 703, 711, 716, 719, 722, 726-729, 737, 751, 778, 782, 785, 794-795, 799-804, 807, 814, 817-818, 820, 838-839, 841, 844-845
PATH
variable ... 51-53, 104, 107-108, 162, 195, 198, 219-220, 248-249, 252, 266, 292, 325, 354-358, 420-421, 434, 445, 528, 598, 600, 679, 781, 809-810
{PATH_MAX} ... 39, 175, 178, 430, 543, 584
PATH _MAX ... 446
{PATH_MAX} ... 723
PATH ... 19, 195, 198, 221, 253, 292, 357, 421, 443
pattern matching notation ... 72, 79, 195, 200, 208, 227
Pattern Matching Notation ... 242
pattern matching notation ... 242, 244-245, 432, 434, 436-437, 553-554, 560, 600, 719, 721, 793, 799
Pattern Matching Notation ... 832
Pattern Matching ... 721, 844
Pattern Ranges ... 275
pattern
definition of ... 40
Patterns Matching a Single Character ... 242
Patterns Matching Multiple Characters ... 244
Patterns Used for Filename Expansion ... 244
Patterns ... 274
`pax`
— Portable archive interchange ... 548, 841
... 243, 367, 538, 545, 548-561, 692, 709, 795, 833
definition of ... 548
pclose () ... 276, 280, 720, 782-785
definition of ... 782
PDT ... 377, 393
PECULIAR ... 100-101
Perform Word Expansions ... 722, 844
period
definition of ... 40
Periods in BREs ... 113
Periods in EREs ... 118
permission
file ... 34
permissions
definition of ... 40
file access ... 32, 40
pid_t ... 41
Pipe Communications with Programs ... 720
pipe ... 34
definition of ... 40
pipe () ... 40, 784
Pipelines ... 221
pipe ... 6, 34, 40, 106, 143, 160, 172, 178, 192-193, 216, 221-222, 236, 241, 255, 266, 272, 276, 280, 293, 317, 356, 395, 437, 499, 529, 558, 624, 627, 630-631, 681, 720, 782-

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

785, 816
{PIPE_BUF} ... 178
{PIPE_BUF} ... 723
PL/1 ... 314
popen () ... 2, 8, 51, 53, 181, 276, 280, 720, 778, 782-784, 811
  definition of ... 782
portable character set ... 40, 54-55, 58-59, 62, 183, 264, 289, 405, 411, 490, 701-702
  definition of ... 40
portable filename character set
  definition of ... 40
portable filenames ... 34
positional parameter
  definition of ... 183
Positional Parameters ... 192
POSIX Locale ... 68, 74, 84, 88-89, 92
`posixconf` ... 446
posixconf () ... 810
`posixlog` ... 493
POSIX Locale ... 27, 46, 61-63, 66, 91, 105, 115, 161, 296, 309, 348-349, 374, 376-377, 383, 390-391, 435, 454, 464, 481, 485, 488, 505-507, 510, 535, 565-567, 618, 620-621, 655, 676, 691, 737, 748, 767, 848-849
POSIX Symbols ... 772
POSIX.1 C Numerical Limits ... 777
POSIX.1 Numeric-Valued Configurable Variables ... 723
POSIX.1
  definition of ... 50
POSIX.1 ... 1-4, 7, 9-11, 13-14, 16-17, 20, 24-46, 48-53, 63, 66, 92, 103, 105-107, 138-144, 156, 160, 162, 175-178, 194, 197, 209-210, 212, 215, 219-220, 240-241, 246, 258, 271, 300, 326, 328, 334, 336-337, 339-340, 343, 349, 358-361, 367, 388, 395, 398, 422, 430, 432-433, 436-437, 442-443, 462, 471-472, 474-477, 494, 502-503, 505, 509, 514, 517-518, 520-521, 525, 537, 543, 545, 547, 549, 552-556, 558-560, 580, 602, 613-617, 621-622, 626, 639-640, 644, 654-655, 661-662, 665, 673, 678, 683, 719-720, 722-7 23, 726-727, 730, 734, 771-772, 774-780, 783-786, 801-802, 809-813, 817-818, 829, 835
POSIX.2 Reserved Header Symbols ... 773
POSIX.2
  abbreviation ... 50
  definition of ... 50
{POSIX2_C_BIND} ... 14, 180
_POSIX2_C_BIND ... 730
{POSIX2_C_DEV} ... 14, 180
{_POSIX2_C_DEV} ... 811
{POSIX2_FORT_DEV} ... 14, 180
{POSIX2_FORT_RUN} ... 14
{_POSIX2_LINE_MAX} ... 776
{POSIX2_LOCALEDEF} ... 14, 61, 66, 486
POSIX.2 ... 2-3, 6-11, 13-16, 23-24, 41, 46-50, 60, 62, 71-72, 81, 83, 104, 106-107, 109, 113-115, 127-128, 136-140, 142-145, 150, 154, 162, 166, 168
POSIX.2 ... 173-174
POSIX.2 ... 175-177
POSIX.2 ... 179-180
POSIX.2 ... 182, 185, 187-188, 190, 196, 198, 205, 207, 212, 215-216, 220-222, 231-232, 245, 247, 249, 253, 259, 261, 263, 294-296, 316, 335-336, 340, 343, 349, 356-358, 365-366, 377, 387, 416-418, 426, 436-437, 443, 445
POSIX.2 ... 446
POSIX.2 ... 458, 462, 474-475, 493, 500-501, 508, 510, 512-514, 535, 537, 542, 550-551, 558, 560-561, 584, 587, 596, 601-602, 613, 621, 627, 635, 637-639, 650-651, 653, 665, 672, 681-683, 692-693, 708-709, 712-715, 721-723
POSIX.2 ... 730
POSIX.2 ... 732-734, 748-749, 769, 771-774
POSIX.2 ... 774
POSIX.2 ... 775
POSIX.2 ... 775
POSIX.2 ... 776
POSIX.2 ... 776
POSIX.2 ... 777
POSIX.2 ... 777
POSIX.2 ... 779, 782-784, 792, 810-811
POSIX.2 ... 811
POSIX.2 ... 813, 816, 822, 826, 847
{POSIX2_SW_DEV} ... 14, 180
_POSIX2_VERSION ... 774
{POSIX2_VERSION} ... 776
{_POSIX2_VERSION} ... 811
POSIX.3 ... 2, 11, 161
POSIX.5 ... 9
POSIX.6 ... 325, 508-509, 837
POSIX.7 ... 4, 7, 493

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

POSIX. 9 ... 813, 822
{_POSIX_C_DEV} ... 811
POSIX_CHOWN_RESTRICTED ... 723
_POSIX_C_SOURCE ... 772-773
POSIX_C_SOURCE ... 772-774
{_POSIX_JOB_CONTROL} ... 36
POSIX_JOB_CONTROL ... 723
{_POSIX_LOCALEDEF} ... 180
{_POSIX_NAME_MAX} ... 543
{_POSIX_NO_TRUNC} ... 39, 547
POSIX_NO_TRUNC ... 723
{_POSIX_PATH_MAX} ... 543
{_POSIX_SAVED_IDS} ... 139
POSIX_SAVED_IDS ... 723
POSIX_SOURCE ... 772, 777
{_POSIX_VDISABLE} ... 617, 621
POSIX_VDISABLE ... 19, 723
_POSIX_VERSION ... 730
{_POSIX_VERSION} ... 811
POSIX_VERSION ... 730, 774, 776
POW_ASSIGN ... 282, 286-287
POW_ASSIGN ... 290
PPID
variable ... 195
`pr`
— Print files ... 562, 841
... 321, 499, 562-567, 835
definition of ... 562
PRECIOUS ... 698, 702, 714
PREC ... 759-760
Preserve Historical Applications ... 4
Preserve Historical Implementations ... 6
Print Command ... 412
`print` ... 272
printable character
definition of ... 40
PRINTER
variable ... 107, 496, 498, 500-501
`printf`
— Write formatted output ... 568, 841
... 5, 8, 155, 271-272, 279, 401-402, 509, 541, 568, 570-573
definition of ... 568
printf () ... 155, 160, 163, 165, 168, 171-172, 536-537, 573, 677, 734
privileges (see appropriate privileges)
Process Attributes ... 138
process group ID ... 41, 138-139, 474
definition of ... 41
process group leader
definition of ... 41
process group
background ... 27
definition of ... 41
foreground ... 35
leader ... 41
process ID ... 38, 41, 138-139, 164, 193, 224, 240, 474-475, 669-673, 783
definition of ... 41
parent ... 38
process
background ... 26
definition of ... 41
foreground ... 35
parent ... 38
PROCESSING ... 546-547
PROCLANG
variable ... 108
program
definition of ... 41
Programs Section ... 758
Prompt Command ... 412
PS 1
variable ... 107, 195, 602
PS 2
variable ... 107, 195, 602
PS 4
variable ... 195
PWB ... 638
`pwd`
— Return working directory name ... 574, 841
... 574-576
definition of ... 574
PWD
variable ... 195, 252, 325
PWD ... 252-253

Q

`q` ... 418
Quit Command ... 412
Quit Without Checking Command ... 412
QUIT ... 258, 260, 616-617
Quote Removal ... 209
QUOTED_CHAR ... 122-124

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

QUOTED _CHAR ... 121
Quoting ... 185, 831

R

R_ANCHOR ... 122-123
range expression ... 114
`ranlib` ... 694
RAW ... 622
RCS ... 712
RCURL ... 759-760
Read Command ... 412
`read`
— Read a line from standard input
... 576, 841
... 51-52, 160, 194, 196, 255, 576-579, 599, 835
definition of ... 576
read () ... 32, 142-143, 383
readdir () ... 801
read-only file system
definition of ... 41
`readonly`
— Set read-only attribute for variables
... 253
... 253
definition of ... 253
real group ID ... 36, 42, 138-139, 464, 597
definition of ... 42
real user ID ... 42, 45, 138-139, 464, 597
definition of ... 42
Redirecting Input ... 210
Redirecting Output ... 210
redirection operator
definition of ... 184
Redirection ... 209, 831
redirection
definition of ... 184
regcomp () ... 2, 127, 129, 721, 786-790, 792, 795
cflags Argument ... 787
definition of ... 786
regexec () Return Values ... 790
regerror () ... 786, 789, 791, 793
definition of ... 786
regexec () ... 721, 786-790, 792-793, 795
definition of ... 786
eflags Argument ... 787
`<regex.h>` ... 786-787, 789-790, 793
regex_t
definition of ... 787
regfree () ... 721, 786, 789
definition of ... 786
regmatch () ... 791
regmatch_t
definition of ... 787
regoff_t ... 786, 792
definition of ... 786
REG ... 773
REG _BADBR ... 789
REG _BADPAT ... 790
REG _BADRPT ... 789
REG _EBRACE ... 790, 793
REG _EBRACK ... 790
REG _ECOLLATE ... 790
REG _ECTYPE ... 790
REG _EESCAPE ... 790
REG _EPAREN ... 790
REG _ERANGE ... 790
REG _ESPACE ... 790
REG _ESUBREG ... 790
REG _EXTENDED ... 786-787, 791
REG _FILENAME ... 793, 795
REG _FSLASH ... 795
REG _ICASE ... 786, 791
REG _NEWLINE ... 786, 789
REG _NOMATCH ... 789
REG _NOSUB ... 786-788, 791-792
REG _NOTBOL ... 786, 789-790, 792
REG _NOTEOL ... 786, 789, 792
REG ... 790
regsub () ... 792
Regular Built-in Utilities ... 51
Regular Expression Definitions ... 110
Regular Expression General Requirements ... 111
Regular Expression Grammar ... 121
Regular Expression Matching ... 721, 844
Regular Expression Notation ... 110, 830
regular expression ... 2, 5-6, 11, 25-27, 32, 37, 40, 42, 50, 66, 72, 79-80, 83, 92-93, 103, 110-113, 117-118, 121-131, 134-135, 137, 173-174, 200, 242-243, 264, 266, 272-274, 278-279, 288, 291, 293-294, 297, 363, 403-405, 417, 424-425, 427, 434, 453-456, 523-524, 552, 554, 581, 589-591, 593, 595, 650-651, 719, 721, 737, 739-744, 747-749, 786-793, 830, 844-845

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

definition of ... 42
Regular Expressions ... 273
regular file
definition of ... 42
rejected utilities ... 832
REJECT ... 744
relative pathname
definition of ... 42
REL_OP ... 303-304
REL_OP ... 306
rename () ... 521, 525-526
Required Files ... 109, 830
Requirements ... 12
RE and Bracket Expression Grammar ... 122
RE Bracket Expression ... 113
RE
abbreviation ... 50
{RE_DUP_MAX} ... 116, 119, 121, 178
RE_DUP_MAX ... 173-174
{RE_DUP_MAX} ... 174
RE_DUP_MAX ... 775
{RE_DUP_MAX} ... 775, 811
Reserved Words ... 190, 831
`return`
— Return from a function ... 254
... 230, 254
definition of ... 254
RIGHT ... 759-760
RING -ABOVE ... 100
`RLENGTH`
`awk` variable ... 272
RLENGTH ... 278, 293
`rm`
— Remove directory entries ... 579, 841
... 176, 479, 546, 579-584
definition of ... 579
`rmdir`
— Remove directories ... 584, 842
... 517, 584-587
definition of ... 584
rmdir () ... 142, 580
{RM_DEPTH_MAX} ... 178
R_OK ... 798
root directory ... 138
definition of ... 42
`rsh` ... 602
`RS`
`awk` variable ... 272
`RSTART`
`awk` variable ... 273
RSTART ... 278, 293
RULES ... 707

S

Sample National Profile ... 847
Sample *pclose* () Implementation ... 785
Sample *system* () Implementation ... 781
saved set-group- ID ... 36, 138
definition of ... 42
saved set-user- ID ... 42, 45, 138
definition of ... 42
saved-set-group- ID ... 139
saved-set-user- ID ... 139
scanf () ... 168, 172
SCCS ... 436, 711-712, 833-834, 836-838
`SCCS/s.Makefile` ... 711
Scope of Danish National Locale ... 850
Scope ... 1, 829
SC22 ... 884
SC_2 ... 811
SC2 ... 826
SC_BC_BASE_MAX ... 811
SC_BC_DIM_MAX ... 811
SC_BC_SCALE_MAX ... 811
SC_BC_STRING_MAX ... 811
SC_COLL_WEIGHTS_MAX ... 811
SC_EXPR_NEST_MAX ... 811
SC_LINE_MAX ... 811
SC_POSIX_C_BIND ... 446
SC_POSIX_C_DEV ... 811
SC_RE_DUP_MAX ... 811
SC_VERSION ... 811
`sdb` ... 836
seconds since the Epoch
definition of ... 42
security considerations ... 32
security controls
additional ... 32
alternate ... 32
extended ... 32
`sed`
— Stream editor ... 587, 842
... 25, 41, 44, 160, 178, 194, 320, 466, 537, 560, 587-588, 590-591, 594-596, 627, 683, 833, 837
Addresses ... 590

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

definition of ... 587
Editing Commands ... 591
Regular Expressions ... 590
{SED_PATTERN _MAX} ... 178
sendto ... 513
Sequential Lists ... 225
session leader
definition of ... 43
session lifetime
definition of ... 43
session membership ... 138
session ... 27, 35, 43
definition of ... 43
session ... 27, 35, 43, 48, 138-139, 174, 176, 216, 260
set
— Set/unset options and positional parameters ... 254
... 192, 194, 210, 213, 240, 254-257, 260, 357, 547, 597, 601
definition of ... 254
setbuf () ... 321
setbuffer () ... 321
setgid () ... 31, 42
set-group- ID ... 138-139, 366
set-group- ID-on-execution ... 34, 331-332
<setjmp.h> ... 730
setlocale () ... 62, 130-133, 143, 296, 812
setpgid () ... 43
setsid () ... 43
setuid () ... 31, 42
set-user- ID scripts ... 602
set-user- ID ... 138-139, 336, 366, 506, 632
set-user- ID-on-execution ... 34, 331-332
setvbuf () ... 321
SGML ... 8
sh — Shell
the standard command language interpreter ... 597, 842
sh ... 43, 107, 144, 160, 167, 181-182, 192-194, 215-216, 255, 257, 291, 597-602, 636, 639, 703, 778-779, 781-783, 802, 807-808
definition of ... 597
shall
definition of ... 24
Shell Command Interface ... 720, 844
Shell Command Language ... 181, 831
Shell Commands ... 216, 831
Shell Definitions ... 183, 831
Shell Escape Command ... 415
shell execution environment ... 184, 193, 209, 217, 224
Shell Execution Environment ... 240
shell execution environment ... 240-241, 250, 322, 325, 448, 450, 576, 578, 657, 660, 669
Shell Execution Environment ... 831
Shell Grammar Lexical Conventions ... 233
Shell Grammar Rules ... 233
Shell Grammar ... 233, 831
shell script
definition of ... 43
shell
definition of ... 43
shell ... 1-4, 6-8, 10, 13, 25, 28, 30, 36, 41, 43-47, 49, 51-53, 60, 105, 107, 109, 133, 145, 154, 165, 167, 176, 179, 181-196, 198-209, 211, 213-221, 223-224, 226, 228, 230-233, 236, 239-243, 245-246, 248-260, 291, 296, 300, 314, 320-322, 325, 354, 357, 409, 412, 415, 422, 426-427, 429, 436-437, 445, 447-448, 450-452, 466, 471, 475-476, 479-480, 482, 486, 513, 520, 529, 541, 546-547, 558, 573, 576-579, 583, 597-599, 601-602, 614, 621-622, 635-637, 639, 650, 653, 657, 660, 669, 671-673, 681, 683, 703, 709, 713-714, 719-722, 778, 781-782, 799, 802-808, 829, 831, 834-838, 842, 844-845
SHELL
variable ... 105, 107, 698, 703, 782
SHELL ... 698, 703
shift
— Shift positional parameters ... 258
... 256
definition of ... 258
should
definition of ... 24
SIGABRT ... 259, 472
SIGALRM ... 259, 472, 604-605
SIGCHLD ... 778-781
SIGHUP ... 165, 259, 404, 472, 526, 528-529, 698, 713, 784
SIGINT ... 165, 224, 240, 259, 383, 404, 410, 472, 628-629, 698, 713, 778-779, 781, 784
SIGKILL ... 258-259, 472, 474
signal
definition of ... 43
<signal.h> ... 730

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Signals and Error Handling ... 240, 831
SIGNULL ... 475
SIGQUIT ... 165, 224, 240, 259, 472, 529, 698, 713, 778-779, 781, 784
SIG_BLOCK ... 781
SIG_DFL ... 779
SIG_IGN ... 781
SIG ... 258-259, 471-473, 475, 672
SIG_SETMASK ... 781
SIGSTOP ... 258-259
SIGTERM ... 165, 259, 471-472, 529, 698, 713
SIGTTOU ... 617
SILENT ... 696, 699-700, 702, 714
Simple Commands ... 216
single-quote
  definition of ... 43
Single-Quotes ... 186
SINGLE ... 707
S_IRGRP ... 140, 333, 518, 640
S_IROTH ... 140, 333, 518, 640
S_IRUSR ... 140, 333, 518, 526, 640
S_IRWXG ... 514, 549, 726, 817
S_IRWXO ... 514, 549, 726, 817
S_IRWXU ... 360, 514, 549, 557, 726, 817
S_ISGID ... 34, 333, 336, 362, 436, 522, 551, 661
S_ISUID ... 34, 333, 336, 362, 436, 522, 551, 661
S_IWGRP ... 140, 333, 518, 640, 660
S_IWOTH ... 140, 333, 436, 518, 640, 660
S_IWUSR ... 140, 333, 518, 526, 640
S_IXGRP ... 331, 333
S_IXOTH ... 331, 333
S_IXUSR ... 331, 333
slash
  definition of ... 44
`sleep`
  — Suspend execution for an interval
    ... 603, 842
    ... 603-605
  definition of ... 603
SLR ... 765-766
Software Development Utilities Option ... 687, 843
SOH ... 68, 74
SOH ... 56, 618
`sort` ... 5, 29, 179, 467-468, 605-606, 608, 610, 612-613, 668
  definition of ... 605
{SORT_LINE_MAX} ... 179
source code
  definition of ... 44
`<space>`
  definition of ... 44
SPEC_CHAR ... 122, 124-125
Special Built-in Utilities ... 246, 832
special built-in ... 28, 30, 36, 45, 51, 181-182, 192, 214, 217, 219-220, 230-231, 241, 246, 248, 252-253, 255, 259, 261, 354, 358, 419, 527, 529, 576, 601-602, 653, 679, 832
Special Control Character Assignments ... 617
special parameter
  definition of ... 184
Special Parameters ... 192
Special Patterns ... 274
SPEC_CHAR ... 121
`split` ... 417, 837
SQL ... 8
ssize_t ... 786
standard error
  definition of ... 44
standard input
  definition of ... 44
Standard Libraries ... 730, 820
standard output
  definition of ... 44
standard utilities
  definition of ... 44
START ... 616-617, 759
START/STOP ... 616
stat ... 640
stat () ... 32, 35, 138, 155, 553, 801
st_atime ... 35
st_ctime ... 35
STDIN_FILENO ... 783
`<stdio.h>` ... 730, 774
`<stdlib.h>` ... 730
STDOUT_FILENO ... 782
st_gid ... 693
sticky bit ... 336
st_mode ... 693
st_mtime ... 35, 693
STOP ... 616-617
strcoll () ... 81
stream
  definition of ... 44

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

STREAMS ... 49
strerror () ... 793
Strictly Conforming POSIX. 2 Application ... 4, 6, 13, 15, 23-24, 104, 109, 113, 115, 128, 135, 166, 175
String Functions ... 278
String Operand ... 426
<string.h> ... 730
STRING ... 282, 286-287, 303-304
STRING ... 265, 273, 288, 305
strip
— Remove unnecessary information from executable files ... 716, 844
... 716-718
definition of ... 716
strtod () ... 572-573
strtol () ... 572-573
strtoul () ... 572-573
Structure Type *glob_t* ... 800
Structure Type *regex_t* ... 787
Structure Type *regmatch_t* ... 787
Structure Type *wordexp_t* ... 804
strxfrm () ... 81
st_size ... 693
stty
— Set the options for a terminal ... 613, 842
... 8, 47, 613-615, 619-622
Circumflex Control Characters ... 618
Control Character Names ... 617
definition of ... 613
st_uid ... 693
STX ... 68, 74
STX ... 56, 618
SUB _ASSIGN ... 282, 286-287
SUB ... 68, 74
SUB _ASSIGN ... 290
SUB ... 56, 618
SUBSCRIPT -LOWER ... 100
SUBSEP
awk variable ... 273
SUBSEP ... 270, 293
subshell
definition of ... 184
Substitute Command ... 413
SUFFIXES ... 702-704, 707
SUFFIX ... 707
sum ... 5, 343, 345
SUPERSCRIPT -LOWER ... 100
super-user ... 366, 508, 559, 833
supplementary group ID
definition of ... 44
supplementary group IDs ... 138
supplementary groups ... 33, 36, 44, 138-139, 462, 464-466
SUSP ... 616-617
SVID ... 826
switch ... 228
SW_DEV ... 179, 777, 811
Symbolic Constants for Portability Specifications ... 179
Symbolic Limits ... 173
Symbolic Utility Limits ... 174
SYN ... 68, 74
SYN ... 56, 618
sysconf () ... 174-176, 179-180, 443, 446, 722-723, 775-777, 809-811
definition of ... 811
<sys/stat.h> ... 20
system documentation
definition of ... 24
System III ... 397, 638
System V ... 4-5, 9, 49, 181, 187, 208, 213, 232, 245, 254, 256, 261, 315, 320-321, 325, 328, 335-336, 339, 345, 349, 353, 371, 378, 387, 393, 397, 401-402, 418, 437-438, 443, 450, 458, 501, 509-510, 513, 517, 536-537, 557-559, 567, 573, 587, 595-596, 611-612, 621, 626-627, 635-639, 644, 650-651, 677, 681, 692-693, 708-710, 712, 714-715, 734, 747-749, 768, 826, 832, 836-837
system
definition of ... 45
system () ... 2, 8, 10, 51, 53, 167, 181, 188, 280, 446, 598, 700, 714, 720, 778-782, 811
definition of ... 778
<sys/types.h> ... 730

T

<tab>
definition of ... 45
tail
— Copy the last part of a file ... 623, 842
... 461-462, 623, 625-627
definition of ... 623

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.