IEEE P1003.2a Draft 8 – December 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

P1003.2a Draft 8
ISO/IEC CD Amd. 1 to CD 9945-2

STANDARDS PROJECT

Draft Standard for Information Technology — Portable Operating System Interface (POSIX) Part 2: Shell and Utilities — Amendment 1: User Portability Extension (UPE)

Sponsor

Technical Committee on Operating Systems and Application Environments

of the

IEEE Computer Society

Work Item Number: JTC 1.22.21.2

Abstract: ISO/IEC 9945-2: 199x (corresponding to the merger of IEEE Std 1003.2-199x and IEEE Std 1003.2a-199x) is part of the POSIX series of standards for applications and user interfaces to open systems. It defines the applications interface to a shell command language and a set of utility programs for complex data manipulation. When the User Portability Utilities Option is included, the standard also defines a common environment for general purpose time-sharing users on character-oriented display terminals.

Keywords: API, application portability, data processing, open systems, operating system, portable application, POSIX, shell and utilities, user portability

P1003.2a / D8
December 1991

Copyright © 1991 by the Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved.

This is an unapproved IEEE Standards Draft, subject to change. Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities. Permission is also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position. Other entities seeking permission to reproduce this document for standardization or other activities, or to reproduce portions of this document for these or other uses, must contact the IEEE Standards Department for the appropriate license. Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

December 1991 *SH XXXXX*

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Editor's Notes

This section will not appear in the final document. It is used for editorial comments concerning this draft.

The IEEE ballot for Draft 8 is due at the IEEE Standards Office on ***24 January 1992***. Please read the balloting instructions in Annex F. 8

This is the third IEEE recirculation draft of the UPE. 8

This document is also registered as ISO/IEC CD Amendment 1 to CD 9945-2. The international balloting period is unrelated to the IEEE balloting. Member bodies, please consult any accompanying materials from SC22. Also, please read the remainder of these Editor Notes to see explanations of stylistic differences between a draft and the final standard (copyright notices, inline rationale, etc.). 8

The IEEE balloting will be on hiatus during the international balloting period, which is probably scheduled to complete at the May 1992 WG15 meeting. This is in accordance with the WG15 Synchronization Plan, which calls for coordinated balloting to result in the approval of an IEEE/ANSI standard that is identical to the ISO/IEC Draft International Standard (DIS) or Draft Amendment (DAM). There will be a final recirculation of a full draft (9) to the IEEE balloting group before it is sent to the Standards Board. 8

Draft 8 contains diff marks ('8'') in the right margin denoting changes from Draft 7 to Draft 8; 7 marks denote changes from Draft 6 to Draft 7. All diff marks from previous drafts have been removed to focus balloting group attention on the remaining issues to be considered in the recirculation. Editorial changes such as typos, grammatical errors or changes, changes in cross references, and removal of editorial notes are not diff-marked. Please note that it is not always feasible to get the diff marks exactly right; they will sometimes start or end a line too soon. 8 7

We have been directed that all sentences that are currently declarative must be changed to use the ''shall'' form if they pose a requirement: ''The status is zero'' → ''The status shall be zero.'' It is a tedious process to do all these translations and they are not complete. They will completed on a draft-by-draft basis. In the meantime, please assume that all declarative sentences mean to use ''shall'' and treat them as either implementation or application requirements unless they specifically say ''may,'' ''should,'' or ''can.''

This draft makes assumptions about the organization and content of POSIX.2 Draft 11.2 (also known as ISO/IEC CD 9945-2.2, JTC 1 SC22 N1063), which is being balloted by a slightly different group of people. If you are not in the POSIX.2 balloting group (i.e., if you did not receive Draft 11.2), you can purchase the draft by contacting: 8

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

IEEE Publications
P.O. Box 1331
445 Hoes Lane
Piscataway, NJ 08855-1331

1 (800) 678-IEEE
+1 (908) 562-3800 (outside US)

(Or see the online access instructions below.)

Since portions of this standard are meant to be modifications of the base POSIX.2 standard, the draft headings in Sections 1 through 4 have been set up to match the affected clauses and still go into the table of contents. There are therefore gaps in the clause numbers.

Please report typographical errors to:

Hal Jespersen
POSIX Software Group
447 Lakeview Way
Redwood City, CA 94062
+1 (415) 364-3410
FAX: +1 (415) 364-4498
Email: hlj@Posix.COM

(Electronic mail is preferred.)

The copying and distribution of IEEE balloting drafts is accomplished by the Standards Office. To report problems with reproduction of your copy, contact:

Anna Kaczmarek
IEEE Standards Office
P.O. Box 1331
445 Hoes Lane
Piscataway, NJ 08855-1331

+1 (908) 562-3811
FAX: +1 (908) 562-1571

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

This draft and the current P1003.2 draft are available in various electronic forms to assist the review process. Our thanks to Andrew Hume of AT&T Bell Laboratories for providing online access facilities. Note that this is a limited experiment in providing online access; future ballots may provide other forms, such as diskettes or a bulletin board arrangement, but the instructions shown here are the only methods currently available. Please also observe the additional copyright restrictions that are described in the online files.

Assuming you have access to the Internet, the scenario is approximately

```
ftp research.att.com # research's IP address is 192.20.225.2
<login as netlib; password is your email address>
cd posix/p1003.2a/d8
get toc index
binary
get p11-20.Z
```

The draft is available in several forms. The table of contents can be found in `toc`, pages containing a particular section are stored under the section number, sets of pages are stored in files with names of the form `p`*n*–*m*, and the entire draft is stored in `all`. By default, files are ASCII. A `.ps` suffix indicates PostScript. A `.Z` suffix indicates a `compress`'ed file. The file `index` contains a general description of the files available.

These files are also available via electronic mail by sending a message like

```
send 4.55 5.6 from posix/p1003.2a/d8
```

to `netlib@research.att.com`. If you use email, you should *not* ask for the compressed version. For a more complete introduction to this form of *netlib* , send the message

```
send help
```

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

POSIX. 2a Change History

This section is provided to track major changes between drafts. Since it was first added in Draft 6, earlier entries omit some degree of detail.

Draft 8 [November 1991] Fourth IEEE ballot (third recirculation). First circulation as an ISO/IEC Proposed Draft Amendment: CD Amendment 1 to CD 9945-2.

— `sh` (4.55): `emacs` command-line editing mode removed.

— `at` (5.2): Numerous clarifications to the *timespec* operands.

— `ex` (5.10): Addition of tilde resubstitute command; clarification of startup sequence and `-s` option; explanation of `control-Q` effects (changes also affect `vi`).

— `fc` (5.12): Clarification of command history numbering and editing multiple commands.

— `mesg` (5.17): Modified algorithm for terminal selection.

— `more` (5.18): Changed `-p` *pattern* to `-p` *command* ; disallowed data modification when used as a filter; moved standard output description to standard error.

— `patch` (5.22): Removed `-p`, `Prereq:` feature.

— `time` (5.29): Modified to allow the KornShell practice that times a pipeline.

— Miscellaneous clarifications and corrections to various utilities.

Draft 7 [July 1991] Third IEEE ballot (second recirculation).

— Changes to text in Sections 2 through 5 that clarify which features are being added to support the UPUO (and are thus optional for POSIX. 2-only systems).

— General cleanup of the defaults values and usage of **TERM** , **COLUMNS** , and **LINES** .

— Clarifications to Section 2 and the `nice` and `renice` utilities on the nature of ‘‘system scheduling priority’’ (versus other scheduling policies on the system) and how privileges are involved.

— Clarifications to various uses of the term ‘‘nonprintable’’; the POSIX. 2 term ‘‘printable’’ does not include any white-space characters other than `<space>`, causing some synchronization problems.

— Modifications to the `uuencode` algorithm to address differences between ISO/IEC 646 {1} and other, incompatible, code sets.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

— Modifications to the descriptions of the `mailx` mailbox formats.

— Numerous clarifications and minor modifications to `ex`, `more`, and `vi`, mostly concerning screen movements.

— Miscellaneous clarifications and minor modifications to other utilities.

Draft 6 [March 1991] Second IEEE ballot (first recirculation).

— The `compress`, `lint89`, `passwd`, `uncompress`, and `zcat` utilities were removed due to balloting opposition. See the rationale in clause E.4.

— The {POSIX 2_CHAR _TERM } option was added.

— An asynchronous job notification option has been added to the `set` built-in. This is done through both `set -o notify` and `set -b`.

— Global shell variables **RANDOM** , **SECONDS** , and _ have been removed.

— The `nice` and `renice` utilities have changed from the use of ‘‘nice value’’ to ‘‘system scheduling priority.’’ They have also removed the {MAX_NICE }, and {MIN _NICE } and related limits. The `renice` utility has major interface changes to conform to the utility syntax guidelines

— The `mailx` and `patch` utilities have had major clarifications applied.

— The tags features of `ex`, `more`, and `vi` have been marked as belonging to the Software Development Option.

— The `df` and `du` were changed to use consistent, historical 512-byte reporting units and given a –`k` option to report in kilobytes.

— The `file` utility has extra defined strings and an explanation of `/etc/magic` in the rationale.

— The `man` utility added keyword searching and paging abilities.

— The `nm` and `ps` utilities have had major interface changes and clarifications.

— The `uuencode` and `uudecode` utilities have had clarifications added in the processing of octets versus bytes.

— The `unalias` utility now has the `a` option added for removing all aliases.

— Miscellaneous clarifications and minor technical changes have been made to various utilities.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

— Instances of the verb ‘‘print’’ were changed to ‘‘write’’ as part of a general cleanup.

Draft 5 [June 1990] First IEEE ballot.

— Mostly clarifications and cleanups from the mock ballot.

— The `pshar` utility was removed.

— The `ps` utility was given a standardized method of producing custom output.

Draft 4 [February 1990] ‘‘Mock ballot’’ conducted by working group members only. During this ballot, numerous changes were made to ensure that the interfaces closely adhered to the existing practice of the Base Documents, with the exceptions noted in the POSIX. 2a PAR (and in the Scope).

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

POSIX. 2a Technical Reviewers

The individuals denoted in Table i are the Technical Reviewers for this draft. During balloting they are the subject matter experts who coordinate the resolution process for specific sections, as shown.

Table i — POSIX. 2a Technical Reviewers

Section	Topic	Reviewer
1	*Revisions to General*	Jespersen
2	*Revisions to Terminology and General Requirements*	Jespersen
3	*Revisions to Shell Command Language*	Jespersen 7
4	*Revisions to Execution Environment Utilities*	Jespersen 7
5	*User Portability Utilities Option:* `patch`	Bostic 8
5	*User Portability Utilities Option: the rest*	Jespersen 7
	Front matter and Annexes	Jespersen

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

P1003.2a Proposed Schedule

This section will not appear in the final document. It is used to provide editorial notes regarding the proposed P1003.2a schedule.

Date	Milestone (End of Meeting)	Draft
Oct 24-28, 1988 *Honolulu, HI*	UPE planning begins.	–
Jan 9-11, 1989 *Ft. Lauderdale, FL*	Begin UPE command selections and initial definitions.	–
Apr 24-28, 1989 *Minneapolis, MN*	Select and define UPE utilities; PAR approved by Sponsor Executive Committee	**0**
Jul 10-14, 1989 *San Jose, CA*	Refine utility descriptions; resolve version control contents.	**1**
Oct 16-20, 1989 *Brussels, Belgium*	Refine utility descriptions; freeze utility selections; address internationalization issues.	**2**
Jan 8-12, 1990 *New Orleans, LA*	Prepare Working Group Mock Ballot.	**3**
[Feb 1990 - Apr 1990]	Working Group Mock Ballot.	**4**
Apr 23 - 27, 1990 *Salt Lake City, UT*	Resolve Working Group Mock Ballot.	**4**
[Jul 1990 - Feb 1991]	[Ballot Draft 5]	**5**
[Mar 1991 - Jun 1991]	[Ballot Draft 6]	**6**
[Jul 1991 - Oct 1991]	[Ballot Draft 7]	**7**
[Jan 1992]	[Ballot Draft 8]	**8**
[Jan 1992 - May 1992]	[WG15 Balloting of PDAM 9945-2.1]	**8**

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

IEEE Standards documents are developed within the Technical Committees of the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of the IEEE , the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, the IEEE and the members of its technical committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE Standards Board
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331

IEEE Standards documents are adopted by the Institute of Electrical and Electronics Engineers without regard to whether their adoption may involve patents on articles, materials, or processes. Such adoption does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the standards documents.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Contents

PAGE

Introduction iv

Section 1: Revisions to General 1
1.1 Scope 1

Section 2: Revisions to Terminology and General Requirements 5
2.2.1 Terminology 5
2.2.2 General Terms 6
2.3 Built-in Utilities 9
2.6 Environment Variables 10
2.13.2 Symbolic Constants for Portability Specifications . . . 12
2.14 Terminal Characteristics 13

Section 3: Revisions to Shell Command Language 17
3.1 Shell Definitions 17
3.3.1 Alias Substitution 17
3.5.3 Variables 19
3.12 Shell Execution Environment 21
3.14.11 **set** — Set/unset options and positional parameters . . 22

Section 4: Revisions to Execution Environment Utilities 27
4.12 **command** — Execute a simple command 27
4.32 **kill** — Terminate or signal processes 30
4.40 **mailx** — Process messages 31
4.52 **read** — Read a line from standard input 57
4.56 **sh** — Shell, the standard command language interpreter 58
4.70 **wait** — Await Process Completion 70

Section 5: User Portability Utilities Option 73
5.1 **alias** — Define or display aliases 74
5.2 **at** — Execute commands at a later time 77
5.3 **batch** — Execute commands when the system load permits . . . 87
5.4 **bg** — Run jobs in the background 90
5.5 **crontab** — Schedule periodic background work 93
5.6 **csplit** — Split files based on context 97
5.7 **ctags** — Create a tags file 101
5.8 **df** — Report free disk space 107
5.9 **du** — Estimate file space usage 111
5.10 **ex** — Text editor 115
5.11 **expand** — Convert tabs to spaces 150
5.12 **fc** — Process command history list 153

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

PAGE

5.13 **fg** — Run jobs in the foreground 160
5.14 **file** — Determine file type 163
5.15 **jobs** — Display status of jobs in the current session 168
5.16 **man** — Display system documentation 173
5.17 **mesg** — Permit or deny messages 177
5.18 **more** — Display files on a page-by-page basis 180
5.19 **newgrp** — Change to a new group 193
5.20 **nice** — Invoke a utility with an altered system scheduling priority 196
5.21 **nm** — Write the name list of an object file 202
5.22 **patch** — Apply changes to files 206
5.23 **ps** — Report process status 213
5.24 **renice** — Set system scheduling priorities of running processes . 221
5.25 **split** — Split files into pieces 226
5.26 **strings** — Find printable strings in files 230
5.27 **tabs** — Set terminal tabs 234
5.28 **talk** — Talk to another user 238
5.29 **time** — Time a simple command 243
5.30 **tput** — Change terminal characteristics 247
5.31 **unalias** — Remove alias definitions 251
5.32 **unexpand** — Convert spaces to tabs 254
5.33 **uudecode** — Decode a binary file 257
5.34 **uuencode** — Encode a binary file 260
5.35 **vi** — Screen-oriented (visual) display editor 264
5.36 **who** — Display who is on the system 299
5.37 **write** — Write to another user 303

Annex E (informative) Rationale and Notes 307
E.4 Excluded Utilities 307

Annex F (informative) Balloting Instructions 311

Identifier Index 321

Alphabetic Topical Index 323

TABLES

Table 2-100 – Job Control Job ID Formats 7
Table 2-101 – Control Character Names 14
Table 5-100 – **file** Output Strings 165
Table 5-101 – **ps** Variable Names and Default Headers 217

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Introduction

(This Introduction is not a normative part of P1003.2a Information technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: User Portability Extension (UPE), but is included for information only.)

Editor's Note: This Introduction consists of material that will eventually be integrated into the base POSIX. 2 standard's Introduction (and the portion of Annex B that contains general rationale about the standard). The Introduction contains text that was previously held in either the Foreword or Scope. As this portion of the standard is for information only (nonnormative), specific details of the integration with POSIX. 2 are left as an editorial exercise.

The purpose of this document is to supplement the work begun in P1003.2, Shell and Utility Application Interface for Computer Operating System Environment, to promote the ''portability'' of users and programmers between conforming systems. The original POSIX. 2 sought to define a standard interface and environment for application programs that require the services of a ''shell'' command language interpreter and a set of common utility programs. This supplement extends the list of utilities, and features of previously-defined utilities, to provide a common interactive environment. It is intended for end users, program developers, systems implementors, and application software developers and is complementary to ISO/IEC 9945-1: 1990 (first in a family of 'POSIX '' standards), which specifies operating system interfaces and source code level functions, based on the UNIX [1] system documentation; POSIX. 2 and POSIX. 2a are based upon documentation and the knowledge of existing programs that assume an interface and architecture similar to that described by POSIX .1 {8}.[2]

This document consists of a series of additions to the POSIX. 2 base standard. Some are completely new utilities, others are added features or behaviors that are appropriate for the interactive nature of the scope of work. For the immediate future, this document must be considered as a standalone work; it is not intended to be a series of changes that immediately overthrow the base POSIX. 2 standard. The intent of the working group is that POSIX. 2 and POSIX. 2a exist as separate IEEE documents, separately specifiable by the marketplace (although a system cannot claim conformance only to POSIX. 2a). However, these two documents may eventually be accepted by ISO/IEC JTC 1 as international standards and it is intended that, in that timeframe (1992 or 1993), POSIX. 2 and POSIX. 2a be combined into a single integrated IS 9945-2 (although every portion marked as an optional facility, such as the UPE itself, would remain optional).

---

1) UNIX is a registered trademark of UNIX System Laboratories in the USA and other countries.

2) The number in braces corresponds to those of the references in 1.2 (or the bibliographic entry in Annex A if the number is preceded by the letter B). The normative references clause and bibliography annex appear in POSIX. 2, Draft 11.1.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

The developers of this standard established the following goals for their work:

Extend/supplement the shell services and common utilities of POSIX.2 for the Portable Operating System Interface for Computer Environments (ISO/IEC 9945-1:1990) and similar systems. Provide extensions to those services and additional utilities to support terminal users in a consistent manner across all conforming systems. The extension, to be packaged as a supplement to the POSIX.2 standard, is limited by three constraints:

(1) The *users* in this context are limited to the group of individuals who are familiar with the style of interaction characteristic of historically derived systems based on one of the UNIX operating systems. Typical users would include program developers, engineers, or general purpose time-sharing users.

(2) The *environment* to be supported is a multi-user time-sharing system supporting character-oriented display terminals. Alternatively, it is a collection of single-user systems interconnected via local area networks or telephone lines, but with similar user interfaces. The standard does not include support tailored for bit-mapped or graphics display terminals, although it is expected that such terminals could emulate the character orientation required by this environment. When facilities require cursor addressability from the terminal hardware, these shall be specifically identified in the standard.

(3) The facilities to be provided are based on the historical models of the following documents: the *System V Interface Definition* {B24}; the BSD User Manual {B28}; the *X/Open Portability Guide* {B31}; and, documentation for the KornShell {B25}. Emphasis will be placed on standardizing existing practice for existing users, with changes or additions limited to correcting deficiencies in the following areas:

   (a) Support for international character sets and other localization requirements, such as date formats, collation sequences, etc.

   (b) Reconciliation of differences between the historical implementations

   (c) Elimination of system or device dependencies

   (d) Corrections of features that could reduce system or user security/integrity

The extended facilities shall be designed to be cognizant of international character sets and other localization requirements, such as date formats, collation sequences, etc.

The extended facilities to be provided may include:

(1) Enhancements to utilities already defined in POSIX.2 to facilitate interactive use

(2) Utilities for editing and displaying files on full-screen character-oriented display terminals

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

(3) Utilities for querying and managing the user's environment

(4) Utilities for interacting with other users on the system or local network

(5) Utilities for scheduling and controlling the user's background, or periodically running, work

(6) Utilities to enhance the interactive program development activities, complementary to those tools used for software installation in the original project

(7) Other user portability utilities and features within the general limitations described by this Introduction

The following areas were considered to be outside the scope of this standard:

(1) Operating system administrative utilities (privileged processes, system processes, daemons, etc.)

(2) Commands required for the installation, configuration, or maintenance of operating systems or file systems

(3) Networking commands

(4) Graphics programs or interfaces

(5) Text formatting programs or languages

(6) Database programs or interfaces (e.g., SQL, etc.)

General Rationale. *(This subclause is not a part of P1003.2a)*

This section summarizes the deliberations of the IEEE P1003.2 working group, the committee charged by the IEEE Computer Society's Technical Committee on Operating Systems and Operational Environments with devising an interface standard for supplementing the original POSIX.2 standard for user portability.

The rationale annex is being published along with the standard to assist in the process of review. It contains historical information concerning the contents of the standard and why features were included or discarded by the working group. It also contains notes of interest to application programmers on recommended programming practices, emphasizing the consequences of some aspects of the standard that may not be immediately apparent.

The purpose of the original project was to extend the services of the POSIX.1 {8} standard that were available to the portable applications program. The extended services consisted of a shell command language and a collection of utility programs (tools) that could be called from applications for complex data and file manipulation; both were to be based on the same historical models as the POSIX.1 {8} standard.

Draft 2 concluded the scope statement with: ''This supplement requires a fully conforming POSIX.2 base.'' The sentence was removed because when the revised material is integrated into the base standard, it should be perfectly obvious that it is not meant to be a stand alone system, but merely a series of extensions to the base.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

The list of areas outside the scope of this standard is identical to that in the Introduction to POSIX.2, with the exception of the item:

(4) Terminal control or user-interface programs (e.g., visual shells, visual editors, window managers, command history mechanisms, etc.).

This is, of course, the entire purpose of this supplement.

Just as this standard relies on the knowledge of architecture, history, and definitions from the POSIX.1 {8}, this supplement relies on the entirety of POSIX.2. The reader is referred to the Rationale and Notes and Bibliography annexes of POSIX.1 {8} and POSIX.2 for background material about UNIX systems in general and POSIX specifically, which will not be duplicated here.

There was periodic debate in the working group about how various of the standard utilities could be implemented, given the set of features provided by POSIX.1 {8}, the presumed base operating system. For example, the `nice` utility is not necessarily supported by a *nice* () system call or function because one does not exist in POSIX.1 {8}. Thus, `nice` cannot be a Strictly Conforming POSIX Shell Application; at most it could be a Conforming POSIX Shell Application with Extensions. However, there is no requirement stated in this standard that the standard utilities have to be strictly conforming programs themselves. The base standard expressed a goal that: ''This interface should be implementable on conforming POSIX.1 {8} systems.'' Most, if not all, of the standard utilities in the base standard met that goal, but the expanded scope for this supplement made that more difficult to achieve. A few of the utilities have some requirements for administrative support that were outside the scope of POSIX.1 {8}: `crontab`, `df`, `nice`, `ps`, `renice`, and `who` are examples. It is anticipated that the emerging POSIX System Administration work will provide standard underpinnings for such services, but until they are approved, common historical implementation extensions will have to be relied upon.

There was a number of differences in philosophy used in preparing the utilities in this supplement from those in the base standard:

— It was assumed that a human was the audience for the output of utilities. Unlike a shell script, the primary audience of the base standard, the human is not so concerned about exactness of format. Therefore, in many cases, the UPE merely suggests the form of the output, rather than using the *printf* ()-like form of the base standard. This has the benefit of allowing multiple historical implementations to conform without change. There are exceptions to this general philosophy, however. In some cases, such as `df`, it was felt that users were confused by the historical differences in output. A compromise ''portable'' output format that could be provided by all systems in an upward-compatible manner was provided. That this output could then be parsed by a shell script is a serendipitous side effect. (As explained in the original base standard, `df` is a utility that produces output requiring human judgment for its interpretation; shell scripts should probably avoid using `df` to make decisions about allocating new files.)

— Since the idea of the UPE was to form a common environment for system users of existing technology terminals, and not blaze new trails in user

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

interfaces, the working group chose to limit changes to command names and syntax. While the application orientation of the base standard caused various name and option changes for consistency and historical harmonization, this standard chose to leave many of the unusual quirks intact so that users would continue to feel comfortable at their terminals. It is for this reason that the UPE has comparatively fewer obsolescent features than the base standard does.

Related Standards Activities

Activities to extend this standard to address additional requirements are in progress, and similar efforts can be anticipated in the future.

The following areas are under active consideration at this time, or are expected to become active in the near future: [3)]

(1) Language-independent service descriptions of POSIX.1 {8}

(2) C, Ada, and FORTRAN Language bindings to (1)

(3) Verification testing methods

(4) Realtime facilities

(5) Secure/Trusted System considerations

(6) Network interface facilities

(7) System Administration

(8) Graphical User Interfaces

(9) Profiles describing application- or user-specific combinations of Open Systems standards for: supercomputing, multiprocessor, and batch extensions; transaction processing; realtime systems; and multiuser systems based on historical models

(10) An overall guide to POSIX-based or related Open Systems standards and profiles

Extensions are approved as ''amendments'' or ''revisions'' to this document, following the IEEE and ISO/IEC Procedures.

Approved amendments are published separately until the full document is reprinted and such amendments are incorporated in their proper positions.

If you have interest in participating in the TCOS working groups addressing these issues, please send your name, address, and phone number to the Secretary, IEEE Standards Board, Institute of Electrical and Electronics Engineers, Inc., P.O. Box

---

3) A *Standards Status Report* that lists all current IEEE Computer Society standards projects is available from the IEEE Computer Society, 1730 Massachusetts Avenue NW, Washington, DC 20036-1903; Telephone: +1 202 371-0101; FAX: +1 202 728-9614. Working drafts of POSIX standards under development are also available from this office.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

1331, 445 Hoes Lane, Piscataway, NJ 08855-1331, and ask to have this forwarded to the chairperson of the appropriate TCOS working group. If you have interest in participating in this work at the international level, contact your ISO/IEC national body.

P1003.2a was prepared by the 1003.2a working group, sponsored by the Technical Committee on Operating Systems and Application Environments of the IEEE Computer Society. At the time this standard was approved, the membership of the 1003.2a working group was as follows:

Technical Committee on Operating Systems and Application Environments (TCOS)

Chair: Jehan-Franc ¸ois Pâris

TCOS Standards Subcommittee

Chair:	Jim Isaak
Vice Chairs:	Ralph Barker
	Robert Bismuth
	Hal Jespersen
	Lorraine Kevra
	Pete Meier
Treasurer:	Quin Hahn
Secretary:	Shane McCarron

1003.2a Working Group Officials

Chair:	Hal Jespersen
Vice Chair:	Donald W. Cragun
Editor:	Hal Jespersen
Secretaries:	Helene Armitage (1988-1990)
	Dave Grindeland (1991)

Technical Reviewers

Helene Armitage	Dave Grindeland	Gary Miller
Keith Bostic	Hal Jespersen	Scott Sutter
Donald W. Cragun		

Working Group

Helene Armitage	Dave Grindeland	Daniel Nissen
Stephen R. Bartels	Jerry Gross	Landon Curt Noll
Charles C. Bennett, Jr.	Brian Hackworth	Jim Oldroyd
Philippe Bertrand	Michael J. Hannah	John Peace
Ron Bird	Marjorie E. Harris	Per Pedersen
Robert Bismuth	Hiroki Higuchi	Garth Perry
John Bissell	David F. Hinnant	Pat Philip
Jim Blondeau	Gail Holmes	Rob Pike
James C. Bohem	Ron Holt	John Quarterman
Kathy Bohrer	Randall Howard	Joe Ramus
Keith Bostic	Akitaka Iwata	Mike Ressler
Phyllis Eve Bregman	Hal Jespersen	Andrew K. Roach

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Peter Brouwer
F. Lee Brown, Jr.
Jonathan Brown
Steve Carter
Tim Carter
Michael W. Cavins
John Caywood
Gerald Charlwood
Mark Colburn
Donald W. Cragun
Claudia DeBlauu
Dave Decot
Mark Doran
Stan Douglas
Edna Edelman
Mike Edmonds
Ron Elliott
Richard W. Elwood
Hirsaki Eto
Ken Faubel
Glenn Fowler
Curtis Galloway
Gary A. Gaudet
Al Gettier
Timothy D. Gill
Gregory Goddard
Loretta Goudie
Mike Karels
Ronald S. Karr
Martin Kirk
Will Kling
Hiromichi Kogure
David Korn
Rick Kuhn
Mike Lambert
Maggie Lee
Greger Leijonhufvud
Bob Lenk
Mark Levine
Dan Magenheimer
Robert J. Makowski
Shane P. McCarron
John McGrory
Stuart McKaig
T. Ted McMillan
Sunil Mehta
Francoise Miane
Bill Middlecamp
Gary W. Miller
Carlos E. Montero-Luque
Yasushi Nakahara
Martha Nalebuff
Parul S. Nanavati
Sonya D. Neufer
Mark Roseman
Piyanai Saowarattitada
Mike Schultz
Glen Seeds
Karen Sheaffer
Harry Singh
James Soddy
Carolyn Surprenant
Scott A. Sutter
Ravi Tavakley
Marc Teitelbaum
Donn Terry
Teoman Topcubasi
Eugene Tsuno
Yarko Tymcuerak
Geraldine Vitovitch
Mike Wallace
Alan Weaver
Larry Wehr
N. Ray Wilkes
David Willcox
David Williams
Neil Winton
Morten With
John Wu
Jim Young

The following persons were members of the 1003.2a Balloting Group that approved the standard for submission to the IEEE Standards Board:

Richard Alexander	*SHARE Institutional Representative*
Ralph Barker	*UniForum Institutional Representative*
Michael Lambert	*X/Open Institutional Representative*
John Quarterman	*Usenix Institutional Representative*

Gary M. Allen
Helene Armitage
Charles R. Arnold
David Athersych
Randall Atkinson
Ted P. Baker
Timothy Baker
Ralph Barker
John Barr
Andy Bihain
Robert Bismuth
Nawaf Bitar
George Bittner
James Bohem
Kathryn Bohrer
Keith Bostic
Sven Brehmer
David Brower
Karl Heubaum
David F. Hinnant
Rand Hoven
Randall Howard
Irene Hu
Hai Huang
Richard Hughes-Rowlands
William Hullsiek
Aron K. Insinga
Jim Isaak
Richard James
Hal Jespersen
Lowell Johnson
Michael Jones
Mike Kamrad
Michael J. Karels
Michael Kearney
Judy S. Kerner
Landon Curt Noll
Fred Noz
John Peace
Pat Philip
Chris Phillips
Dave Plauger
Scott E. Preece
Joseph Ramus
Carol Raye
Christopher J. Riddick
Andrew K. Roach
Arnold Robbins
Seth Rosenthal
Piyanai Saowarattitada
John Sauter
Richard Schaaf
Lorne H. Schachter
Carl Schmiedekamp

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Gretchen Brown
John Carmichael
Steven Carter
Jerry Cashin
John Caywood
Siddhartha Chatterjee
Andy Cheese
Janice Chelini
Kilnam Chon
Robert L. Claeson
William M. Corwin
Mike Cossey
William Cox
Donald Cragun
Ana Maria DeAlvare
Virgil Decker
Steven Deller
Terence Dowling
Stephen A. Dum
John D. Earls
Edna B. Edelman
Philip H. Enslow
Kester Fong
Sheila Frankel
James Gibson
Michel Gien
Tom Griest
Dave Grindeland
Robert C. Groman
Judy Guist
Gregory Guthrie
Mark Guzzi
Charles Hammons
Carol J. Harkness
Myron Hecht
Hans H. Heilborn
Lorraine C. Kevra
Sandeep Khanna
Paul J. King
M. J. Kirk
David Kirshen
Philip Klimbal
Kenneth Klingman
Joshua Knight
Robert Knighter
Ronnie Kon
Richard Kuhn
Robin B. Lake
Doris Lebovits
Maggie Lee
Robert Lenk
David Lennert
Donald Lewine
Kevin Lewis
F. C. Lim
Warren E. Loper
Joseph F. P. Luhukay
Robert Makowski
William Mar
Roger Martin
Marshall McKusick
Robert McWhirter
Gary W. Miller
James Moe
Carlos Enrique Montero-Luque
James W. Moore
Anita Mundkur
Narendran Nachiappan
Martha Nalebuff
Barry Needham
Daniel Nissen
Richard Scott
Leonard Seagren
Glen Seeds
Richard Seibel
Dan Shia
Jacob Slonim
Charles Smith
Michael Struerwalt
Keith Stuck
Scott Sutter
Ravi Tavakley
Donn S. Terry
Gary F. Tom
Barry Traylor
Mark-Rene Uchida
L. David Umbaugh
Steven M. Valentine
Michael W. Vannier
Dalibor Vrsalovic
Stephen Walli
Tom Watson
Alan Weaver
Mary Weeks
Larry Wehr
Bruce Weiner
Andrew Wheeler, Jr.
Nicholas Ray Wilkes
David Willcox
David Williams
John R. Williams
David Wong
James Young
Oren Yuen
Janusz Zalewski
John Zolnowsky

When the IEEE Standards Board approved this standard on *<date to be provided>* it had the following membership:

(to be pasted in by IEEE)

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Information technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: User Portability Extension (UPE)

Section 1: Revisions to General

⇒ **1.1 Scope.** *Modify the contents of clause 1.1, Scope, as shown below.*

1.1 Scope

This standard defines a standard source code level interface to command interpretation, or ''shell,'' services and common utility programs for application programs. These services and programs are complementary to those specified by ISO/IEC 9945-1: 1990 {8}, hereinafter referred to as 'POSIX.1 {8}.'' When the User Portability Utilities Option is included, this standard has additional scope. The list of utilities and features is extended to provide a common interactive environment for system users and program developers.

The standard has been designed to be used by both application programmers and system implementors. When the User Portability Utilities Option is included, it is also to be used by system users and program developers. However, it is intended to be a reference document and not a tutorial on the use of the services, the utilities, or the interrelationships between the utilities.

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.