IEEE P1003.2a Draft 8 – December 1991

Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

Identifier Index

alias	**alias** — Define or display aliases {5.1}	74
at	**at** — Execute commands at a later time {5.2}	77
batch	**batch** — Execute commands when the system load permits {5.3}	87
bg	**bg** — Run jobs in the background {5.4}	90
crontab	**crontab** — Schedule periodic background work {5.5}	93
csplit	**csplit** — Split files based on context {5.6}	97
ctags	**ctags** — Create a tags file {5.7}	101
df	**df** — Report free disk space {5.8}	107
du	**du** — Estimate file space usage {5.9}	111
ex	**ex** — Text editor {5.10}	115
expand	**expand** — Convert tabs to spaces {5.11}	150
fc	**fc** — Process command history list {5.12}	153
fg	**fg** — Run jobs in the foreground {5.13}	160
file	**file** — Determine file type {5.14}	163
jobs	**jobs** — Display status of jobs in the current session {5.15}	168
kill	**kill** — Terminate or signal processes {4.32}	30
mailx	**mailx** — Process messages {4.40}	31
man	**man** — Display system documentation {5.16}	173
mesg	**mesg** — Permit or deny messages {5.17}	177
more	**more** — Display files on a page-by-page basis {5.18}	180
newgrp	**newgrp** — Change to a new group {5.19}	193
nice	**nice** — Invoke a utility with an altered system scheduling priority {5.20}	196
nm	**nm** — Write the name list of an object file {5.21}	202
patch	**patch** — Apply changes to files {5.22}	206
ps	**ps** — Report process status {5.23}	213
renice	**renice** — Set system scheduling priorities of running processes {5.24}	221
set	**set** — Set/unset options and positional parameters {3.14.11}	22
split	**split** — Split files into pieces {5.25}	226
strings	**strings** — Find printable strings in files {5.26}	230
tabs	**tabs** — Set terminal tabs {5.27}	234
talk	**talk** — Talk to another user {5.28}	238
time	**time** — Time a simple command {5.29}	243
tput	**tput** — Change terminal characteristics {5.30}	247
unalias	**unalias** — Remove alias definitions {5.31}	251
unexpand	**unexpand** — Convert spaces to tabs {5.32}	254
uudecode	**uudecode** — Decode a binary file {5.33}	257
uuencode	**uuencode** — Encode a binary file {5.34}	260
vi	**vi** — Screen-oriented (visual) display editor {5.35}	264
wait	**wait** — Await Process Completion {4.70}	70

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

who **who** — Display who is on the system {5.36} 299
write **write** — Write to another user {5.37} 303

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Alphabetic Topical Index

A

`abbrev` ... 123
ACK ... 14
Addressing ... 120
Adjust Window ... 133
affirmative response ... 118, 131, 208
alert
  definition of ... 6
alias name
  definition of ... 17
Alias Substitution ... 17
`alias`
  — Define or display aliases ... 74
    ... 17-18, 74-76
  definition of ... 74
`allexport`
  shell `set` option ... 23
AM/PM ... 79
APL ... 167
Append at end of line ... 285
`append` ... 124
Append ... 285
application
  definition of ... 5
appropriate privileges ... 86, 109, 156, 177, 179, 196-197, 200, 213, 221-222, 224, 238, 304
`ar` ... 164, 203
`args` ... 124
ASCII ... 147, 167
`at`
  — Execute commands at a later time
    ... 77
    ... 77-79, 82-87, 89
  definition of ... 77
`at.allow` ... 85
`at.deny` ... 85
`autoindent`
  `ai` ... 137
`autoprint`
  `ap` ... 137
`autowrite`
  `aw` ... 137
`awk` ... 114, 159

B

background ... 6-7, 22-24, 30, 70, 86, 89-90, 92-93, 160, 168, 307
Balloting Instructions ... 311
`batch`
  — Execute commands when the system load permits ... 87
    ... 78, 86-89
  definition of ... 87
`beautify`
  `bf` ... 138
`begin` ... 261
BEL ... 14
`bg`
  — Run jobs in the background ... 90
    ... 22, 73, 90-92, 162, 169-171
  definition of ... 90
bigword
  `vi` definition ... 270
block-mode terminal
  definition of ... 6
BLOCK ... 104
BLOCKSIZE
  variable ... 111
BSD
  4.2 ... 110, 241
  4.3 ... 57, 191, 199-200, 241
  4.4 ... 191
BSD ... 2, 56, 86, 97, 110, 113-114, 148, 191, 205, 218-219, 225, 241
buffer
  `vi` definition ... 270
buffers
  `ex` ... 122
Built-in Utilities ... 9
built-in ... 9, 23-25, 27-29, 76, 92, 158, 162, 171, 197, 201, 244, 247, 253

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

C

C Shell ... 3-4, 24, 29, 76, 92, 162, 167, 171-172, 201, 247, 253
C Standard ... 103, 105, 166, 233, 308-309
c89 ... 102, 309
CAN ... 14
cat ... 56, 159
CCITT ... 55
Change current directory ... 44
Change folder ... 45
Change to end-of-line ... 286
change ... 124
Change ... 286
CHAR_TERM ... 12
chdir ... 124
chmod ... 179, 260
CLD ... 24
Clear and redisplay ... 275
cmd ... 47
COLUMNS
variable ... 10-11, 117, 142, 182, 214, 266
Command Descriptions ... 121
Command History List ... 59
Command Line Editing ... 60
command
— Execute a simple command ... 27
... 27-29, 199, 246, 253
COMMON ... 104
compress ... 167, 308
reason for omission ... 308
conformance ... 3, 15, 73, 199-200, 217
Conforming Implementation Options ... 4
Control Character Names ... 14
Copy messages ... 44
copy ... 124
cpio ... 164, 167
CPU time ... 216, 243, 246
CPU ... 216, 220, 243, 246
cron ... 96
crontab
— Schedule periodic background work
... 93
... 93, 95-97
definition of ... 93
crypt ... 147
csplit
— Split files based on context ... 97
... 97, 99-100, 229
definition of ... 97
ctags
— Create a tags file ... 101
... 73, 101-106, 116, 131-132, 147, 181, 190, 265
definition of ... 101
CURSES ... 167
cursor position
definition of ... 6

D

DATA ... 104
DC1 ... 14
DC2 ... 14
DC3 ... 14
DC4 ... 14
DDN ... 55
dead.letter ... 33
DEAD
variable ... 33, 36, 39, 41-42, 51-52, 55
Declare aliases ... 43
Declare alternates ... 44
Delete aliases ... 49
Delete character at cursor ... 294
Delete character before cursor ... 295
Delete messages and display ... 45
Delete messages ... 44
Delete to end-of-line ... 287
Delete word ... 276
delete ... 125
Delete ... 287
DEL ... 14
/dev/null ... 34, 55
/dev/tty ... 179, 194
df
— Report free disk space ... 107
... 107-108, 110-111
definition of ... 107
diff ... 206-209, 213
Direct messages to mbox ... 47
directory entry ... 111
directory ... 7, 31, 33-34, 41-45, 62, 77, 86, 93, 101, 105, 107, 109, 111-112, 114, 117, 120, 124, 138, 141, 148, 156, 163, 165, 167, 193, 196, 207, 210, 266, 268
Discard and refresh ... 187
Discard header fields ... 44

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Display beginning of messages ... 49
Display current message number ... 51
Display header summary for specified messages ... 46
Display header summary ... 46
Display information ... 274
Display list of folders ... 45
Display message size ... 49
Display message with headers ... 47
Display message ... 47
Display position ... 190
display
  definition of ... 6
DLE ... 14
document ... 1-3, 13-14, 24, 35, 54-57, 70, 73, 86, 147, 149, 173-174, 176, 180, 199-201, 211, 217, 225, 233, 241, 257, 298, 308-310
du
  — Estimate file space usage ... 111 ... 111-114
  definition of ... 111

E

EBCDIC ... 261
ed ... 148, 156, 206-207, 210-211
Edit message with full-screen editor ... 50
Edit messages ... 45
Edit Options ... 136
edit ... 125
editor
  restricted ... 147, 298
EDITOR
  variable ... 33, 39, 45, 51, 95, 182, 190
EDITOR ... 159
effective group ID ... 19, 194, 216
effective user ID ... 19, 120, 213, 215, 221, 268
emacs ... 69-70, 308
  reason for omission ... 308
end ... 261
[ENOENT] ... 199, 246
ENQ ... 14
Enter ex mode ... 291
env ... 199, 246
ENV
  variable ... 19-20, 253
EOF ... 200, 303
EOL ... 303
EOT ... 14, 84, 88, 303
eqn ... 167
errexit
  shell set option ... 23
ERRNO
  variable ... 20
errorbells
  eb ... 138
Escape next character ... 276
Escape ... 134
ESC ... 14, 51, 60, 159, 268, 276-277, 282-283
ETB ... 14
/etc/magic ... 166
/etc/passwd ... 85
ETX ... 14
ex
  ! command ... 134
  < command ... 134
  > command ... 134
  & command ... 135
  = command ... 135
  command ... 135
  — Text editor ... 115 ... 14, 73, 106, 115-120, 125-126, 128-129, 131, 133, 135-136, 138-139, 142-144, 147-148, 185, 190, 192, 264-268, 274, 279, 282-284, 291, 296-298
  abbrev command ... 123
  addressing ... 120
  append command ... 124
  args command ... 124
  autoindent option ... 137
  autoprint option ... 137
  autowrite option ... 137
  beautify option ... 138
  change command ... 124
  chdir command ... 124
  command descriptions ... 121
  copy command ... 124
  definition of ... 115
  delete command ... 125
  edit command ... 125
  edit options ... 136
  errorbells option ... 138
  escape command ... 134
  execute command ... 135
  exrc option ... 138
  file command ... 125
  global command ... 126
  ignorecase option ... 138
  insert command ... 126
  join command ... 126

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

`list` command ... 127
`list` option ... 138
`magic` option ... 138
`map` command ... 127
`mark` command ... 127
`mesg` option ... 139
`move` command ... 128
`next` command ... 128
`number` command ... 128
`number` option ... 139
`open` command ... 128
`paragraphs` option ... 139
`preserve` command ... 128
`print` command ... 129
print line number command ... 135
`prompt` option ... 139
`put` command ... 129
`quit` command ... 129
`read` command ... 129
`readonly` option ... 139
`recover` command ... 129
regular expressions ... 135
`remap` option ... 140
`report` option ... 140
resubstitute command ... 135
`rewind` command ... 130
scroll command ... 135
`scroll` option ... 140
`sections` option ... 140
`set` command ... 130
`shell` command ... 130
`shell` option ... 140
shift left command ... 134
shift right command ... 134
`shiftwidth` option ... 140
`showmatch` option ... 141
`showmode` option ... 141
`source` command ... 130
`substitute` command ... 131
`suspend` command ... 131
`tabstop` option ... 141
`tag` command ... 131
`tags` option ... 141
`term` option ... 141
`terse` option ... 141
`unabbrev` command ... 132
`undo` command ... 132
`unmap` command ... 132
`visual` command ... 132
`warn` option ... 142
`window` option ... 142
`wrapmargin` option ... 142
`wrapscan` option ... 142
`write` command ... 132
`writeany` option ... 142
`xit` command ... 133
`yank` command ... 133

Examine new file ... 189
Examine next file ... 189
Examine previous file ... 189
Excluded Utilities ... 307
exec ... 193, 195, 199, 246
Execute an `ex` command ... 283
Execute commands conditionally ... 46
Execute ... 135, 284
EXINIT
variable ... 116-117, 120, 140, 148, 265-266, 268
`exit` ... 24
Exit ... 45, 296
`expand`
— Convert tabs to spaces ... 150
... 150-152, 237, 256-257
definition of ... 150
`.exrc` ... 116-117, 120, 138, 140, 148, 265-266, 268
`exrc` ... 138

F

`fc`
— Process command history list ... 153
... 20, 58, 60, 153-155, 157-159
definition of ... 153
FCEDIT
variable ... 20, 58, 154, 156, 158
`fg`
— Run jobs in the foreground ... 160
... 22, 73, 91-92, 160-162, 169-171
definition of ... 160
FIFO ... 107, 163, 165
file descriptor ... 8, 85, 158, 179
file system ... 107-110, 113-114, 158, 212
`file`
— Determine file type ... 163
... 125, 163-165, 167
definition of ... 163
Output Strings ... 165
Filename Determination ... 210
Find character in current line (forward) ... 288
Find character in current line (reverse) ... 288
Find regular expression ... 282
`find` ... 114

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

foreground ... 6, 23, 160, 162
`fort77` ... 102
FORTRAN ... 101-102, 104-105, 165, 167, 257

G

General Terms ... 6
getgrnam () ... 194
`global` ... 126
GNU ... 70
Go to beginning of file ... 187
Go to end of file ... 187
Go to tag ... 190
`grep` ... 159, 173

H

Help ... 46, 186
`hist` ... 159
HISTFILE
variable ... 58-60, 156, 158
HISTFILE ... 158
HISTSIZE
variable ... 58, 68, 153-154, 156, 159
Hold messages ... 46
HOME
variable ... 31, 33-34, 41, 44, 93, 96, 117, 120, 138, 266, 268
`$HOME/.exrc` ... 120, 148, 268
`$HOME/.profile` ... 20
HOME ... 20, 120, 148, 158, 268
HP-UX ... 147

I

Identifier Index ... 321
IEEE P1003.2 ... 307
IEEE P1003.2b ... 309
IEEE ... 3, 307-308
`ignorecase`
`ic` ... 138
implementation defined ... 9-10, 13, 19, 37, 40, 52, 54, 77-79, 81, 93, 102, 104, 109-110, 114, 127, 129-130, 133, 138-142, 147, 153, 156, 163, 173, 175, 181, 185-186, 190, 193, 196-197, 199, 201, 203-204, 213-217, 219, 221, 230, 238, 241, 248, 299-300, 303
`init` ... 246
Insert at beginning of line ... 289
Insert before cursor ... 289
Insert empty line above ... 291
Insert empty line below ... 290
`insert` ... 126
Invoke a shell ... 49
Invoke editor ... 190
Invoke shell command ... 50
ISO 1539 ... 105
ISO/IEC 646 ... 261, 263
isprint () ... 233

J

Job Control Job ID Formats ... 7
job control job ID
definition of ... 7
Job Control Option ... 23
job control ... 7, 9, 23, 30, 70, 73, 90, 92, 131, 160, 162, 171, 192, 246
job
definition of ... 7
`jobs`
— Display status of jobs in the current session ... 168
... 23, 92, 162, 168-169, 171-172
definition of ... 168
`join` ... 126
Join ... 289
`jsh` ... 171

K

`kill`
definition of ... 30
`kill`
— Terminate or signal processes ... 30
... 22, 30, 70, 91, 170
KornShell ... 2-4, 20-21, 24, 29, 69-70, 76, 92, 158-159, 162, 171-172, 199, 246-247, 253
`ksh` ... 3

L

LANG
variable ... 34, 75, 82, 91, 95, 99, 102, 108, 112, 117, 151, 156, 161, 164, 169, 174, 178, 182, 194, 197-198, 203, 208,

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

215, 223, 227, 231, 235, 239-240, 244, 248, 252, 255, 258, 261, 266, 300, 304
language binding ... 2
LC_ALL
variable ... 34, 75, 82, 91, 95, 99, 102, 108, 112, 117, 151, 156, 161, 164, 169, 174, 178, 182, 194, 197-198, 203, 208, 215, 223, 227, 231, 235, 239-240, 244, 248, 252, 255, 258, 261, 266, 300, 304
LC_COLLATE
variable ... 99, 102, 106, 118, 182, 203, 266
LC_CTYPE locale category ... 240
LC_CTYPE
variable ... 34, 75, 82, 91, 95, 99, 102, 105, 108, 112, 118, 151, 156, 161, 164, 169, 174, 178, 183, 194, 198, 203, 208, 215, 223, 228, 231, 235, 240, 244, 248, 252, 255, 258, 261, 266, 300, 305
LC_CTYPE ... 238, 240, 303
LC_MESSAGES
variable ... 34, 75, 83, 91, 95, 99, 103, 108, 112, 118, 131, 151, 157, 161, 164, 169, 174, 178, 183, 194, 198, 203, 208, 215, 223, 228, 231, 235, 240, 244, 248, 252, 255, 258, 261, 266, 300, 305
LC_NUMERIC
variable ... 244
LC_TIME locale category ... 78-79, 81
LC_TIME
variable ... 34, 55, 83, 208, 215, 300
LC_TIME ... 78-79, 81
`less` ... 191-192
`lex` ... 106
LINENO
variable ... 19-20
{LINE_MAX} ... 32, 54, 117, 119, 265, 268
LINES
variable ... 10-11, 118, 142, 183, 266
`lint89` ... 308
`lint` ... 308-309
reason for omission ... 308
LISP ... 106, 147, 298
List available commands ... 46
`list` ... 127, 138
LISTER
variable ... 34, 39
`localedef` ... 230
locale ... 34, 61, 63, 75, 79, 81-82, 91, 95, 99, 102-103, 105-106, 108, 112, 117-118, 126, 131, 151, 156, 161, 164, 169, 174, 178, 182, 194, 197-198, 203, 208, 215, 223, 227, 230-231, 233, 235, 239-240, 244, 248, 252, 255, 258, 261, 266, 300, 304
`logger` ... 55
LOGNAME
variable ... 93, 96
`lp` ... 55, 192
`ls` ... 18, 34, 110, 113, 167
lseek () ... 114

M

`m4` ... 309
reason for omission ... 309
`magic` ... 138
Mail a message ... 46
mail to user ... 31, 58, 93, 128, 147
`Mail` ... 55-57
MAILCHECK
variable ... 58-59
MAILPATH
variable ... 58-59
`.mailrc` ... 34
MAILRC
variable ... 34, 39, 55
MAIL
variable ... 58-59, 69
`mailx`
— Process messages ... 31 ... 31-48, 50, 53-57, 128, 192
`alias` command ... 43
`alternates` command ... 44
`cd` command ... 44
`chdir` command ... 44
Command Escapes ... 51
Commands ... 43
`copy` command ... 44
definition of ... 31
`delete` command ... 44
`discard` command ... 44
display current message number command ... 51
`dp` command ... 45
`dt` command ... 45
`edit` command ... 45
escape command ... 50
`exit` command ... 45
`file` command ... 45
`folder` command ... 45
`folders` command ... 45
`from` command ... 46
`group` command ... 43
`headers` command ... 46
`help` command ... 46

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

hold command ... 46
if command ... 46
ignore command ... 44
Internal Variables ... 40
list command ... 46
mail command ... 46
mbox command ... 47
next command ... 47
null command ... 50
pipe command ... 47
preserve command ... 46
Print command ... 47
print command ... 47
quit command ... 48
Reply command ... 48
reply command ... 48
Respond command ... 48
respond command ... 48
retain command ... 48
save command ... 48
set command ... 49
shell command ... 49
size command ... 49
source command ... 49
top command ... 49
touch command ... 49
Type command ... 47
type command ... 47
unalias command ... 49
undelete command ... 50
unset command ... 50
visual command ... 50
write command ... 50
xit command ... 45
z command ... 50

man
— Display system documentation ... 173
... 173-176, 192
definition of ... 173

MANPATH
variable ... 175-176

map ... 127

Mark position ... 188, 290

mark ... 127

mbox ... 34

MBOX
variable ... 31, 34, 39, 41, 47

mesg
— Permit or deny messages ... 177
... 139, 177-179, 238, 304
definition of ... 177

MOM ... 218

more
— Display files on a page-by-page basis
... 180
... 14, 35, 73, 174, 180-182, 184-186, 190-192
definition of ... 180
discard and refresh command ... 187
display position command ... 190
editor command ... 190
examine new file command ... 189
examine next file command ... 189
examine previous file command ... 189
exit command ... 190
go to beginning of file command ... 187
go to end of file command ... 187
go to tag command ... 190
help command ... 186
invoke editor command ... 190
mark position command ... 188
move backward one screenful command
... 186
move forward one screenful command
... 186
quit command ... 190
refresh the screen command ... 187
repeat search command ... 189
repeat search in reverse command ... 189
return to mark command ... 188
return to previous position command
... 188
scroll backward one line command ... 186
scroll backward one-half screenful command ... 187
scroll forward one line command ... 186
scroll forward one-half screenful command
... 186
search backward for pattern command
... 188
search forward for pattern command
... 188
skip forward one line ... 187

MORE
variable ... 183

MORE ... 183

motion
vi definition ... 271

mount point
definition of ... 7

Move back to beginning of sentence ... 280

Move back to preceding paragraph ... 281

Move backward one screenful ... 186

Move backward to preceding bigword ... 286

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Move backward to preceding word ... 285
Move cursor backwards ... 274
Move cursor down to nonblank ... 275
Move cursor forward ... 277
Move cursor to after character (reverse) ... 293
Move cursor to before character (forward) ... 293
Move cursor to end-of-line ... 278
Move down in column ... 274
Move forward one screenful ... 186
Move forward to beginning of sentence ... 281
Move forward to next paragraph ... 281
Move forward with tabs ... 275
Move to beginning of bigword ... 294
Move to beginning of word ... 294
Move to bottom of screen ... 289
Move to end of bigword ... 287
Move to end of word ... 287
Move to first character in line ... 283
Move to first nonblank of previous line ... 282
Move to first nonblank position on current line ... 280
Move to line ... 288
Move to matching character ... 278
Move to middle of screen ... 290
Move to next section ... 280
Move to specific column position ... 281
Move to top of screen ... 288
Move up in column ... 275
`move` ... 128

N

NAK ... 14
{NAME_MAX} ... 97, 226-227
`newgrp`
— Change to a new group ... 193 ... 193-196
definition of ... 193
`next` ... 128
{NGROUPS _MAX} ... 193
`nice`
— Invoke a utility with an altered system scheduling priority ... 196 ... 9, 12, 196-201, 225, 246
definition of ... 196
nice () ... 200
`nm`
— Write the name list of an object file ... 202 ... 73, 202-206
definition of ... 202
`noclobber`
shell `set` option ... 23
`noexec`
shell `set` option ... 23
`noglob`
shell `set` option ... 23
`nohup` ... 29, 199, 246
nonblank
`vi` definition ... 271
nonprintable ... 127-129, 138, 145, 148, 185, 238, 241, 303
`notify` ... 24-25
notify
variable ... 24
`nounset`
shell `set` option ... 23
`nroff` ... 167
Null command ... 50
NUL ... 117, 148, 230, 233, 265
`number` ... 128
`number`
`nu` ... 139

O

obsolescent features ... 115-116, 143, 146, 150, 180-181, 193-194, 196-197, 199-200, 221-222, 225-227, 229-230, 264-265
`od` ... 205, 233
OFF ... 5-6, 8, 17
`open` ... 128

P

`pack` ... 167
Page backwards ... 273
Page forward ... 274
`page` ... 47
PAGER
variable ... 35, 39-40, 47, 52, 56, 174
paragraph
`vi` definition ... 271

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

`paragraphs`
`ex` option ... 139
`paragraphs`
`para` ... 139
PARAMETER ... 104
`passwd` ... 309
reason for omission ... 309
Patch Application ... 210
`patch`
— Apply changes to files ... 206
... 206-213
definition of ... 206
Patchfile Format ... 209
pathname ... 19, 27-29, 33-35, 41-45, 48-50, 52-53, 58-59, 62, 77, 86, 93-94, 98, 101-102, 104, 107, 112-113, 116-117, 119, 123, 125, 132-134, 140-141, 145-146, 151, 156, 163, 182, 189, 202-203, 207-210, 212, 227, 231, 255, 257-258, 260-261, 265-266, 268, 274, 278
PATH
variable ... 20, 27-29, 93, 96, 118, 154, 198, 244, 267
PATH ... 29
`pax` ... 263
PF 3 ... 14
`pg` ... 56, 191-192
Pipe message ... 47
pipe ... 7, 35, 38, 40, 42, 47, 53, 70-71, 84, 89, 174, 185, 192, 201, 243, 246-247
POSIX Locale ... 78-80, 83-85, 94, 102-103, 106, 108, 120, 122-123, 126-127, 142, 148, 164, 170, 177, 215-218, 226, 245, 247, 270, 272, 279, 289-290, 300, 303
POSIX. 1 ... 1, 3, 5-7, 20, 23, 30, 70, 73, 90, 111, 114, 131, 147, 160, 164, 193-194, 196, 200, 221, 238, 243, 246, 260, 297, 303, 307
{POSIX2_CHAR_TERM} ... 4, 12-15, 73, 264
{POSIX2_MAX_NICE} ... 12, 201
{POSIX2_MIN_NICE} ... 12, 201
POSIX. 2 ... 3, 5, 8-9
POSIX 2 ... 12
POSIX. 2 ... 14, 20-21, 24, 29, 31, 56, 69-70, 73, 76, 92, 105, 114, 147-148, 162, 167, 171, 191-192, 196, 200-201, 211, 219-220, 242, 246, 253, 298, 307-309
{POSIX2_UPE} ... 4
POSIX. 4 ... 9, 201
POSIX. 6 ... 148, 309
POSIX. 7 ... 309
{_POSIX_SAVED_IDS} ... 221
PPID
variable ... 19-20
PPID ... 19
`preserve` ... 128
previous context
`vi` definition ... 271
`print` ... 129
printf () ... 166
privileges ... 109, 177, 179, 200
process group ID ... 168, 170, 216, 222
process group
background ... 6
foreground ... 6
process ID ... 19, 22, 90, 160, 168-170, 214, 216, 219, 221-222, 224-225
Process next specified message ... 47
`.profile` ... 20, 250
`prompt` ... 139
prompting ... 8, 19, 21, 23, 35-37, 40, 42, 52, 57-59, 83, 118-120, 139, 193, 195, 207, 210, 267-268, 278
`ps`
— Report process status ... 213
... 213-214, 217-220, 242, 302, 306
definition of ... 213
Variable Names and Default Headers ... 217
`pshar` ... 310
PS 1
variable ... 19, 21
PS 2
variable ... 20-21, 57
PS 3
variable ... 21
PS 4
variable ... 20-21
Put from buffer before ... 291
Put from buffer following ... 291
`put` ... 129

Q

Quit ... 48
`quit` ... 129
Quit ... 190

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

R

RANDOM
variable ... 21
RCS
reason for omission ... 307
RCS ... 211, 307
Read `mailx` commands from a file ... 49
`read`
— Read a line from standard input ... 57 ... 57, 129
`readonly` ... 139
real group ID ... 213, 216
real user ID ... 214-215, 221
`recover` ... 129
`red` ... 147, 298
`redo` ... 159
Redraw screen ... 275
Redraw window ... 295
Refresh the screen ... 187
refresh
definition of ... 7
regular expression ... 98-101, 103, 106, 118, 120, 128, 135-136, 138, 145, 181-183, 185, 188-189, 266, 282, 284, 296-297
Regular Expressions ... 135
`remap` ... 140
`renice`
— Set system scheduling priorities of running processes ... 221 ... 9, 12, 201, 221-225
definition of ... 221
Repeat find ... 283
Repeat regular-expression find (forward) ... 290
Repeat regular-expression find (reverse) ... 290
Repeat search in reverse ... 189
Repeat search ... 189
Repeat substitution ... 279
Repeat ... 282
Replace character ... 292
Replace characters ... 292
Replace text with results from shell command ... 278
Replacement Strings ... 136
Reply to a message list ... 48
Reply to a message ... 48
`report` ... 140
restricted editor ... 147, 298
Resubstitute ... 135
Retain header fields ... 48
Return to mark ... 188
Return to previous context (at beginning of line) ... 279
Return to previous context ... 279
Return to previous position ... 188
Return to previous section ... 280
Reverse case ... 285
Reverse find character ... 282
Revisions to Execution Environment Utilities ... 27
Revisions to General ... 1
Revisions to Shell Command Language ... 17
Revisions to Terminology and General Requirements ... 5
`rewind` ... 130
RFC ... 55
`rwho` ... 301

S

Save messages ... 48
Scan backwards for regular expression ... 284
SCCS
reason for omission ... 307
SCCS ... 167, 211, 307-308
Scope ... 1
screen
definition of ... 7
Scroll backward by line ... 276
Scroll backward one line ... 186
Scroll backward one-half screenful ... 187
Scroll backward ... 276
Scroll forward by line ... 273
Scroll forward one line ... 186
Scroll forward one-half screenful ... 186
Scroll forward ... 273
Scroll header display ... 50
Scroll ... 135
`scroll` ... 140
scroll
definition of ... 7

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

`sdiff`
reason for omission ... 309
Search backward for pattern ... 188
Search forward for pattern ... 188
SECONDS
variable ... 21
section
`vi` definition ... 272
`sections` ... 140
`sed` ... 147-148
sentence
`vi` definition ... 272
session ... 6, 20, 119, 129, 168, 179, 213, 219, 238-239, 241, 267, 276
`set`
definition of ... 22
Set variables ... 49
`set`
— Set/unset options and positional parameters ... 22
... 20, 22, 24, 58, 60, 90, 130-131, 136, 140, 160, 193
editing modes ... 60
`sh` — Shell
the standard command language interpreter ... 58
`sh` ... 24, 34-35, 47, 50-52, 59-62, 69, 73, 83, 93-94, 118, 153, 159, 174, 267
`shar`
reason for omission ... 310
Shell Definitions
definition of ... 17
Shell Execution Environment ... 21
shell execution environment ... 21-22, 27-30, 70, 74, 76, 90, 160, 168, 193, 251, 253
`shell` ... 130
`shell`
`sh` ... 140
shell ... 1-5, 7, 17-24, 27-30, 39, 43, 49-51, 57-60, 62, 68-70, 74-77, 82-83, 85-86, 90-92, 114, 118, 123, 130-131, 139-140, 145-146, 153, 156, 159-160, 162, 165, 167-168, 170-172, 179, 189, 192-193, 195, 201, 206, 241, 246-247, 251, 253, 267, 278, 283, 307, 310
SHELL
variable ... 35, 39, 47, 49-53, 83, 85, 93, 96, 118, 129-130, 133-134, 140, 267, 278
SHELL ... 51
`.sh_history` ... 156
Shift Left ... 134
Shift left ... 283
Shift Right ... 134
Shift right ... 284
`shiftwidth`
`sw` ... 140
`showmatch`
`sm` ... 141
`showmode` ... 141
SIGCONT ... 118, 149, 267, 298
SIGHUP ... 119, 149, 267, 298
SIGINT ... 35, 118, 131, 149, 240, 267, 298
SIGSEGV ... 144
SIGSTOP ... 7, 23, 170
SIGTSTP ... 7, 131, 170
SIGTTIN ... 7, 170
SIGTTOU ... 7, 170
Skip forward one line ... 187
`sleep` ... 71
SOH ... 14
`source` ... 130
special built-in ... 27-29, 197, 201, 244, 247
`split`
— Split files into pieces ... 226
... 101, 226-229
definition of ... 226
START ... 146, 297
stat () ... 111
st_rdev ... 7
strftime () ... 55
`strings`
— Find printable strings in files ... 230
... 205, 230-233
definition of ... 230
`stty` ... 11, 60, 131, 135, 140, 146-147, 179, 238, 241, 297, 303
STX ... 14
SUB ... 14
Substitute character ... 292
Substitute lines ... 292
`substitute` ... 131
super-user ... 21, 158
supplementary groups ... 193
`suspend` ... 131
suspended job
definition of ... 7
Symbolic Constants for Portability Specifications ... 12

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

SYN ... 14
system scheduling priority
definition of ... 8
System V ... 2-4, 29, 56-57, 85-86, 97, 110, 113-114, 148, 171, 179, 191, 199-200, 205-206, 218, 237, 241, 247, 302

T

`tabs`
— Set terminal tabs ... 234
... 8, 234-237
definition of ... 234
`tabstop`
`ts` ... 141
`tag` ... 131
`tags` ... 101, 141
`talk`
— Talk to another user ... 238
... 8, 15, 73, 139, 177, 220, 238-242, 302, 306
definition of ... 238
`tar` ... 164, 167
`tbl` ... 167
`term` ... 141
Terminal Characteristics ... 13
terminal ... 2-8, 10-15, 23, 35, 37, 40-42, 52, 57, 59-60, 62-69, 73, 77, 83-86, 88, 115-116, 118-120, 126-128, 132, 135, 137-143, 146-148, 174, 177-185, 192, 213-214, 216, 219-220, 234-242, 247-250, 264, 267-269, 272-273, 275, 277-278, 288, 293, 297-300, 302-306
Terminate command or input mode ... 277
Terminology ... 5
termios ... 238, 303
TERM
variable ... 10-11, 35, 42, 116, 118, 141, 183, 234-235, 240, 247-248, 250, 267
`terse` ... 141
text file ... 33, 36-37, 54, 82, 94, 98-99, 102, 117, 119, 147, 151-152, 173, 175, 182, 208-209, 229, 255, 259, 261, 263, 265, 267
`time`
— Time a simple command ... 243
... 199, 243-247
definition of ... 243
times () ... 243, 246
TOC ... 1, 5, 17, 27, 73, 307, 311
Touch messages ... 49
`touch` ... 78
`tput`
— Change terminal characteristics ... 247
... 8, 236, 247-250
definition of ... 247
`trap` ... 24
`troff` ... 148, 167
TTY ... 148
`type` ... 29
TZ
variable ... 78, 83, 86

U

`umask` ... 257
`unabbrev` ... 132
`unalias`
— Remove alias definitions ... 251
... 17, 251-253
definition of ... 251
`uncompress`
reason for omission ... 308
undefined ... 6, 10-11, 17, 29, 115-116, 120, 181, 184, 190, 197, 202, 204, 236, 240, 244, 249, 264-265, 267, 284
Undelete messages ... 50
Undo current line ... 294
`undo` ... 132
Undo ... 293
`unexpand`
— Convert spaces to tabs ... 254
... 254-257
definition of ... 254
UNIX ... 2, 8, 148, 256, 302, 307-308
`unmap` ... 132
Unset variables ... 50
unspecified ... 6, 8, 10, 19, 22, 24, 28-29, 31-37, 39, 43, 45, 49, 51, 54, 56-59, 61, 69-70, 79, 83, 86-87, 98, 102-104, 107, 111, 116, 118-119, 123, 125, 127, 129, 132, 141, 144, 149, 156, 159, 164, 170, 172, 174, 178-179, 183-184, 189-190, 193, 200, 202, 204, 216, 220, 234-236, 238-240, 242-243, 246-250, 257, 260, 267, 274, 298-299, 301-302, 306, 309
UPE ... 3, 12, 18, 24, 29, 58, 73, 110, 113, 257, 307-310

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

UPUO ... 22, 58
Usage
Examples ... 54, 76, 84, 88, 92, 96, 100, 105, 110, 113, 143, 152, 158, 162, 166, 171, 175, 179, 191, 195, 199, 205, 211, 218, 224, 229, 233, 236, 241, 250, 253, 256, 259, 263, 296, 301, 306
USAGE ... 200
User Portability Utilities Option ... 73
/usr ... 110
/usr/src ... 110
utilities
alias ... 74
at ... 77
batch ... 87
bg ... 90
crontab ... 93
csplit ... 97
ctags ... 101
df ... 107
du ... 111
ex ... 115
expand ... 150
fc ... 153
fg ... 160
file ... 163
jobs ... 168
kill ... 30
mailx ... 31
man ... 173
mesg ... 177
more ... 180
newgrp ... 193
nice ... 196
nm ... 202
patch ... 206
ps ... 213
renice ... 221
set ... 22
split ... 226
strings ... 230
tabs ... 234
talk ... 238
time ... 243
tput ... 247
unalias ... 251
unexpand ... 254
uudecode ... 257
uuencode ... 260
vi ... 264
wait ... 70
who ... 299
write ... 303
uudecode
— Decode a binary file ... 257
... 257-260, 263
definition of ... 257
uuencode
— Encode a binary file ... 260
... 257-263
definition of ... 260

V

Variables ... 19
verbose
shell set option ... 23
Version 7 ... 54
vgrind ... 106
Vi Line Editing Command Mode ... 61
Vi Line Editing Insert Mode ... 61
vi
+ command ... 275
! command ... 278
$ command ... 278
% command ... 278
& command ... 279
[[command ... 280
]] command ... 280
^ command ... 280
) command ... 281
{ command ... 281
| command ... 281
} command ... 281
command ... 282
. command ... 282
/ command ... 282
: command ... 283
; command ... 283
< command ... 283
> command ... 284
? command ... 284
@ command ... 284
— Screen-oriented (visual) display editor
... 264
... 8, 14, 23, 35, 50, 56, 60, 62-63, 70, 73, 95, 106, 115-116, 132, 146-148, 158-159, 190-192, 264-268, 271-272, 284, 291-292, 296-298, 308
0 command ... 283
A command ... 285
a command ... 285
Append at end of line command ... 285
Append command ... 285
b command ... 285
B command ... 286
(command ... 280

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

~ command ... 285
C command ... 286
c command ... 286
Change command ... 286
Change to end-of-line command ... 286
Clear and redisplay command ... 275
Command Descriptions ... 269
control-B command ... 273
control-D command ... 273
control-E command ... 273
control-F command ... 274
control-G command ... 274
control-H command ... 274
control-J command ... 274
control-L command ... 275
control-M command ... 275
control-N command ... 274
control-P command ... 275
control-Q command ... 276
control-R command ... 275
control-T command ... 275
control-U command ... 276
control-V command ... 276
control-W command ... 276
control-Y command ... 276
D command ... 287
d command ... 287
definition of ... 264
Delete character at cursor command ... 294
Delete character before cursor command ... 295
Delete command ... 287
Delete to end-of-line command ... 287
Delete word command ... 276
Display information command ... 274
´ command ... 279
` command ... 279
E command ... 287
e command ... 287
Enter ex mode command ... 291
Escape next character command ... 276
<ESC> command ... 277
Execute ... 284
Execute an ex command ... 283
Exit command ... 296
F command ... 288
f command ... 288
Find character in current line (forward) command ... 288
Find character in current line (reverse) command ... 288
Find regular expression command ... 282
G command ... 288
h command ... 274
H command ... 288
I command ... 289
i command ... 289
Insert at beginning of line command ... 289
Insert before cursor command ... 289
Insert empty line above command ... 291
Insert empty line below command ... 290
j command ... 274
J command ... 289
Join command ... 289
k command ... 275
l command ... 277
L command ... 289
M command ... 290
m command ... 290
Mark position command ... 290
Move back to beginning of sentence command ... 280-281
Move back to preceding paragraph command ... 281
Move backward to preceding bigword command ... 286
Move backward to preceding word command ... 285
Move cursor backwards command ... 274
Move cursor down to nonblank command ... 275
Move cursor forward command ... 277
Move cursor to after character (reverse) command ... 293
Move cursor to before character (forward) command ... 293
Move cursor to end-of-line command ... 278
Move down in column command ... 274
Move forward to next paragraph command ... 281
Move forward with tabs command ... 275
Move to beginning of bigword command ... 294
Move to beginning of word command ... 294
Move to bottom of screen command ... 289
Move to end of bigword command ... 287
Move to end of word command ... 287
Move to first character in line command ... 283
Move to first nonblank of previous line command ... 282
Move to first nonblank position on current line command ... 280
Move to line command ... 288
Move to matching character command ... 278
Move to middle of screen command ... 290
Move to next section command ... 280
Move to specific column position command ... 281

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Move to top of screen command ... 288
Move up in column command ... 275
N command ... 290
n command ... 290
o command ... 290
O command ... 291
P command ... 291
p command ... 291
Page backwards command ... 273
Page forward command ... 274
Put from buffer before command ... 291
Put from buffer following command ... 291
Q command ... 291
R command ... 292
r command ... 292
Redraw screen command ... 275
Redraw window command ... 295
Repeat command ... 282
Repeat find command ... 283
Repeat regular-expression find (forward) command ... 290
Repeat regular-expression find (reverse) command ... 290
Repeat substitution command ... 279
Replace character command ... 292
Replace characters command ... 292
Replace text with results from shell command ... 278
Return to previous context (at beginning of line) command ... 279
Return to previous context command ... 279
Return to previous section command ... 280
Reverse case command ... 285
Reverse find character command ... 282
S command ... 292
s command ... 292
Scan backwards command for regular expression ... 284
Scroll backward by line command ... 276
Scroll backward command ... 276
Scroll forward by line command ... 273
Scroll forward command ... 273
Shift left command ... 283
Shift right command ... 284
<space> command ... 277
Substitute character command ... 292
Substitute lines command ... 292
T command ... 293
t command ... 293
Terminate command or input mode command ... 277
u command ... 293
U command ... 294
Undo command ... 293
Undo current line command ... 294
W command ... 294
w command ... 294
x command ... 294
X command ... 295
Y command ... 295
y command ... 295
Yank command ... 295
Yank current line command ... 295
z command ... 295
ZZ command ... 296
Vi-Mode Command Line Editing ... 60
visual ... 132
VISUAL
variable ... 35, 39, 50, 53, 56

W

wait
definition of ... 70
wait
— Await Process Completion ... 70 ... 22, 70, 91, 170
warn ... 142
whence ... 29
which ... 29
who
— Display who is on the system ... 299 ... 216, 220, 239, 242, 299-302, 304, 306
definition of ... 299
window ... 142
window
vi definition ... 272
word
vi definition ... 272
wrapmargin
wm ... 142
wrapscan
ws ... 142
Write Line Number ... 135
Write messages to a file ... 50
write
— Write to another user ... 303 ... 132, 139, 177, 220, 241-242, 302-306
definition of ... 303
writeany
wa ... 142

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

write () ... 8

X

X.400 ... 55
`xargs` ... 167, 199, 246
`xit` ... 133
X/Open ... 2
`xtrace`
shell `set` option ... 23

Y

`yacc` ... 86, 106, 159
Yank current line ... 295
`yank` ... 133
Yank ... 295

Z

`zcat`
reason for omission ... 308

Copyright © 1991 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Acknowledgm ents

We wish to thank the following organizations for donating significant computer, printing, and editing resources to the production of this standard: Amdahl Corporation, AT&T, Concurrent Computer Corporation, the POSIX Software Group, UniSoft Corporation, and the X/Open Group.

This document was also approved by ISO/IEC JTC 1/SC22/WG15 as ISO/IEC 9945-2:199x. The IEEE wishes to thank the advisory groups of the National Bodies participating in WG15 for their contributions: Austria, Belgium, Canada, Denmark, France, Germany, Japan, Netherlands, United Kingdom, USA, and USSR.

The IEEE also wishes to thank the delegates to WG15 for their contributions:

AUSTRIA
Gerhard Schmitt
Wolfgang Schwabl

CANADA
Joe Cote
Patrick Dempster
George Kriger
Bernard Martineau
Major Douglas J. Moore
Arnie Powell
Paul Renaud
Richard Sniderman

CEC
Phil Bertrand
Manuel Carbajo
Michel Colin

DENMARK
Peter E. Cordsen
Isak Korn
Keld Simonsen
Claus Tondering

FINLAND
Jikka Haikala

FRANCE
Pascal Beyles
Christophe Binot
Claude Bourstin
Jean-Michel Cornu
Yves Delarue
Eric Dumas
Maurice Fathi
Gerald Krummeck
Herve Schauer
Hubert Zimmerman

GERMANY
Ron Elliot
Helmut Stiegler
Claus Unger
Rainer Zimmer

IRELAND
Hans-Jurgen Kugler

JAPAN
Hiromichi Kogure
Shigekatsu Nakao
Yasushi Nakahara
Nobuo Saito

NETHERLANDS
J. Van Katwijk
Willem Wakker
H.J. Weegenaar

SWEDEN
Mat Linder

UK
Nigel Bevan
Cornelia Boldyreff
Dave Cannon
Don Chacon
Dominic Dunlop
David Flint
Don E. Folland
Martin Kirk
Neil Martin
Brian Meek
Kevin Murphy
Ian Newman
Philip Rushton

USA
Robert Bismuth
Steven L. Carter
Terence S. Dowling
Ron Elliott
Dale Harris
John Hill
James D. Isaak
Hal Jespersen
Roger J. Martin
Shane McCarron
Barry Needham
Donn S. Terry
Alan Weaver

USSR
V. Koukhar
Ostapenko Georgy Pavlovich

Also we wish to thank the organizations employing the members of the Working Group and the Balloting Group for both covering the expenses related to attending and participating in meetings, and donating the time required both in and out of meetings for this effort.

Editor's Note: This list is the union of the companies sponsoring Working Group attendees and Balloting Group members. Any corrections should be sent to the Technical Editor, bypassing the normal balloting process.

3M Company
ACE Associated Computer Experts b.v.
Aeon Technologies, Inc.
Alis Development
Amdahl Corporation *
Apollo Computer Inc.
Apple Computer Inc.
Ardent Computer
AT&T *
AT&T Bell Laboratories
AT&T UNIX Pacific Co., Ltd.
Axon Data Information Systems
BBN Communications Corporation
Bell Communications Research
BNR, Inc.
Bolt Beranek & Newman
BP Research International
British Telecom
British Telecom Research Labs
Charles River Data Systems *
Chemical Abstracts Service
Chorus Systemes
Commission of the European Communities
Computer X, Inc.
Concurrent Computer Corporation *
Control Data Corporation *
Convergent Technologies
Convex Computer Corporation
Cray Research, Inc. *
Cyber-Dyne, Inc.
Datapoint Corporation
Data General Corporation
Digital Equipment Corporation *
Digital ETU
Douglas Aircraft Company
Electrospace Systems, Inc.
Emerging Technology Group Inc.
Emory University Computing Center
Encore Computer
ETA Systems, Inc.
Federal Judicial Center
Ford Motor Company
Free Software Foundation
General Electric Corporation
Georgia Institute of Technology
Gilbert International Inc.
Gould CSD
Harris Corporation
HCR Corporation
Hewlett-Packard Company *
Honeywell Bull, Inc.
HQ USAISC
Hughes Aircraft Co.
IBM Corporation *
IBM Japan
IBM Systems Integration Division
Icon International, Inc.
Intel
Mallinckrodt Institute
Martin Marietta Data Systems
Masscomp
Mercury Computer Systems
Microsoft Corporation
Mindcraft, Inc.
Mitsubishi Electric Corporation
Mortice Kern Systems Inc.
Motorola Inc.
Myrias Research Corporation
NAPS International
NASA-KSC
National Institute of Standards and Technology
Naval Postgraduate School
NCR Corporation *
Northern Telecom, Inc.
Novell, Inc.
Ohio State University
Pacific Marine Tech
POSIX Software Group
PRC
Prime Computer, Inc.
R&D Associates
Rabbit Software Corporation
ROLM Mil Spec Computers
Sandia National Laboratory *
Santa Cruz Operation Inc.
Saudia National Labs
Sequent
Shia Systems Inc.
Simpact Associates, Inc.
SoHar
Sphinx Ltd.
St. Lawrence College
Stellar Computer Inc.
Sun Microsystems, Inc. *
Syntactics
Tandem Computers Inc.
Technical University of Vienna
Tektronix, Inc. *
Texas Instruments
The Instruction Set Ltd.
The MITRE Corp
Toshiba Corporation
UFP b-GRC
UniForum *
UniSoft Corporation
UniSoft Ltd.
Unisys Corporation *
University Of California, Berkeley
University of Hong Kong
University of Indonesia
University of Maryland
University of Texas at Arlington
University of Utah
University of Victoria
University of Vienna
USAF