Copyright © 1991 by the
Institute of Electrical and Electronics Engineers, Inc.
345 East 47th Street
New York, NY 10017, USA
All rights reserved as an unpublished work.

This is an unapproved and unpublished IEEE Standards Draft, subject to change. The publication, distribution, or copying of this draft, as well as all derivative works based on this draft, is expressly prohibited except as set forth below.

Permission is hereby granted for IEEE Standards Committee participants to reproduce this document for purposes of IEEE standardization activities only, and subject to the restrictions contained herein.

Permission is hereby also granted for member bodies and technical committees of ISO and IEC to reproduce this document for purposes of developing a national position, subject to the restrictions contained herein.

Permission is hereby also granted to the preceding entities to make limited copies of this document in an electronic form only for the stated activities.

The following restrictions apply to reproducing or transmitting the document in any form: 1) all copies or portions thereof must identify the document's IEEE project number and draft number, and must be accompanied by this entire notice in a prominent location; 2) no portion of this document may be redistributed in any modified or abridged form without the prior approval of the IEEE Standards Department.

Other entities seeking permission to reproduce this document, or any portion thereof, for standardization or other activities, must contact the IEEE Standards Department for the appropriate license.

Use of information contained in this unapproved draft is at your own risk.

IEEE Standards Department
Copyright and Permissions
445 Hoes Lane, P.O. Box 1331
Piscataway, NJ 08855-1331, USA
+1 (908) 562-3800
+1 (908) 562-1571 [FAX]

Alphabetic Topical Index

A

a-character
definition of ... 23
Additional FDF File Header Labels (HDR 39 and UHL ?) ... 41
Additional File Header Labels (HDR 39 UHL ?) ... 32
al-characters
definition of ... 23
alternate character set
definition of ... 23
ANSI X3.14 ... 1
ANSI X3.27 ... 42
appropriate privileges ... 25, 35, 53-54, 58-59
archive
definition of ... 23

B

B.10 ... 71
B.2 ... 71
BINARY ... 48
block
definition of ... 23
Block Count ... 31, 38, 40-41
Block Length ... 32, 41
Block or Character Special Files ... 36

C

C Binding for Get Numeric-Valued Configurable Variables ... 71
C Bindings for Pathname Configurable Variables ... 72
`cd` ... 9
— Change working directory ... 9
Character Set Identification ... 28
charmap file ... 19-20
`chgrp` ... 10-11
— Change file group ownership ... 10
Options. ... 10
chmod () ... 11
`chmod` ... 11
— Change file modes ... 11
Operands. ... 11
Options. ... 11
chown () ... 10-12, 42
`chown` ... 11-13
— Change file ownership ... 12
Options. ... 12
c_magic ... 54
conformance ... 2, 26, 49
Conformance ... 2
contiguous file ... 54-55, 60
`cp` ... 4, 13
— Copy files ... 13
Description. ... 13
C Pathname Variable Values ... 71
`cpio` ... 21, 49, 51, 54-55
Archive Entry ... 51
File Data ... 53
File Name ... 53-54
format ... 51
Header ... 51, 54
Special Entries ... 54
CPIO ... 42
Creating Hard Links ... 15
Creating Symbolic Links ... 15
Creation Date ... 30, 40

D

Definitions ... 23
`/dev` ... 60
Device Specification ... 36
Directories ... 36
directory ... 3, 5, 9-19, 33, 36, 39, 49-50, 52, 54, 58-62, 65, 71
directory entry ... 16, 62
document ... 1, 49, 54
`du` ... 4, 65
— Estimate file usage ... 65
Description. ... 65

Copyright © 1992 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

E

E.2 ... 3-4
E.4 ... 9-13, 18, 61-62
EBCDIC ... 48
EOF 1 ... 38, 41, 47-48
EOF 2 ... 38, 41
EOF ... 46-47
EOV ... 42, 46-47
Expiration Date ... 31, 40

F

FDF ... 27, 33-37, 39-41, 48, 50
FDF Data ... 41
FDF EOF 1 Label ... 41
FDF EOF 29 and UTL 19 Labels ... 41
FDF HDR 1 Label ... 39
Fields Reserved for Future Standardization ... 27
FIF ... 25, 27, 29-38, 41, 47, 49
FIF Contents ... 32
FIF EOF 1 Label ... 38
FIF EOF 29 and UTL 19 Labels ... 38
FIF /FDF ... 29
FIF File Group Record ... 36
FIF Filename Record ... 32
FIF File Owner Record ... 35
FIFO ... 17, 33, 52, 54, 58-59
FIFO s ... 37
file
  contiguous ... 54-55, 60
  high performance ... 54-55, 60
`file` ... 66
  — Determine file type ... 66
  Description. ... 66
  Options. ... 66
  Standard Output. ... 66
  Synopsis. ... 66
File Accessibility ... 31, 40
File Data File ... 39
File Identifier ... 30, 39
File Information File ... 29
File Mode ... 33
file_mode_type ... 52, 58
File Representation ... 26
file section
  definition of ... 23
File Section Number ... 30, 39
File Sequence Number ... 30, 39
File Set Identifier ... 30, 39
File Size ... 35
file system ... 5, 16, 18, 49, 53
File Type ... 32
File-type Dependent Information ... 36
file_type_type ... 52
`find` ... 4, 13-14
  — Find files ... 14
  Operands. ... 14
First FIF Header Label (HDR 1) ... 29
folded to a-characters
  definition of ... 23
fpathconf () ... 71

G

General Requirements ... 25
General Terms ... 3
Generation Number ... 30, 40
Generation Version Number ... 30, 40
get_file_status_by_path ... 58
group_exec_or_search_permission ... 52, 58
group_read_permission ... 52, 58
group_write_permission ... 52, 58

H

HDR 1 ... 29, 38-39, 41, 47-48, 50
HDR 2 ... 31, 40, 47
HDR 3 ... 32, 41, 50
HDR ... 46
High Performance Files ... 37
HLJ ... 1-2, 16, 19, 21-22, 27-28, 31, 35, 37-38, 40, 44, 51, 56, 61

I

IEEE P1003.1a ... 3-5
IEEE P1003.2 ... 3
IEEE P1003.2b ... 3
IEEE P1003.4 ... 37

Copyright © 1992 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

implementation defined ... 14, 16, 19-22, 25-29, 32-33, 35-39, 41, 44, 49, 52-53, 56
Implementation Identifier ... 27
INFO ... 30
interchange
  cpio ... 51
  tar ... 56
IRV ... 26, 28, 31-32, 40, 51, 53, 57-59
ISO 1001 ... 1, 23-32, 38-44, 46, 48-50
ISO 1863 ... 1, 24
ISO 3788 ... 2, 24
ISO 5652 ... 2, 24
ISO 8859-1 ... 28
ISO 8859-2 ... 28
ISO/IEC 10646 ... 2, 28
ISO/IEC 646 ... 23, 26, 28, 31-32, 40, 48, 51, 53, 56-59

K

KornShell ... 9, 61

L

label
  definition of ... 24
language binding ... 71
lchmod () ... 11
lchown () ... 10, 12
<limits.h> ... 71
link
  symbolic ... 54-55, 60
Link Status ... 34
LIS ... 51, 56
ln () ... 15
ln ... 5, 15-16
  — Link files ... 15
  Description. ... 15
  Operands. ... 16
  Options. ... 16
  Synopsis. ... 15
log
  definition of ... 24
ls ... 49
  — List directory contents ... 17
  Options. ... 17
  Standard Output. ... 17-18
  Synopsis. ... 17

M

magnetic tape
  definition of ... 24
Media ... 26
Media Continuation Number ... 29
mode bit ... 58
mv ... 18
  — Move files ... 18
  Description. ... 18

N

Name ... 35
Normative References ... 1
Normative References. ... 1
NOTE ... 47
NUL ... 19, 53-54, 57, 59

O

Octet-Oriented cpio Archive Entry ... 51
Offset Length ... 32, 41
open () ... 25
other_exec_or_search_permission ... 52, 58
Other FIF Information ... 38
Other File Types ... 37
Other labels ... 42
other_read_permission ... 52, 58
other_write_permission ... 52, 58
owner_exec_or_search_permission ... 52, 58
Owner Identifier ... 28
owner_read_permission ... 52, 58
owner_write_permission ... 52, 58

P

pathconf () ... 71
PATH_MAX ... 54, 60
pathname ... 3-5, 9, 15-19, 30, 37, 39, 48-49, 51, 53-54, 57, 60-61, 71-72
Pathname Resolution ... 3
Pathname Resolution. ... 3
Pathname Variable Values ... 4-5, 71
pax ... 5, 13, 19-22, 24-25, 27-28, 30-32, 34-36, 40, 42, 47, 49, 56
  — Portable archive interchange ... 19
  Extended Description. ... 22

Copyright © 1992 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

Options. ... 19, 21
Output Files. ... 22
Standard Output. ... 22
popen () ... 48
portable character set ... 19-20
POSIX. 1 ... 3-5, 10-12, 16, 18, 21, 25, 30, 40, 44-45, 49, 54, 61-62
POSIX. 2 ... 4-5, 10, 12, 19, 42
_POSIX 2_SYMLINKS ... 71
POSIX 2_SYMLINKS ... 3, 5, 15, 71-72
_POSIX _PATH _MAX ... 34-35, 37
`pwd` ... 61
— Return working directory name ... 61
Description. ... 61

R

read () ... 44-45
Record Format ... 31, 41
Record Length ... 32, 41
record (noun)
definition of ... 24
record (verb)
definition of ... 24
regular expression ... 46
Regular Files ... 36
rename () ... 18
restore
definition of ... 24
Revisions to C Language Bindings Option ... 71
Revisions to C Language Development Utilities Option ... 69
Revisions to Execution Environment Utilities ... 9
Revisions to General ... 1
Revisions to Shell Command Language ... 7
Revisions to Software Development Utilities Option ... 67
Revisions to Terminology and General Requirements ... 3
Revisions to User Portability Utilities Option ... 65
`rm` ... 62
— Remove directory entries ... 62
Description. ... 62

S

_SC _2_SYMLINKS ... 72
Scope ... 1
Second FDF File Header Label (HDR 2) ... 40
Second File Header Label (HDR 2) ... 31
SECURITY ... 49
Security Records ... 38
set_group_id_on_exec ... 52, 58
set-user- ID ... 33
set_user_id_on_exec ... 52, 58
shell ... 7, 9, 47
sockets ... 55
symbolic link ... 33, 37, 54-55, 60
definition of ... 3
Symbolic Links ... 37
symlink () ... 16
System Identifier ... 36
System V ... 54

T

tape mark
definition of ... 24
`tar` ... 21, 54, 60
format ... 56
Header Block ... 56
terminal ... 44
`test` ... 63
— Evaluate expression ... 63
Operands. ... 63
Test Methods ... 2
time_file_last_modified ... 58
TOC ... 1, 3, 7, 9, 65, 67, 69, 71
`tr` ... 48
TRAILER ... 54

U

UCS ... 2
UHL ... 32, 41, 46-47, 50
undefined ... 3, 5, 15, 54-56, 71
`<unistd.h>` ... 71
UNIX ... 43
unlink () ... 62
unspecified ... 20, 27, 33, 36-38, 50, 52, 54, 58-59

Copyright © 1992 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.

USTAR ... 42, 49
UTL 1 ... 38, 41
UTL ... 46-47
UVL 1 ... 29
UVL ... 46-47

V

VOL 1 ... 21, 27, 47
VOL 1 Header Label ... 27
VOL 2 ... 28, 31, 40, 48
VOL 2 Header Label ... 28
VOL 3 ... 29
VOL 3 Header Label ... 29
VOL 4 ... 29
VOL 49 and UVL 19 Header Labels ... 29
VOL ... 46-47
VOL 9 ... 28
volume
  definition of ... 24
Volume Accessibility ... 27
Volume Identifier ... 27
Volume Label Records ... 27

W

WG 15 ... 19
write () ... 44-45
write_a_file ... 56

Copyright © 1992 IEEE. All rights reserved.
This is an unapproved IEEE Standards Draft, subject to change.