

NAME

parallel_alternatives - Alternatives to GNU **parallel**

DIFFERENCES BETWEEN GNU Parallel AND ALTERNATIVES

There are a lot programs with some of the functionality of GNU **parallel**. GNU **parallel** strives to include the best of the functionality without sacrificing ease of use.

parallel has existed since 2002 and as GNU **parallel** since 2010. A lot of the alternatives have not had the vitality to survive that long, but have come and gone during that time.

GNU **parallel** is actively maintained with a new release every month since 2010. Most other alternatives are fleeting interests of the developers with irregular releases and only maintained for a few years.

SUMMARY LEGEND

The following features are in some of the comparable tools:

Inputs I1. Arguments can be read from stdin I2. Arguments can be read from a file I3. Arguments can be read from multiple files I4. Arguments can be read from command line I5. Arguments can be read from a table I6. Arguments can be read from the same file using #! (shebang) I7. Line oriented input as default (Quoting of special chars not needed)

Manipulation of input M1. Composed command M2. Multiple arguments can fill up an execution line M3. Arguments can be put anywhere in the execution line M4. Multiple arguments can be put anywhere in the execution line M5. Arguments can be replaced with context M6. Input can be treated as the complete command line

Outputs O1. Grouping output so output from different jobs do not mix O2. Send stderr (standard error) to stderr (standard error) O3. Send stdout (standard output) to stdout (standard output) O4. Order of output can be same as order of input O5. Stdout only contains stdout (standard output) from the command O6. Stderr only contains stderr (standard error) from the command O7. Buffering on disk O8. Cleanup of temporary files if killed O9. Test if disk runs full during run O10. Output of a line bigger than 4 GB

Execution E1. Running jobs in parallel E2. List running jobs E3. Finish running jobs, but do not start new jobs E4. Number of running jobs can depend on number of cpus E5. Finish running jobs, but do not start new jobs after first failure E6. Number of running jobs can be adjusted while running E7. Only spawn new jobs if load is less than a limit

Remote execution R1. Jobs can be run on remote computers R2. Basefiles can be transferred R3. Argument files can be transferred R4. Result files can be transferred R5. Cleanup of transferred files R6. No config files needed R7. Do not run more than SSHD's MaxStartups can handle R8. Configurable SSH command R9. Retry if connection breaks occasionally

Semaphore S1. Possibility to work as a mutex S2. Possibility to work as a counting semaphore

Legend - = no x = not applicable ID = yes

As every new version of the programs are not tested the table may be outdated. Please file a bug report if you find errors (See REPORTING BUGS).

parallel: I1 I2 I3 I4 I5 I6 I7 M1 M2 M3 M4 M5 M6 O1 O2 O3 O4 O5 O6 O7 O8 O9 O10 E1 E2 E3 E4 E5 E6 E7 R1 R2 R3 R4 R5 R6 R7 R8 R9 S1 S2

DIFFERENCES BETWEEN xargs AND GNU Parallel

Summary (see legend above): I1 I2 - - - - - M2 M3 - - - - O2 O3 - O5 O6 E1 - - - - - x - - - -

xargs offers some of the same possibilities as GNU **parallel**.

xargs deals badly with special characters (such as space, \, ' and "). To see the problem try this:

```
touch important_file
touch 'not important_file'
ls not* | xargs rm
mkdir -p "My brother's 12\" records"
ls | xargs rmdir
touch 'c:\windows\system32\clfs.sys'
echo 'c:\windows\system32\clfs.sys' | xargs ls -l
```

You can specify **-0**, but many input generators are not optimized for using **NUL** as separator but are optimized for **newline** as separator. E.g. **awk**, **ls**, **echo**, **tar -v**, **head** (requires using **-z**), **tail** (requires using **-z**), **sed** (requires using **-z**), **perl** (**-0** and **\0** instead of **\n**), **locate** (requires using **-0**), **find** (requires using **-print0**), **grep** (requires using **-z** or **-Z**), **sort** (requires using **-z**).

GNU **parallel**'s newline separation can be emulated with:

cat | xargs -d "\n" -n1 command

xargs can run a given number of jobs in parallel, but has no support for running number-of-cpu-cores jobs in parallel.

xargs has no support for grouping the output, therefore output may run together, e.g. the first half of a line is from one process and the last half of the line is from another process. The example **Parallel grep** cannot be done reliably with **xargs** because of this. To see this in action try:

```
parallel perl -e '\$a=\"1\".\"\"{}\"x10000000\;print\ \$a,\"\"\\n\"\"' \
  '>' {} ::: a b c d e f g h
# Serial = no mixing = the wanted result
# 'tr -s a-z' squeezes repeating letters into a single letter
echo a b c d e f g h | xargs -P1 -n1 grep 1 | tr -s a-z
# Compare to 8 jobs in parallel
parallel -kP8 -n1 grep 1 ::: a b c d e f g h | tr -s a-z
echo a b c d e f g h | xargs -P8 -n1 grep 1 | tr -s a-z
echo a b c d e f g h | xargs -P8 -n1 grep --line-buffered 1 | \
  tr -s a-z
```

Or try this:

```
slow_seq() {
  echo Count to "$@"
  seq "$@" |
    perl -ne '$|=1; for(split//){ print; select($a,$a,$a,0.100);}'
}
export -f slow_seq
# Serial = no mixing = the wanted result
seq 8 | xargs -n1 -P1 -I {} bash -c 'slow_seq {}'
# Compare to 8 jobs in parallel
seq 8 | parallel -P8 slow_seq {}
seq 8 | xargs -n1 -P8 -I {} bash -c 'slow_seq {}'
```

xargs has no support for keeping the order of the output, therefore if running jobs in parallel using **xargs** the output of the second job cannot be postponed till the first job is done.

xargs has no support for running jobs on remote computers.

xargs has no support for context replace, so you will have to create the arguments.

If you use a replace string in **xargs** (**-I**) you can not force **xargs** to use more than one argument.

Quoting in **xargs** works like **-q** in GNU **parallel**. This means composed commands and redirection

require using **bash -c**.

```
ls | parallel "wc {} >{}.wc"
ls | parallel "echo {}; ls {}|wc"
```

becomes (assuming you have 8 cores and that none of the filenames contain space, " or ').

```
ls | xargs -d "\n" -P8 -I {} bash -c "wc {} >{}.wc"
ls | xargs -d "\n" -P8 -I {} bash -c "echo {}; ls {}|wc"
```

<https://www.gnu.org/software/findutils/>

DIFFERENCES BETWEEN find -exec AND GNU Parallel

Summary (see legend above): - - - x - x - - M2 M3 - - - - O2 O3 O4 O5 O6 - - - - - x x

find -exec offers some of the same possibilities as GNU **parallel**.

find -exec only works on files. Processing other input (such as hosts or URLs) will require creating these inputs as files. **find -exec** has no support for running commands in parallel.

<https://www.gnu.org/software/findutils/> (Last checked: 2019-01)

DIFFERENCES BETWEEN make -j AND GNU Parallel

Summary (see legend above): - - - - - O1 O2 O3 - x O6 E1 - - - E5 - - - - -

make -j can run jobs in parallel, but requires a crafted Makefile to do this. That results in extra quoting to get filenames containing newlines to work correctly.

make -j computes a dependency graph before running jobs. Jobs run by GNU **parallel** does not depend on each other.

(Very early versions of GNU **parallel** were coincidentally implemented using **make -j**).

<https://www.gnu.org/software/make/> (Last checked: 2019-01)

DIFFERENCES BETWEEN ppss AND GNU Parallel

Summary (see legend above): I1 I2 - - - - I7 M1 - M3 - - M6 O1 - - x - - E1 E2 ?E3 E4 - - - R1 R2 R3
R4 - - ?R7 ? ? - -

ppss is also a tool for running jobs in parallel.

The output of **ppss** is status information and thus not useful for using as input for another command. The output from the jobs are put into files.

The argument replace string (\$ITEM) cannot be changed. Arguments must be quoted - thus arguments containing special characters (space " & ! *) may cause problems. More than one argument is not supported. Filenames containing newlines are not processed correctly. When reading input from a file null cannot be used as a terminator. **ppss** needs to read the whole input file before starting any jobs.

Output and status information is stored in `ppss_dir` and thus requires cleanup when completed. If the dir is not removed before running **ppss** again it may cause nothing to happen as **ppss** thinks the task is already done. GNU **parallel** will normally not need cleaning up if running locally and will only need cleaning up if stopped abnormally and running remote (**--cleanup** may not complete if stopped abnormally). The example **Parallel grep** would require extra postprocessing if written using **ppss**.

For remote systems PPSS requires 3 steps: config, deploy, and start. GNU **parallel** only requires one step.

EXAMPLES FROM ppss MANUAL

Here are the examples from **ppss**'s manual page with the equivalent using GNU **parallel**:

```
1$ ./ppss.sh standalone -d /path/to/files -c 'gzip '

1$ find /path/to/files -type f | parallel gzip

2$ ./ppss.sh standalone -d /path/to/files -c 'cp "$ITEM" /destination/dir
,

2$ find /path/to/files -type f | parallel cp {} /destination/dir

3$ ./ppss.sh standalone -f list-of-urls.txt -c 'wget -q '

3$ parallel -a list-of-urls.txt wget -q

4$ ./ppss.sh standalone -f list-of-urls.txt -c 'wget -q "$ITEM"'

4$ parallel -a list-of-urls.txt wget -q {}

5$ ./ppss config -C config.cfg -c 'encode.sh ' -d /source/dir \
    -m 192.168.1.100 -u ppss -k ppss-key.key -S ./encode.sh \
    -n nodes.txt -o /some/output/dir --upload --download;
./ppss deploy -C config.cfg
./ppss start -C config

5$ # parallel does not use configs. If you want a different username put
it in nodes.txt: user@hostname
    find source/dir -type f |
        parallel --sshloginfile nodes.txt --trc {:.mp3} lame -a {} -o
{.}.mp3 --preset standard --quiet

6$ ./ppss stop -C config.cfg

6$ killall -TERM parallel

7$ ./ppss pause -C config.cfg

7$ Press: CTRL-Z or killall -SIGTSTP parallel

8$ ./ppss continue -C config.cfg

8$ Enter: fg or killall -SIGCONT parallel

9$ ./ppss.sh status -C config.cfg

9$ killall -SIGUSR2 parallel
```

<https://github.com/louwrentius/PPSS>

DIFFERENCES BETWEEN pexec AND GNU Parallel

Summary (see legend above): I1 I2 - I4 I5 - - M1 - M3 - - M6 O1 O2 O3 - O5 O6 E1 - - E4 - E6 - R1 - - R6 - - - S1 -

pexec is also a tool for running jobs in parallel.

EXAMPLES FROM pexec MANUAL

Here are the examples from **pexec**'s info page with the equivalent using GNU **parallel**:

```
1$ pexec -o sqrt-%s.dat -p "$(seq 10)" -e NUM -n 4 -c -- \
    'echo "scale=10000;sqrt($NUM)" | bc'

1$ seq 10 | parallel -j4 'echo "scale=10000;sqrt({})" | \
    bc > sqrt-{}.dat'

2$ pexec -p "$(ls myfiles*.ext)" -i %s -o %s.sort -- sort

2$ ls myfiles*.ext | parallel sort {} ">{}.sort"

3$ pexec -f image.list -n auto -e B -u star.log -c -- \
    'fistar $B.fits -f 100 -F id,x,y,flux -o $B.star'

3$ parallel -a image.list \
    'fistar {}.fits -f 100 -F id,x,y,flux -o {}.star' 2>star.log

4$ pexec -r *.png -e IMG -c -o - -- \
    'convert $IMG ${IMG%.png}.jpeg ; "echo $IMG: done"'

4$ ls *.png | parallel 'convert {} {}.jpeg; echo {}: done'

5$ pexec -r *.png -i %s -o %s.jpg -c 'pngtopnm | pnmtojpeg'

5$ ls *.png | parallel 'pngtopnm < {} | pnmtojpeg > {}.jpg'

6$ for p in *.png ; do echo ${p%.png} ; done | \
    pexec -f - -i %s.png -o %s.jpg -c 'pngtopnm | pnmtojpeg'

6$ ls *.png | parallel 'pngtopnm < {} | pnmtojpeg > {}.jpg'

7$ LIST=$(for p in *.png ; do echo ${p%.png} ; done)
    pexec -r $LIST -i %s.png -o %s.jpg -c 'pngtopnm | pnmtojpeg'

7$ ls *.png | parallel 'pngtopnm < {} | pnmtojpeg > {}.jpg'

8$ pexec -n 8 -r *.jpg -y unix -e IMG -c \
    'pexec -j -m blockread -d $IMG | \
    jpegtopnm | pnmscale 0.5 | pnmtojpeg | \
    pexec -j -m blockwrite -s th_$IMG'

8$ # Combining GNU B<parallel> and GNU B<sem>.
    ls *jpg | parallel -j8 'sem --id blockread cat {} | jpegtopnm | \
    'pnmscale 0.5 | pnmtojpeg | sem --id blockwrite cat > th_{}'
```

```
# If reading and writing is done to the same disk, this may be
# faster as only one process will be either reading or writing:
ls *jpg | parallel -j8 'sem --id diskio cat {} | jpegtopnm | ' \
'pnmscale 0.5 | pnmtjpeg | sem --id diskio cat > th_{'}
```

<https://www.gnu.org/software/pexec/>

DIFFERENCES BETWEEN xjobs AND GNU Parallel

xjobs is also a tool for running jobs in parallel. It only supports running jobs on your local computer.

xjobs deals badly with special characters just like **xargs**. See the section **DIFFERENCES BETWEEN xargs AND GNU Parallel**.

EXAMPLES FROM xjobs MANUAL

Here are the examples from **xjobs**'s man page with the equivalent using GNU **parallel**:

```
1$ ls -l *.zip | xjobs unzip

1$ ls *.zip | parallel unzip

2$ ls -l *.zip | xjobs -n unzip

2$ ls *.zip | parallel unzip >/dev/null

3$ find . -name '*.bak' | xjobs gzip

3$ find . -name '*.bak' | parallel gzip

4$ ls -l *.jar | sed 's/\(.*\)\/\1 > \1.idx/' | xjobs jar tf

4$ ls *.jar | parallel jar tf {} '>' {}.idx

5$ xjobs -s script

5$ cat script | parallel

6$ mkfifo /var/run/my_named_pipe;
xjobs -s /var/run/my_named_pipe &
echo unzip 1.zip >> /var/run/my_named_pipe;
echo tar cf /backup/myhome.tar /home/me >> /var/run/my_named_pipe

6$ mkfifo /var/run/my_named_pipe;
cat /var/run/my_named_pipe | parallel &
echo unzip 1.zip >> /var/run/my_named_pipe;
echo tar cf /backup/myhome.tar /home/me >> /var/run/my_named_pipe
```

<http://www.maier-komor.de/xjobs.html> (Last checked: 2019-01)

DIFFERENCES BETWEEN prll AND GNU Parallel

prll is also a tool for running jobs in parallel. It does not support running jobs on remote computers.

prll encourages using BASH aliases and BASH functions instead of scripts. GNU **parallel** supports scripts directly, functions if they are exported using **export -f**, and aliases if using **env_parallel**.

prll generates a lot of status information on stderr (standard error) which makes it harder to use the stderr (standard error) output of the job directly as input for another program.

EXAMPLES FROM **prll**'s MANUAL

Here is the example from **prll**'s man page with the equivalent using GNU **parallel**:

```
1$ prll -s 'mogrify -flip $1' *.jpg
```

```
1$ parallel mogrify -flip ::: *.jpg
```

<https://github.com/exzombie/prll> (Last checked: 2019-01)

DIFFERENCES BETWEEN **dxargs** AND GNU Parallel

dxargs is also a tool for running jobs in parallel.

dxargs does not deal well with more simultaneous jobs than SSHD's MaxStartups. **dxargs** is only built for remote run jobs, but does not support transferring of files.

<https://web.archive.org/web/20120518070250/http://www.semicomplete.com/blog/geekery/distributed-xargs.html> (Last checked: 2019-01)

DIFFERENCES BETWEEN **mdm/middleman** AND GNU Parallel

middleman(**mdm**) is also a tool for running jobs in parallel.

EXAMPLES FROM **middleman**'s WEBSITE

Here are the shellscreens of <https://web.archive.org/web/20110728064735/http://mdm.berlios.de/usage.html> ported to GNU **parallel**:

```
1$ seq 19 | parallel buffon -o - | sort -n > result
   cat files | parallel cmd
   find dir -execdir sem cmd {} \;
```

<https://github.com/cklin/mdm> (Last checked: 2019-01)

DIFFERENCES BETWEEN **xapply** AND GNU Parallel

xapply can run jobs in parallel on the local computer.

EXAMPLES FROM **xapply**'s MANUAL

Here are the examples from **xapply**'s man page with the equivalent using GNU **parallel**:

```
1$ xapply '(cd %1 && make all)' */
```

```
1$ parallel 'cd {} && make all' ::: */
```

```
2$ xapply -f 'diff %1 ../version5/%1' manifest | more
```

```
2$ parallel diff {} ../version5/{} < manifest | more
```

```
3$ xapply -p/dev/null -f 'diff %1 %2' manifest1 checklist1
```

```
3$ parallel --link diff {1} {2} :::: manifest1 checklist1
```

```
4$ xapply 'indent' *.c
```

```
4$ parallel indent ::: *.c
```

```
5$ find ~ksb/bin -type f ! -perm -111 -print | \
    xapply -f -v 'chmod a+x' -

5$ find ~ksb/bin -type f ! -perm -111 -print | \
    parallel -v chmod a+x

6$ find */ -... | fmt 960 1024 | xapply -f -i /dev/tty 'vi' -

6$ sh <(find */ -... | parallel -s 1024 echo vi)

6$ find */ -... | parallel -s 1024 -Xuj1 vi

7$ find ... | xapply -f -5 -i /dev/tty 'vi' - - - - -

7$ sh <(find ... | parallel -n5 echo vi)

7$ find ... | parallel -n5 -uj1 vi

8$ xapply -fn "" /etc/passwd

8$ parallel -k echo < /etc/passwd

9$ tr ':' '\012' < /etc/passwd | \
    xapply -7 -nf 'chown %1 %6' - - - - -

9$ tr ':' '\012' < /etc/passwd | parallel -N7 chown {1} {6}

10$ xapply '[ -d %1/RCS ] || echo %1' */

10$ parallel '[ -d {} /RCS ] || echo {}' ::: */

11$ xapply -f '[ -f %1 ] && echo %1' List | ...

11$ parallel '[ -f {} ] && echo {}' < List | ...
```

<https://web.archive.org/web/20160702211113/>

<http://carrera.databits.net/~ksb/msrc/local/bin/xapply/xapply.html>

DIFFERENCES BETWEEN AIX apply AND GNU Parallel

apply can build command lines based on a template and arguments - very much like GNU **parallel**. **apply** does not run jobs in parallel. **apply** does not use an argument separator (like :::); instead the template must be the first argument.

EXAMPLES FROM IBM's KNOWLEDGE CENTER

Here are the examples from IBM's Knowledge Center and the corresponding command using GNU **parallel**:

To obtain results similar to those of the ls command, enter:

```
1$ apply echo *
1$ parallel echo ::: *
```


To compare the file named a1 to the file named b1, and the file named a2 to the file named b2, enter:

```
2$ apply -2 cmp a1 b1 a2 b2
2$ parallel -N2 cmp ::: a1 b1 a2 b2
```

To run the who command five times, enter:

```
3$ apply -0 who 1 2 3 4 5
3$ parallel -N0 who ::: 1 2 3 4 5
```

To link all files in the current directory to the directory /usr/joe, enter:

```
4$ apply 'ln %1 /usr/joe' *
4$ parallel ln {} /usr/joe ::: *
```

https://www-01.ibm.com/support/knowledgecenter/ssw_aix_71/com.ibm.aix.cmds1/apply.htm (Last checked: 2019-01)

DIFFERENCES BETWEEN paexec AND GNU Parallel

paexec can run jobs in parallel on both the local and remote computers.

paexec requires commands to print a blank line as the last output. This means you will have to write a wrapper for most programs.

paexec has a job dependency facility so a job can depend on another job to be executed successfully. Sort of a poor-man's **make**.

EXAMPLES FROM paexec's EXAMPLE CATALOG

Here are the examples from **paexec**'s example catalog with the equivalent using GNU **parallel**:

1_div_X_run

```
1$ ../../paexec -s -l -c "`pwd`/1_div_X_cmd" -n +1 <<EOF [...]
1$ parallel echo {} '|' `pwd`/1_div_X_cmd <<EOF [...]
```

all_substr_run

```
2$ ../../paexec -lp -c "`pwd`/all_substr_cmd" -n +3 <<EOF [...]
2$ parallel echo {} '|' `pwd`/all_substr_cmd <<EOF [...]
```

cc_wrapper_run

```
3$ ../../paexec -c "env CC=gcc CFLAGS=-O2 `pwd`/cc_wrapper_cmd" \
    -n 'host1 host2' \
    -t '/usr/bin/ssh -x' <<EOF [...]

3$ parallel echo {} '|' "env CC=gcc CFLAGS=-O2 `pwd`/cc_wrapper_cmd" \
    -S host1,host2 <<EOF [...]

# This is not exactly the same, but avoids the wrapper
parallel gcc -O2 -c -o {}.o {} \
    -S host1,host2 <<EOF [...]
```

toupper_run

```
4$ ../../paexec -lp -c "`pwd`/toupper_cmd" -n +10 <<EOF [...]
```

```
4$ parallel echo {} '|' ./toupper_cmd <<EOF [...]

# Without the wrapper:
parallel echo {} '|' awk {print\ toupper\(\$0\)}' <<EOF [...]
```

<https://github.com/cheusov/paexec>

DIFFERENCES BETWEEN **map(sitaramc)** AND **GNU Parallel**

Summary (see legend above): I1 - - I4 - - (I7) M1 (M2) M3 (M4) M5 M6 - O2 O3 - O5 - - N/A N/A O10 E1 -----

(I7): Only under special circumstances. See below.

(M2+M4): Only if there is a single replacement string.

map rejects input with special characters:

```
echo "The Cure" > My\ brother\s\ 12\" \ records

ls | map 'echo %; wc %'
```

It works with GNU **parallel**:

```
ls | parallel 'echo {}; wc {}'
```

Under some circumstances it also works with **map**:

```
ls | map 'echo % works %'
```

But tiny changes make it reject the input with special characters:

```
ls | map 'echo % does not work "%"'
```

This means that many UTF-8 characters will be rejected. This is by design. From the web page: "As such, programs that *quietly handle them, with no warnings at all*, are doing their users a disservice."

map delays each job by 0.01 s. This can be emulated by using **parallel --delay 0.01**.

map prints '+' on stderr when a job starts, and '-' when a job finishes. This cannot be disabled.

parallel has **--bar** if you need to see progress.

map's replacement strings (% %D %B %E) can be simulated in GNU **parallel** by putting this in **~/.parallel/config**:

```
--rpl '%'
--rpl '%D $_=Q(::dirname($_));'
--rpl '%B s:.*/:::;s:\.[^/.]+$:::;'
--rpl '%E s:.*\.:::'
```

map does not have an argument separator on the command line, but uses the first argument as command. This makes quoting harder which again may affect readability. Compare:

```
map -p 2 'perl -ne '"/^S\s+S$/' and print $ARGV,"n"' *

parallel -q perl -ne '"/^S\s+S$/' and print $ARGV,"n"' ::: *
```

map can do multiple arguments with context replace, but not without context replace:

```
parallel --xargs echo 'BEGIN{'{'}'END' ::: 1 2 3
```

```
map "echo 'BEGIN{'%' }END'" 1 2 3
```

map has no support for grouping. So this gives the wrong results:

```
parallel perl -e '\$a=\"1{}\"x10000000\;print\ \$a,\"\\n\\\"' '>' {} \
::: a b c d e f
ls -l a b c d e f
parallel -kP4 -n1 grep 1 ::: a b c d e f > out.par
map -n1 -p 4 'grep 1' a b c d e f > out.map-unbuf
map -n1 -p 4 'grep --line-buffered 1' a b c d e f > out.map-linebuf
map -n1 -p 1 'grep --line-buffered 1' a b c d e f > out.map-serial
ls -l out*
md5sum out*
```

EXAMPLES FROM map's WEBSITE

Here are the examples from **map's** web page with the equivalent using GNU **parallel**:

```
1$ ls *.gif | map convert % %B.png          # default max-args: 1
```

```
1$ ls *.gif | parallel convert {} { }.png
```

```
2$ map "mkdir %B; tar -C %B -xf %" *.tgz     # default max-args: 1
```

```
2$ parallel 'mkdir {}; tar -C {} -xf {}' ::: *.tgz
```

```
3$ ls *.gif | map cp % /tmp                  # default max-args: 100
```

```
3$ ls *.gif | parallel -X cp {} /tmp
```

```
4$ ls *.tar | map -n 1 tar -xf %
```

```
4$ ls *.tar | parallel tar -xf
```

```
5$ map "cp % /tmp" *.tgz
```

```
5$ parallel cp {} /tmp ::: *.tgz
```

```
6$ map "du -sm /home/%/mail" alice bob carol
```

```
6$ parallel "du -sm /home/{}/mail" ::: alice bob carol
```

or if you prefer running a single job with multiple args:

```
6$ parallel -Xj1 "du -sm /home/{}/mail" ::: alice bob carol
```

```
7$ cat /etc/passwd | map -d: 'echo user %1 has shell %7'
```

```
7$ cat /etc/passwd | parallel --colsep : 'echo user {1} has shell {7}'
```

```
8$ export MAP_MAX_PROCS=$(( `nproc` / 2 ))
```

```
8$ export PARALLEL=-j50%
```

<https://github.com/sitaramc/map> (Last checked: 2020-05)

DIFFERENCES BETWEEN ladon AND GNU Parallel

ladon can run multiple jobs on files in parallel.

ladon only works on files and the only way to specify files is using a quoted glob string (such as `*.jpg`). It is not possible to list the files manually.

As replacement strings it uses FULLPATH DIRNAME BASENAME EXT RELDIR RELPATH

These can be simulated using GNU **parallel** by putting this in `~/parallel/config`:

```
--rpl 'FULLPATH $_=Q($_);chomp($_=qx{readlink -f $_});'
--rpl 'DIRNAME $_=Q(::dirname($_));chomp($_=qx{readlink -f $_});'
--rpl 'BASENAME s:.*/:;s:\.[^/.]+$:;'
--rpl 'EXT s:.*\.:;'
--rpl 'RELDIR $_=Q($_);chomp(($_, $c)=qx{readlink -f $_;pwd});
      s:\Q$c/\E::;$_=:;dirname($_);'
--rpl 'RELPATH $_=Q($_);chomp(($_, $c)=qx{readlink -f $_;pwd});
      s:\Q$c/\E::;'
```

ladon deals badly with filenames containing " and newline, and it fails for output larger than 200k:

```
ladon '*' -- seq 36000 | wc
```

EXAMPLES FROM ladon MANUAL

It is assumed that the '--rpl's above are put in `~/parallel/config` and that it is run under a shell that supports '**' globbing (such as **zsh**):

```
1$ ladon "**/*.txt" -- echo RELPATH
```

```
1$ parallel echo RELPATH ::: **/*.txt
```

```
2$ ladon "~/Documents/**/*.pdf" -- shasum FULLPATH >hashes.txt
```

```
2$ parallel shasum FULLPATH ::: ~/Documents/**/*.pdf >hashes.txt
```

```
3$ ladon -m thumbs/RELDIR "**/*.jpg" -- convert FULLPATH \
    -thumbnail 100x100^ -gravity center -extent 100x100 \
    thumbs/RELPATH
```

```
3$ parallel mkdir -p thumbs/RELDIR\; convert FULLPATH
    -thumbnail 100x100^ -gravity center -extent 100x100 \
    thumbs/RELPATH ::: **/*.jpg
```

```
4$ ladon "~/Music/*.wav" -- lame -V 2 FULLPATH DIRNAME/BASENAME.mp3
```

```
4$ parallel lame -V 2 FULLPATH DIRNAME/BASENAME.mp3 ::: ~/Music/*.wav
```

<https://github.com/danielgtaylor/ladon> (Last checked: 2019-01)

DIFFERENCES BETWEEN **jobflow** AND GNU Parallel

jobflow can run multiple jobs in parallel.

Just like **xargs** output from **jobflow** jobs running in parallel mix together by default. **jobflow** can buffer into files (placed in /run/shm), but these are not cleaned up if **jobflow** dies unexpectedly (e.g. by Ctrl-C). If the total output is big (in the order of RAM+swap) it can cause the system to slow to a crawl and eventually run out of memory.

jobflow gives no error if the command is unknown, and like **xargs** redirection and composed commands require wrapping with **bash -c**.

Input lines can at most be 4096 bytes. You can at most have 16 {}'s in the command template. More than that either crashes the program or simply does not execute the command.

jobflow has no equivalent for **--pipe**, or **--sshlogin**.

jobflow makes it possible to set resource limits on the running jobs. This can be emulated by GNU **parallel** using **bash's ulimit**:

```
jobflow -limits=mem=100M,cpu=3,fspace=20M,nofiles=300 myjob
```

```
parallel 'ulimit -v 102400 -t 3 -f 204800 -n 300 myjob'
```

EXAMPLES FROM **jobflow** README

```
1$ cat things.list | jobflow -threads=8 -exec ./mytask {}
```

```
1$ cat things.list | parallel -j8 ./mytask {}
```

```
2$ seq 100 | jobflow -threads=100 -exec echo {}
```

```
2$ seq 100 | parallel -j100 echo {}
```

```
3$ cat urls.txt | jobflow -threads=32 -exec wget {}
```

```
3$ cat urls.txt | parallel -j32 wget {}
```

```
4$ find . -name '*.bmp' | \
    jobflow -threads=8 -exec bmp2jpeg {}.bmp {}.jpg
```

```
4$ find . -name '*.bmp' | \
    parallel -j8 bmp2jpeg {}.bmp {}.jpg
```

<https://github.com/rofl0r/jobflow>

DIFFERENCES BETWEEN **gargs** AND GNU Parallel

gargs can run multiple jobs in parallel.

Older versions cache output in memory. This causes it to be extremely slow when the output is larger than the physical RAM, and can cause the system to run out of memory.

See more details on this in **man parallel_design**.

Newer versions cache output in files, but leave files in \$TMPDIR if it is killed.

Output to stderr (standard error) is changed if the command fails.

EXAMPLES FROM gargs WEBSITE

```
1$ seq 12 -1 1 | gargs -p 4 -n 3 "sleep {0}; echo {1} {2}"

1$ seq 12 -1 1 | parallel -P 4 -n 3 "sleep {1}; echo {2} {3}"

2$ cat t.txt | gargs --sep "\s+" \
    -p 2 "echo '{0}:{1}-{2}' full-line: \'{ }\'"

2$ cat t.txt | parallel --colsep "\\s+" \
    -P 2 "echo '{1}:{2}-{3}' full-line: \'{ }\'"
```

<https://github.com/brentp/gargs>

DIFFERENCES BETWEEN orgalorg AND GNU Parallel

orgalorg can run the same job on multiple machines. This is related to **--onall** and **--nonall**.

orgalorg supports entering the SSH password - provided it is the same for all servers. GNU **parallel** advocates using **ssh-agent** instead, but it is possible to emulate **orgalorg**'s behavior by setting **SSHPASS** and by using **--ssh "sshpass ssh"**.

To make the emulation easier, make a simple alias:

```
alias par_emul="parallel -j0 --ssh 'sshpass ssh' --nonall --tag --lb"
```

If you want to supply a password run:

```
SSHPASS=`ssh-askpass`
```

or set the password directly:

```
SSHPASS=P4$$w0rd!
```

If the above is set up you can then do:

```
orgalorg -o frontend1 -o frontend2 -p -C uptime
par_emul -S frontend1 -S frontend2 uptime

orgalorg -o frontend1 -o frontend2 -p -C top -bid 1
par_emul -S frontend1 -S frontend2 top -bid 1

orgalorg -o frontend1 -o frontend2 -p -er /tmp -n \
    'md5sum /tmp/bigfile' -S bigfile
par_emul -S frontend1 -S frontend2 --basefile bigfile \
    --workdir /tmp md5sum /tmp/bigfile
```

orgalorg has a progress indicator for the transferring of a file. GNU **parallel** does not.

<https://github.com/reconquest/orgalorg>

DIFFERENCES BETWEEN Rust parallel AND GNU Parallel

Rust **parallel** focuses on speed. It is almost as fast as **xargs**. It implements a few features from GNU **parallel**, but lacks many functions. All these fail:

```
# Read arguments from file
parallel -a file echo
# Changing the delimiter
```

```
parallel -d _ echo ::: a_b_c_
```

These do something different from GNU **parallel**

```
# -q to protect quoted $ and space
parallel -q perl -e '$a=shift; print "$a"x100000000' ::: a b c
# Generation of combination of inputs
parallel echo {1} {2} ::: red green blue ::: S M L XL XXL
# {= perl expression =} replacement string
parallel echo '{= s/new/old/ =}' ::: my.new your.new
# --pipe
seq 100000 | parallel --pipe wc
# linked arguments
parallel echo ::: S M L :::+ sml med lrg ::: R G B :::+ red grn blu
# Run different shell dialects
zsh -c 'parallel echo \={} ::: zsh && true'
csh -c 'parallel echo \$\{\} ::: shell && true'
bash -c 'parallel echo \$\({}\) ::: pwd && true'
# Rust parallel does not start before the last argument is read
(seq 10; sleep 5; echo 2) | time parallel -j2 'sleep 2; echo'
tail -f /var/log/syslog | parallel echo
```

Most of the examples from the book GNU Parallel 2018 do not work, thus Rust parallel is not close to being a compatible replacement.

Rust parallel has no remote facilities.

It uses /tmp/parallel for tmp files and does not clean up if terminated abruptly. If another user on the system uses Rust parallel, then /tmp/parallel will have the wrong permissions and Rust parallel will fail. A malicious user can setup the right permissions and symlink the output file to one of the user's files and next time the user uses Rust parallel it will overwrite this file.

```
attacker$ mkdir /tmp/parallel
attacker$ chmod a+rwX /tmp/parallel
# Symlink to the file the attacker wants to zero out
attacker$ ln -s ~victim/.important-file /tmp/parallel/stderr_1
victim$ seq 1000 | parallel echo
# This file is now overwritten with stderr from 'echo'
victim$ cat ~victim/.important-file
```

If /tmp/parallel runs full during the run, Rust parallel does not report this, but finishes with success - thereby risking data loss.

<https://github.com/mmstick/parallel>

DIFFERENCES BETWEEN Rush AND GNU Parallel

rush (<https://github.com/shenwei356/rush>) is written in Go and based on **gargs**.

Just like GNU **parallel** **rush** buffers in temporary files. But opposite GNU **parallel** **rush** does not clean up, if the process dies abnormally.

rush has some string manipulations that can be emulated by putting this into ~/.parallel/config (/ is used instead of %, and % is used instead of ^ as that is closer to bash's \${var%postfix}):

```
--rpl '{:} s:(\.[^/]+)*$::'
--rpl '{:%([^\]]+?)} s:${$1(\.[^/]+)*$::'
--rpl '{/:%([^\]]+?)} s:./(.*)${$1(\.[^/]+)*$:$1:'
--rpl '{/:} s:(.*)?([^\.])(\.[^/]+)*$:$2:'
--rpl '@(.*)} /${$1/ and $_=${$1/
```

EXAMPLES FROM rush's WEBSITE

Here are the examples from **rush**'s website with the equivalent command in GNU **parallel**.

1. Simple run, quoting is not necessary

```
1$ seq 1 3 | rush echo {}
```

```
1$ seq 1 3 | parallel echo {}
```

2. Read data from file (-i)

```
2$ rush echo {} -i data1.txt -i data2.txt
```

```
2$ cat data1.txt data2.txt | parallel echo {}
```

3. Keep output order (-k)

```
3$ seq 1 3 | rush 'echo {}' -k
```

```
3$ seq 1 3 | parallel -k echo {}
```

4. Timeout (-t)

```
4$ time seq 1 | rush 'sleep 2; echo {}' -t 1
```

```
4$ time seq 1 | parallel --timeout 1 'sleep 2; echo {}'
```

5. Retry (-r)

```
5$ seq 1 | rush 'python unexisted_script.py' -r 1
```

```
5$ seq 1 | parallel --retries 2 'python unexisted_script.py'
```

Use **-u** to see it is really run twice:

```
5$ seq 1 | parallel -u --retries 2 'python unexisted_script.py'
```

6. Dirname ({/}) and basename ({%}) and remove custom suffix ({^suffix})

```
6$ echo dir/file_1.txt.gz | rush 'echo {/} {%} {^_1.txt.gz}'
```

```
6$ echo dir/file_1.txt.gz |
    parallel --plus echo {//} {/} {%_1.txt.gz}
```

7. Get basename, and remove last ({.}) or any ({:}) extension

```
7$ echo dir.d/file.txt.gz | rush 'echo {.} {:} {%.} {%:}'
```

```
7$ echo dir.d/file.txt.gz | parallel 'echo {.} {:} {/.} {/:}'
```

8. Job ID, combine fields index and other replacement strings

```
8$ echo 12 file.txt dir/s_1.fq.gz |
    rush 'echo job {#}: {2} {2.} {3%:^_1}'
```



```
8$ echo 12 file.txt dir/s_1.fq.gz |  
  parallel --colsep ' ' 'echo job {#}: {2} {2.} {3/:%_1}'
```

9. Capture submatch using regular expression (`{@regex}`)

```
9$ echo read_1.fq.gz | rush 'echo {@(.+)\_d}'
```

```
9$ echo read_1.fq.gz | parallel 'echo {@(.+)\_d}'
```

10. Custom field delimiter (`-d`)

```
10$ echo a=b=c | rush 'echo {1} {2} {3}' -d =
```

```
10$ echo a=b=c | parallel -d = echo {1} {2} {3}
```

11. Send multi-lines to every command (`-n`)

```
11$ seq 5 | rush -n 2 -k 'echo "{}"; echo'
```

```
11$ seq 5 |  
  parallel -n 2 -k \  
    'echo {=-1 $_=join"\n",@arg[1..$#arg] =}; echo'
```

```
11$ seq 5 | rush -n 2 -k 'echo "{}"; echo' -J ' '
```

```
11$ seq 5 | parallel -n 2 -k 'echo {}'; echo'
```

12. Custom record delimiter (`-D`), note that empty records are not used.

```
12$ echo a b c d | rush -D " " -k 'echo {}'
```

```
12$ echo a b c d | parallel -d " " -k 'echo {}'
```

```
12$ echo abcd | rush -D "" -k 'echo {}'
```

Cannot be done by GNU Parallel

```
12$ cat fasta.fa  
>seq1  
tag  
>seq2  
cat  
gat  
>seq3  
attac  
a  
cat
```

```
12$ cat fasta.fa | rush -D ">" \  
  'echo FASTA record {#}: name: {1} sequence: {2}' -k -d "\n"  
  # rush fails to join the multiline sequences
```

```
12$ cat fasta.fa | (read -nl ignore_first_char;
```

```
parallel -d '>' --colsep '\n' echo FASTA record {#}: \
    name: {1} sequence: '{=2 $_=join"@",arg[2..$#arg]=}'
)
```

13. Assign value to variable, like `awk -v` (-v)

```
13$ seq 1 |
    rush 'echo Hello, {fname} {lname}!' -v fname=Wei -v lname=Shen

13$ seq 1 |
    parallel -N0 \
        'fname=Wei; lname=Shen; echo Hello, ${fname} ${lname}!'

13$ for var in a b; do \
13$   seq 1 3 | rush -k -v var=$var 'echo var: {var}, data: {}'; \
13$ done
```

In GNU **parallel** you would typically do:

```
13$ seq 1 3 | parallel -k echo var: {1}, data: {2} ::: a b ::: -
```

If you *really* want the var:

```
13$ seq 1 3 |
    parallel -k var={1} 'echo var: $var, data: {}' ::: a b ::: -
```

If you *really* want the **for**-loop:

```
13$ for var in a b; do
    export var;
    seq 1 3 | parallel -k 'echo var: $var, data: {}';
done
```

Contrary to **rush** this also works if the value is complex like:

```
My brother's 12" records
```

14. Preset variable (-v), avoid repeatedly writing verbose replacement strings

```
14$ # naive way
    echo read_1.fq.gz | rush 'echo {:^_1} {:^_1}_2.fq.gz'

14$ echo read_1.fq.gz | parallel 'echo {:%_1} {:%_1}_2.fq.gz'

14$ # macro + removing suffix
    echo read_1.fq.gz |
    rush -v p='{:^_1}' 'echo {p} {p}_2.fq.gz'

14$ echo read_1.fq.gz |
    parallel 'p={:%_1}; echo $p ${p}_2.fq.gz'

14$ # macro + regular expression
    echo read_1.fq.gz | rush -v p='{@(.\+?)_d}' 'echo {p} {p}_2.fq.gz'

14$ echo read_1.fq.gz | parallel 'p={@(.\+?)_d}; echo $p ${p}_2.fq.gz'
```

Contrary to **rush** GNU **parallel** works with complex values:

```
14$ echo "My brother's 12\"read_1.fq.gz" |
    parallel 'p={@(.+?)_\\d}; echo $p ${p}_2.fq.gz'
```

15. Interrupt jobs by `Ctrl-C`, rush will stop unfinished commands and exit.

```
15$ seq 1 20 | rush 'sleep 1; echo {}'
^C
```

```
15$ seq 1 20 | parallel 'sleep 1; echo {}'
^C
```

16. Continue/resume jobs (`-c`). When some jobs failed (by execution failure, timeout, or canceling by user with `Ctrl + C`), please switch flag `-c/--continue` on and run again, so that `rush` can save successful commands and ignore them in *NEXT* run.

```
16$ seq 1 3 | rush 'sleep {}; echo {}' -t 3 -c
cat successful_cmds.rush
seq 1 3 | rush 'sleep {}; echo {}' -t 3 -c
```

```
16$ seq 1 3 | parallel --joblog mylog --timeout 2 \
    'sleep {}; echo {}'
cat mylog
seq 1 3 | parallel --joblog mylog --retry-failed \
    'sleep {}; echo {}'
```

Multi-line jobs:

```
16$ seq 1 3 | rush 'sleep {}; echo {}; \
    echo finish {}' -t 3 -c -C finished.rush
cat finished.rush
seq 1 3 | rush 'sleep {}; echo {}; \
    echo finish {}' -t 3 -c -C finished.rush
```

```
16$ seq 1 3 |
    parallel --joblog mylog --timeout 2 'sleep {}; echo {}; \
    echo finish {}'
cat mylog
seq 1 3 |
    parallel --joblog mylog --retry-failed 'sleep {}; echo {}; \
    echo finish {}'
```

17. A comprehensive example: downloading 1K+ pages given by three URL list files using `phantomjs save_page.js` (some page contents are dynamically generated by Javascript, so `wget` does not work). Here I set max jobs number (`-j`) as `20`, each job has a max running time (`-t`) of `60` seconds and `3` retry changes (`-r`). Continue flag `-c` is also switched on, so we can continue unfinished jobs. Luckily, it's accomplished in one run :)

```
17$ for f in $(seq 2014 2016); do \
    /bin/rm -rf $f; mkdir -p $f; \
    cat $f.html.txt | rush -v d=$f -d = \
    'phantomjs save_page.js "{}" > {d}/{3}.html' \
    -j 20 -t 60 -r 3 -c; \
done
```

GNU **parallel** can append to an existing joblog with '+':

```
17$ rm mylog
    for f in $(seq 2014 2016); do
        /bin/rm -rf $f; mkdir -p $f;
        cat $f.html.txt |
            parallel -j20 --timeout 60 --retries 4 --joblog +mylog \
                --colsep = \
                phantomjs save_page.js {1}={2}={3} '>' $f/{3}.html
    done
```

18. A bioinformatics example: mapping with `bwa`, and processing result with `samtools`:

```
18$ ref=ref/xxx.fa
    threads=25
    ls -d raw.cluster.clean.mapping/* \
        | rush -v ref=$ref -v j=$threads -v p='{} / {}' \
        'bwa mem -t {j} -M -a {ref} {p}_1.fq.gz {p}_2.fq.gz >{p}.sam; \
        samtools view -bS {p}.sam > {p}.bam; \
        samtools sort -T {p}.tmp -@ {j} {p}.bam -o {p}.sorted.bam; \
        samtools index {p}.sorted.bam; \
        samtools flagstat {p}.sorted.bam > {p}.sorted.bam.flagstat; \
        /bin/rm {p}.bam {p}.sam;' \
        -j 2 --verbose -c -C mapping.rush
```

GNU **parallel** would use a function:

```
18$ ref=ref/xxx.fa
    export ref
    thr=25
    export thr
    bwa_sam() {
        p="$1"
        bam="$p".bam
        sam="$p".sam
        sortbam="$p".sorted.bam
        bwa mem -t $thr -M -a $ref ${p}_1.fq.gz ${p}_2.fq.gz > "$sam"
        samtools view -bS "$sam" > "$bam"
        samtools sort -T ${p}.tmp -@ $thr "$bam" -o "$sortbam"
        samtools index "$sortbam"
        samtools flagstat "$sortbam" > "$sortbam".flagstat
        /bin/rm "$bam" "$sam"
    }
    export -f bwa_sam
    ls -d raw.cluster.clean.mapping/* |
        parallel -j 2 --verbose --joblog mylog bwa_sam
```

Other rush features

rush has:

* **awk -v** like custom defined variables (**-v**)

With GNU **parallel** you would simply set a shell variable:

```
parallel 'v={}; echo "$v"' ::: foo
echo foo | rush -v v={} 'echo {v}'
```

Also **rush** does not like special chars. So these **do not work**:

```
echo does not work | rush -v v=\" 'echo {v}'
echo "My brother's 12\" records" | rush -v v={} 'echo {v}'
```

Whereas the corresponding GNU **parallel** version works:

```
parallel 'v=\"'; echo "$v"' ::: works
parallel 'v={}'; echo "$v"' ::: "My brother's 12\" records"
```

* Exit on first error(s) (-e)

This is called **--halt now,fail=1** (or shorter: **--halt 2**) when used with GNU **parallel**.

* Settable records sending to every command (-n, default 1)

This is also called **-n** in GNU **parallel**.

* Practical replacement strings

{:} remove any extension

With GNU **parallel** this can be emulated by:

```
parallel --plus echo '{/\..*/}' ::: foo.ext.bar.gz
```

{^suffix}, remove suffix

With GNU **parallel** this can be emulated by:

```
parallel --plus echo '{%.bar.gz}' ::: foo.ext.bar.gz
```

{@regexp}, capture submatch using regular expression

With GNU **parallel** this can be emulated by:

```
parallel --rpl '{@(.*)}' /$$1/ and $_=$1; ' \
echo '{@\d_(.*)}.gz}' ::: 1_foo.gz
```

{%}, {%:}, basename without extension

With GNU **parallel** this can be emulated by:

```
parallel echo '{= s:.*::~;s/\..*// =}' ::: dir/foo.bar.gz
```

And if you need it often, you define a **--rpl** in **\$HOME/.parallel/config**:

```
--rpl '{%.} s:.*::~;s/\..*//'
--rpl '{%:} s:.*::~;s/\..*//'
```

Then you can use them as:

```
parallel echo '{%.} {%:}' ::: dir/foo.bar.gz
```

* Preset variable (macro)

E.g.

```
echo foosuffix | rush -v p={^suffix} 'echo {p}_new_suffix'
```

With GNU **parallel** this can be emulated by:

```
echo foosuffix |
parallel --plus 'p={%suffix}; echo ${p}_new_suffix'
```

Opposite **rush** GNU **parallel** works fine if the input contains double space, ' and ":

```
echo "1'6\" foosuffix" |
parallel --plus 'p={%suffix}; echo "${p}"_new_suffix'
```

* Commands of multi-lines

While you *can* use multi-lined commands in GNU **parallel**, to improve readability GNU **parallel** discourages the use of multi-line commands. In most cases it can be written as a function:

```
seq 1 3 |
parallel --timeout 2 --joblog my.log 'sleep {}; echo {}; \
echo finish {}'
```

Could be written as:

```
doit() {
    sleep "$1"
    echo "$1"
    echo finish "$1"
}
export -f doit
seq 1 3 | parallel --timeout 2 --joblog my.log doit
```

The failed commands can be resumed with:

```
seq 1 3 |
parallel --resume-failed --joblog my.log 'sleep {}; echo {}; \
echo finish {}'
```

<https://github.com/shenwei356/rush>

DIFFERENCES BETWEEN ClusterSSH AND GNU Parallel

ClusterSSH solves a different problem than GNU **parallel**.

ClusterSSH opens a terminal window for each computer and using a master window you can run the same command on all the computers. This is typically used for administrating several computers that are almost identical.

GNU **parallel** runs the same (or different) commands with different arguments in parallel possibly using remote computers to help computing. If more than one computer is listed in **-S GNU parallel** may only use one of these (e.g. if there are 8 jobs to be run and one computer has 8 cores).

GNU **parallel** can be used as a poor-man's version of ClusterSSH:

parallel --nonall -S server-a,server-b do_stuff foo bar

<https://github.com/duncs/clusterssh>

DIFFERENCES BETWEEN coshell AND GNU Parallel

coshell only accepts full commands on standard input. Any quoting needs to be done by the user.

Commands are run in **sh** so any **bash/tcsh/zsh** specific syntax will not work.

Output can be buffered by using **-d**. Output is buffered in memory, so big output can cause swapping and therefore be terrible slow or even cause out of memory.

<https://github.com/gdm85/coshell> (Last checked: 2019-01)

DIFFERENCES BETWEEN spread AND GNU Parallel

spread runs commands on all directories.

It can be emulated with GNU **parallel** using this Bash function:

```
spread() {
    _cmds() {
        perl -e '$$=" " && ";print "@ARGV" "cd {}" "$@"'
```

```

    }
    parallel $_cmds "$@"' || echo exit status $?' ::: */
}

```

This works except for the **--exclude** option.

(Last checked: 2017-11)

DIFFERENCES BETWEEN pyargs AND GNU Parallel

pyargs deals badly with input containing spaces. It buffers stdout, but not stderr. It buffers in RAM. {} does not work as replacement string. It does not support running functions.

pyargs does not support composed commands if run with **--lines**, and fails on **pyargs traceroute gnu.org fsf.org**.

Examples

```

seq 5 | pyargs -P50 -L seq
seq 5 | parallel -P50 --lb seq

seq 5 | pyargs -P50 --mark -L seq
seq 5 | parallel -P50 --lb \
  --tagstring OUTPUT'[{{= $_=$job->replaced()=}}]' seq
# Similar, but not precisely the same
seq 5 | parallel -P50 --lb --tag seq

seq 5 | pyargs -P50 --mark command
# Somewhat longer with GNU Parallel due to the special
# --mark formatting
cmd="$(echo "command" | parallel --shellquote)"
wrap_cmd() {
  echo "MARK $cmd $@======" >&3
  echo "OUTPUT START[$cmd $@]:"
  eval $cmd "$@"
  echo "OUTPUT END[$cmd $@]"
}
(seq 5 | env_parallel -P2 wrap_cmd) 3>&1
# Similar, but not exactly the same
seq 5 | parallel -t --tag command

(echo '1 2 3';echo 4 5 6) | pyargs --stream seq
(echo '1 2 3';echo 4 5 6) | perl -pe 's/\n/ /' |
  parallel -r -d' ' seq
# Similar, but not exactly the same
parallel seq ::: 1 2 3 4 5 6

```

<https://github.com/robertblackwell/pyargs> (Last checked: 2019-01)

DIFFERENCES BETWEEN concurrently AND GNU Parallel

concurrently runs jobs in parallel.

The output is prepended with the job number, and may be incomplete:

```

$ concurrently 'seq 100000' | (sleep 3;wc -l)
7165

```

When pretty printing it caches output in memory. Output mixes by using test MIX below whether or

not output is cached.

There seems to be no way of making a template command and have **concurrently** fill that with different args. The full commands must be given on the command line.

There is also no way of controlling how many jobs should be run in parallel at a time - i.e. "number of jobslots". Instead all jobs are simply started in parallel.

<https://github.com/kimmobrunfeldt/concurrently> (Last checked: 2019-01)

DIFFERENCES BETWEEN **map(soveran)** AND GNU Parallel

map does not run jobs in parallel by default. The README suggests using:

```
... | map t 'sleep $t && say done &'
```

But this fails if more jobs are run in parallel than the number of available processes. Since there is no support for parallelization in **map** itself, the output also mixes:

```
seq 10 | map i 'echo start-$i && sleep 0.$i && echo end-$i &'
```

The major difference is that GNU **parallel** is built for parallelization and **map** is not. So GNU **parallel** has lots of ways of dealing with the issues that parallelization raises:

- Keep the number of processes manageable
- Make sure output does not mix
- Make Ctrl-C kill all running processes

EXAMPLES FROM **maps WEBSITE**

Here are the 5 examples converted to GNU Parallel:

```
1$ ls *.c | map f 'foo $f'
1$ ls *.c | parallel foo

2$ ls *.c | map f 'foo $f; bar $f'
2$ ls *.c | parallel 'foo {}; bar {}'

3$ cat urls | map u 'curl -O $u'
3$ cat urls | parallel curl -O

4$ printf "1\n1\n1\n" | map t 'sleep $t && say done'
4$ printf "1\n1\n1\n" | parallel 'sleep {} && say done'
4$ parallel 'sleep {} && say done' ::: 1 1 1

5$ printf "1\n1\n1\n" | map t 'sleep $t && say done &'
5$ printf "1\n1\n1\n" | parallel -j0 'sleep {} && say done'
5$ parallel -j0 'sleep {} && say done' ::: 1 1 1
```

<https://github.com/soveran/map> (Last checked: 2019-01)

DIFFERENCES BETWEEN **loop** AND GNU Parallel

loop mixes stdout and stderr:

```
loop 'ls /no-such-file' >/dev/null
```

loop's replacement string **\$ITEM** does not quote strings:


```
echo 'two spaces' | loop 'echo $ITEM'
```

loop cannot run functions:

```
myfunc() { echo joe; }  
export -f myfunc  
loop 'myfunc this fails'
```

EXAMPLES FROM **loop**'s WEBSITE

Some of the examples from <https://github.com/Miserlou/Loop/> can be emulated with GNU **parallel**:

```
# A couple of functions will make the code easier to read  
$ loopy() {  
    yes | parallel -uN0 -j1 "$@"  
}  
$ export -f loopy  
$ time_out() {  
    parallel -uN0 -q --timeout "$@" ::: 1  
}  
$ match() {  
    perl -0777 -ne 'grep /'"$1"'/, $_ and print or exit 1'  
}  
$ export -f match  
  
$ loop 'ls' --every 10s  
$ loopy --delay 10s ls  
  
$ loop 'touch $COUNT.txt' --count-by 5  
$ loopy touch '{= $_=seq()*5 =}'.txt  
  
$ loop --until-contains 200 -- \  
    ./get_response_code.sh --site mysite.biz`  
$ loopy --halt now,success=1 \  
    './get_response_code.sh --site mysite.biz | match 200'  
  
$ loop './poke_server' --for-duration 8h  
$ time_out 8h loopy ./poke_server  
  
$ loop './poke_server' --until-success  
$ loopy --halt now,success=1 ./poke_server  
  
$ cat files_to_create.txt | loop 'touch $ITEM'  
$ cat files_to_create.txt | parallel touch {}  
  
$ loop 'ls' --for-duration 10min --summary  
# --joblog is somewhat more verbose than --summary  
$ time_out 10m loopy --joblog my.log ./poke_server; cat my.log  
  
$ loop 'echo hello'  
$ loopy echo hello  
  
$ loop 'echo $COUNT'  
# GNU Parallel counts from 1  
$ loopy echo {#}
```

```
# Counting from 0 can be forced
$ loopy echo '{= $_=seq()-1 =}'

$ loop 'echo $COUNT' --count-by 2
$ loopy echo '{= $_=2*(seq()-1) =}'

$ loop 'echo $COUNT' --count-by 2 --offset 10
$ loopy echo '{= $_=10+2*(seq()-1) =}'

$ loop 'echo $COUNT' --count-by 1.1
# GNU Parallel rounds 3.30000000000000003 to 3.3
$ loopy echo '{= $_=1.1*(seq()-1) =}'

$ loop 'echo $COUNT $ACTUALCOUNT' --count-by 2
$ loopy echo '{= $_=2*(seq()-1) =} {#}'

$ loop 'echo $COUNT' --num 3 --summary
# --joblog is somewhat more verbose than --summary
$ seq 3 | parallel --joblog my.log echo; cat my.log

$ loop 'ls -foobarmatz' --num 3 --summary
# --joblog is somewhat more verbose than --summary
$ seq 3 | parallel --joblog my.log -N0 ls -foobarmatz; cat my.log

$ loop 'echo $COUNT' --count-by 2 --num 50 --only-last
# Can be emulated by running 2 jobs
$ seq 49 | parallel echo '{= $_=2*(seq()-1) =}' >/dev/null
$ echo 50 | parallel echo '{= $_=2*(seq()-1) =}'

$ loop 'date' --every 5s
$ loopy --delay 5s date

$ loop 'date' --for-duration 8s --every 2s
$ time_out 8s loopy --delay 2s date

$ loop 'date -u' --until-time '2018-05-25 20:50:00' --every 5s
$ seconds=$((`date -d 2019-05-25T20:50:00 +%s` - `date +%s`))s
$ time_out $seconds loopy --delay 5s date -u

$ loop 'echo $RANDOM' --until-contains "666"
$ loopy --halt now,success=1 'echo $RANDOM | match 666'

$ loop 'if (( RANDOM % 2 )); then
    (echo "TRUE"; true);
else
    (echo "FALSE"; false);
fi' --until-success
$ loopy --halt now,success=1 'if (( $RANDOM % 2 )); then
    (echo "TRUE"; true);
else
    (echo "FALSE"; false);
fi'
```

```
$ loop 'if (( RANDOM % 2 )); then
    (echo "TRUE"; true);
else
    (echo "FALSE"; false);
fi' --until-error
$ loopy --halt now,fail=1 'if (( $RANDOM % 2 )); then
    (echo "TRUE"; true);
else
    (echo "FALSE"; false);
fi'

$ loop 'date' --until-match "(\d{4})"
$ loopy --halt now,success=1 'date | match [0-9][0-9][0-9][0-9]'

$ loop 'echo $ITEM' --for red,green,blue
$ parallel echo ::: red green blue

$ cat /tmp/my-list-of-files-to-create.txt | loop 'touch $ITEM'
$ cat /tmp/my-list-of-files-to-create.txt | parallel touch

$ ls | loop 'cp $ITEM $ITEM.bak'; ls
$ ls | parallel cp {} {}.bak; ls

$ loop 'echo $ITEM | tr a-z A-Z' -i
$ parallel 'echo {} | tr a-z A-Z'
# Or more efficiently:
$ parallel --pipe tr a-z A-Z

$ loop 'echo $ITEM' --for "`ls`"
$ parallel echo {} ::: "`ls`"

$ ls | loop './my_program $ITEM' --until-success;
$ ls | parallel --halt now,success=1 ./my_program {}

$ ls | loop './my_program $ITEM' --until-fail;
$ ls | parallel --halt now,fail=1 ./my_program {}

$ ./deploy.sh;
  loop 'curl -sw "%{http_code}" http://coolwebsite.biz' \
    --every 5s --until-contains 200;
  ./announce_to_slack.sh
$ ./deploy.sh;
  loopy --delay 5s --halt now,success=1 \
    'curl -sw "%{http_code}" http://coolwebsite.biz | match 200';
  ./announce_to_slack.sh

$ loop "ping -c 1 mysite.com" --until-success; ./do_next_thing
$ loopy --halt now,success=1 ping -c 1 mysite.com; ./do_next_thing

$ ./create_big_file -o my_big_file.bin;
  loop 'ls' --until-contains 'my_big_file.bin';
  ./upload_big_file my_big_file.bin
# inotifywait is a better tool to detect file system changes.
```

```
# It can even make sure the file is complete
# so you are not uploading an incomplete file
$ inotifywait -qmre MOVED_TO -e CLOSE_WRITE --format %w%f . |
  grep my_big_file.bin

$ ls | loop 'cp $ITEM $ITEM.bak'
$ ls | parallel cp {} {}.bak

$ loop './do_thing.sh' --every 15s --until-success --num 5
$ parallel --retries 5 --delay 15s ::: ./do_thing.sh
```

<https://github.com/Miserlou/Loop/> (Last checked: 2018-10)

DIFFERENCES BETWEEN **lorikeet** AND GNU Parallel

lorikeet can run jobs in parallel. It does this based on a dependency graph described in a file, so this is similar to **make**.

<https://github.com/cetra3/lorikeet> (Last checked: 2018-10)

DIFFERENCES BETWEEN **spp** AND GNU Parallel

spp can run jobs in parallel. **spp** does not use a command template to generate the jobs, but requires jobs to be in a file. Output from the jobs mix.

<https://github.com/john01dav/spp> (Last checked: 2019-01)

DIFFERENCES BETWEEN **paral** AND GNU Parallel

paral prints a lot of status information and stores the output from the commands run into files. This means it cannot be used the middle of a pipe like this

```
paral "echo this" "echo does not" "echo work" | wc
```

Instead it puts the output into files named like **out_#_command.out.log**. To get a very similar behaviour with GNU **parallel** use **--results 'out_{#}_{s/[^sa-z_0-9]/g;s/+/ /g=}.log' --eta**

paral only takes arguments on the command line and each argument should be a full command. Thus it does not use command templates.

This limits how many jobs it can run in total, because they all need to fit on a single command line.

paral has no support for running jobs remotely.

EXAMPLES FROM README.markdown

The examples from **README.markdown** and the corresponding command run with GNU **parallel** (**--results 'out_{#}_{s/[^sa-z_0-9]/g;s/+/ /g=}.log' --eta** is omitted from the GNU **parallel** command):

```
1$ paral "command 1" "command 2 --flag" "command arg1 arg2"
1$ parallel ::: "command 1" "command 2 --flag" "command arg1 arg2"

2$ paral "sleep 1 && echo c1" "sleep 2 && echo c2" \
  "sleep 3 && echo c3" "sleep 4 && echo c4" "sleep 5 && echo c5"
2$ parallel ::: "sleep 1 && echo c1" "sleep 2 && echo c2" \
  "sleep 3 && echo c3" "sleep 4 && echo c4" "sleep 5 && echo c5"
# Or shorter:
parallel "sleep {} && echo c{" ::: {1..5}

3$ paral -n=0 "sleep 5 && echo c5" "sleep 4 && echo c4" \
```

```
"sleep 3 && echo c3" "sleep 2 && echo c2" "sleep 1 && echo c1"
3$ parallel ::: "sleep 5 && echo c5" "sleep 4 && echo c4" \
  "sleep 3 && echo c3" "sleep 2 && echo c2" "sleep 1 && echo c1"
# Or shorter:
parallel -j0 "sleep {} && echo c{}" ::: 5 4 3 2 1

4$ paral -n=1 "sleep 5 && echo c5" "sleep 4 && echo c4" \
  "sleep 3 && echo c3" "sleep 2 && echo c2" "sleep 1 && echo c1"
4$ parallel -j1 "sleep {} && echo c{}" ::: 5 4 3 2 1

5$ paral -n=2 "sleep 5 && echo c5" "sleep 4 && echo c4" \
  "sleep 3 && echo c3" "sleep 2 && echo c2" "sleep 1 && echo c1"
5$ parallel -j2 "sleep {} && echo c{}" ::: 5 4 3 2 1

6$ paral -n=5 "sleep 5 && echo c5" "sleep 4 && echo c4" \
  "sleep 3 && echo c3" "sleep 2 && echo c2" "sleep 1 && echo c1"
6$ parallel -j5 "sleep {} && echo c{}" ::: 5 4 3 2 1

7$ paral -n=1 "echo a && sleep 0.5 && echo b && sleep 0.5 && \
  echo c && sleep 0.5 && echo d && sleep 0.5 && \
  echo e && sleep 0.5 && echo f && sleep 0.5 && \
  echo g && sleep 0.5 && echo h"
7$ parallel ::: "echo a && sleep 0.5 && echo b && sleep 0.5 && \
  echo c && sleep 0.5 && echo d && sleep 0.5 && \
  echo e && sleep 0.5 && echo f && sleep 0.5 && \
  echo g && sleep 0.5 && echo h"
```

<https://github.com/amattn/paral> (Last checked: 2019-01)

DIFFERENCES BETWEEN **concurr** AND **GNU Parallel**

concurr is built to run jobs in parallel using a client/server model.

EXAMPLES FROM README.md

The examples from **README.md**:

```
1$ concurr 'echo job {#} on slot {%}: {}' : arg1 arg2 arg3 arg4
1$ parallel 'echo job {#} on slot {%}: {}' ::: arg1 arg2 arg3 arg4

2$ concurr 'echo job {#} on slot {%}: {}' :: file1 file2 file3
2$ parallel 'echo job {#} on slot {%}: {}' ::: file1 file2 file3

3$ concurr 'echo {}' < input_file
3$ parallel 'echo {}' < input_file

4$ cat file | concurr 'echo {}'
4$ cat file | parallel 'echo {}'
```

concurr deals badly empty input files and with output larger than 64 KB.

<https://github.com/mmstick/concurr> (Last checked: 2019-01)

DIFFERENCES BETWEEN **lesser-parallel** AND **GNU Parallel**

lesser-parallel is the inspiration for **parallel --embed**. Both **lesser-parallel** and **parallel --embed** define bash functions that can be included as part of a bash script to run jobs in parallel.

lesser-parallel implements a few of the replacement strings, but hardly any options, whereas **parallel --embed** gives you the full GNU **parallel** experience.

<https://github.com/kou1okada/lesser-parallel> (Last checked: 2019-01)

DIFFERENCES BETWEEN npm-parallel AND GNU Parallel

npm-parallel can run npm tasks in parallel.

There are no examples and very little documentation, so it is hard to compare to GNU **parallel**.

<https://github.com/spion/npm-parallel> (Last checked: 2019-01)

DIFFERENCES BETWEEN machma AND GNU Parallel

machma runs tasks in parallel. It gives time stamped output. It buffers in RAM.

EXAMPLES FROM README.md

The examples from README.md:

```
1$ # Put shorthand for timestamp in config for the examples
  echo '--rpl '\
    '\'{time} $_::strftime("%Y-%m-%d %H:%M:%S",localtime())'\ ' \
    > ~/.parallel/machma
  echo '--line-buffer --tagstring "{#} {time} {}"' \
    >> ~/.parallel/machma

2$ find . -iname '*.jpg' |
  machma -- mogrify -resize 1200x1200 -filter Lanczos {}
  find . -iname '*.jpg' |
  parallel --bar -Jmachma mogrify -resize 1200x1200 \
    -filter Lanczos {}

3$ cat /tmp/ips | machma -p 2 -- ping -c 2 -q {}
3$ cat /tmp/ips | parallel -j2 -Jmachma ping -c 2 -q {}

4$ cat /tmp/ips |
  machma -- sh -c 'ping -c 2 -q $0 > /dev/null && echo alive' {}
4$ cat /tmp/ips |
  parallel -Jmachma 'ping -c 2 -q {} > /dev/null && echo alive'

5$ find . -iname '*.jpg' |
  machma --timeout 5s -- mogrify -resize 1200x1200 \
    -filter Lanczos {}
5$ find . -iname '*.jpg' |
  parallel --timeout 5s --bar mogrify -resize 1200x1200 \
    -filter Lanczos {}

6$ find . -iname '*.jpg' -print0 |
  machma --null -- mogrify -resize 1200x1200 -filter Lanczos {}
6$ find . -iname '*.jpg' -print0 |
  parallel --null --bar mogrify -resize 1200x1200 \
    -filter Lanczos {}
```

<https://github.com/fd0/machma> (Last checked: 2019-06)

DIFFERENCES BETWEEN interlace AND GNU Parallel

Summary (see legend above): - I2 I3 I4 - - - M1 - M3 - - M6 - O2 O3 - - - - x x E1 E2 - - - - -
 - - -

interlace is built for network analysis to run network tools in parallel.

interface does not buffer output, so output from different jobs mixes.

The overhead for each target is $O(n^2)$, so with 1000 targets it becomes very slow with an overhead in the order of 500ms/target.

EXAMPLES FROM interlace's WEBSITE

Using **prips** most of the examples from <https://github.com/codingo/Interlace> can be run with GNU **parallel**:

Blocker

```
commands.txt:
  mkdir -p _output_/_target_/scans/
  _blocker_
  nmap _target_ -oA _output_/_target_/scans/_target_-nmap
interlace -tL ./targets.txt -cL commands.txt -o $output

parallel -a targets.txt \
  mkdir -p $output/{}/scans/; nmap {} -oA $output/{}/scans/{}-nmap
```

Blocks

```
commands.txt:
  _block:nmap_
  mkdir -p _target_/output/scans/
  nmap _target_ -oN _target_/output/scans/_target_-nmap
  _block:nmap_
  nikto --host _target_
interlace -tL ./targets.txt -cL commands.txt

_nmap() {
  mkdir -p $1/output/scans/
  nmap $1 -oN $1/output/scans/$1-nmap
}
export -f _nmap
parallel ::: _nmap "nikto --host" ::: targets.txt
```

Run Nikto Over Multiple Sites

```
interlace -tL ./targets.txt -threads 5 \
  -c "nikto --host _target_ > ./_target_-nikto.txt" -v

parallel -a targets.txt -P5 nikto --host {} \> ./{}_nikto.txt
```

Run Nikto Over Multiple Sites and Ports

```
interlace -tL ./targets.txt -threads 5 -c \
  "nikto --host _target_:_port_ > ./_target_-_port_-nikto.txt" \
  -p 80,443 -v

parallel -P5 nikto --host {1}:{2} \> ./{1}-{2}-nikto.txt \
```

```
:::: targets.txt ::: 80 443
```

Run a List of Commands against Target Hosts

```
commands.txt:
nikto --host _target_:_port_ > _output_/_target_-nikto.txt
ssllscan _target_:_port_ > _output_/_target_-ssllscan.txt
testssl.sh _target_:_port_ > _output_/_target_-testssl.txt
interlace -t example.com -o ~/Engagements/example/ \
  -cL ./commands.txt -p 80,443

parallel --results ~/Engagements/example/{2}:{3}{1} {1} {2}:{3} \
  ::: "nikto --host" ssllscan testssl.sh ::: example.com ::: 80 443
```

CIDR notation with an application that doesn't support it

```
interlace -t 192.168.12.0/24 -c "vhostscan _target_ \
  -oN _output_/_target_-vhosts.txt" -o ~/scans/ -threads 50

prips 192.168.12.0/24 |
  parallel -P50 vhostscan {} -oN ~/scans/{}-vhosts.txt
```

Glob notation with an application that doesn't support it

```
interlace -t 192.168.12.* -c "vhostscan _target_ \
  -oN _output_/_target_-vhosts.txt" -o ~/scans/ -threads 50

# Glob is not supported in prips
prips 192.168.12.0/24 |
  parallel -P50 vhostscan {} -oN ~/scans/{}-vhosts.txt
```

Dash (-) notation with an application that doesn't support it

```
interlace -t 192.168.12.1-15 -c \
  "vhostscan _target_ -oN _output_/_target_-vhosts.txt" \
  -o ~/scans/ -threads 50

# Dash notation is not supported in prips
prips 192.168.12.1 192.168.12.15 |
  parallel -P50 vhostscan {} -oN ~/scans/{}-vhosts.txt
```

Threading Support for an application that doesn't support it

```
interlace -tL ./target-list.txt -c \
  "vhostscan -t _target_ -oN _output_/_target_-vhosts.txt" \
  -o ~/scans/ -threads 50

cat ./target-list.txt |
  parallel -P50 vhostscan -t {} -oN ~/scans/{}-vhosts.txt
```

alternatively

```
./vhosts-commands.txt:
vhostscan -t $target -oN _output_/_target_-vhosts.txt
interlace -cL ./vhosts-commands.txt -tL ./target-list.txt \
```



```
-threads 50 -o ~/scans

./vhosts-commands.txt:
vhostscan -t "$1" -oN "$2"
parallel -P50 ./vhosts-commands.txt {} ~/scans/{}-vhosts.txt \
:::: ./target-list.txt
```

Exclusions

```
interlace -t 192.168.12.0/24 -e 192.168.12.0/26 -c \
"vhostscan _target_ -oN _output_/_target_-vhosts.txt" \
-o ~/scans/ -threads 50

prips 192.168.12.0/24 | grep -xv -Ff <(prips 192.168.12.0/26) |
parallel -P50 vhostscan {} -oN ~/scans/{}-vhosts.txt
```

Run Nikto Using Multiple Proxies

```
interlace -tL ./targets.txt -pL ./proxies.txt -threads 5 -c \
"nikto --host _target_:_port_ -useproxy _proxy_ > \
./_target_-_port_-nikto.txt" -p 80,443 -v

parallel -j5 \
"nikto --host {1}:{2} -useproxy {3} > ./{1}-{2}-nikto.txt" \
:::: ./targets.txt ::: 80 443 :::: ./proxies.txt
```

<https://github.com/codingo/Interlace> (Last checked: 2019-09)

DIFFERENCES BETWEEN **otonvm Parallel** AND **GNU Parallel**

I have been unable to get the code to run at all. It seems unfinished.

<https://github.com/otonvm/Parallel> (Last checked: 2019-02)

DIFFERENCES BETWEEN **k-bx par** AND **GNU Parallel**

par requires Haskell to work. This limits the number of platforms this can work on.

par does line buffering in memory. The memory usage is 3x the longest line (compared to 1x for **parallel --lb**). Commands must be given as arguments. There is no template.

These are the examples from <https://github.com/k-bx/par> with the corresponding GNU **parallel** command.

```
par "echo foo; sleep 1; echo foo; sleep 1; echo foo" \
"echo bar; sleep 1; echo bar; sleep 1; echo bar" && echo "success"
parallel --lb ::: "echo foo; sleep 1; echo foo; sleep 1; echo foo" \
"echo bar; sleep 1; echo bar; sleep 1; echo bar" && echo "success"

par "echo foo; sleep 1; foofoo" \
"echo bar; sleep 1; echo bar; sleep 1; echo bar" && echo "success"
parallel --lb --halt 1 ::: "echo foo; sleep 1; foofoo" \
"echo bar; sleep 1; echo bar; sleep 1; echo bar" && echo "success"

par "PARPREFIX=[fooechoer] echo foo" "PARPREFIX=[bar] echo bar"
parallel --lb --colsep , --tagstring {1} {2} \
::: "[fooechoer],echo foo" "[bar],echo bar"
```

```
par --succeed "foo" "bar" && echo 'wow'
parallel "foo" "bar"; true && echo 'wow'
```

<https://github.com/k-bx/par> (Last checked: 2019-02)

DIFFERENCES BETWEEN parallelshell AND GNU Parallel

parallelshell does not allow for composed commands:

```
# This does not work
parallelshell 'echo foo;echo bar' 'echo baz;echo quuz'
```

Instead you have to wrap that in a shell:

```
parallelshell 'sh -c "echo foo;echo bar"' 'sh -c "echo baz;echo quuz"'
```

It buffers output in RAM. All commands must be given on the command line and all commands are started in parallel at the same time. This will cause the system to freeze if there are so many jobs that there is not enough memory to run them all at the same time.

<https://github.com/keithamus/parallelshell> (Last checked: 2019-02)

<https://github.com/darkguy2008/parallelshell> (Last checked: 2019-03)

DIFFERENCES BETWEEN shell-executor AND GNU Parallel

shell-executor does not allow for composed commands:

```
# This does not work
sx 'echo foo;echo bar' 'echo baz;echo quuz'
```

Instead you have to wrap that in a shell:

```
sx 'sh -c "echo foo;echo bar"' 'sh -c "echo baz;echo quuz"'
```

It buffers output in RAM. All commands must be given on the command line and all commands are started in parallel at the same time. This will cause the system to freeze if there are so many jobs that there is not enough memory to run them all at the same time.

<https://github.com/royriojas/shell-executor> (Last checked: 2019-02)

DIFFERENCES BETWEEN non-GNU par AND GNU Parallel

par buffers in memory to avoid mixing of jobs. It takes 1s per 1 million output lines.

par needs to have all commands before starting the first job. The jobs are read from stdin (standard input) so any quoting will have to be done by the user.

Stdout (standard output) is prepended with o:. Stderr (standard error) is sendt to stdout (standard output) and prepended with e:.

For short jobs with little output **par** is 20% faster than GNU **parallel** and 60% slower than **xargs**.

<https://github.com/UnixJunkie/PAR>

<https://savannah.nongnu.org/projects/par> (Last checked: 2019-02)

DIFFERENCES BETWEEN fd AND GNU Parallel

fd does not support composed commands, so commands must be wrapped in **sh -c**.

It buffers output in RAM.

It only takes file names from the filesystem as input (similar to **find**).

<https://github.com/sharkdp/fd> (Last checked: 2019-02)

DIFFERENCES BETWEEN **lateral** AND **GNU Parallel**

lateral is very similar to **sem**: It takes a single command and runs it in the background. The design means that output from parallel running jobs may mix. If it dies unexpectedly it leaves a socket in `~/.lateral/socket.PID`.

lateral deals badly with too long command lines. This makes the **lateral** server crash:

```
lateral run echo `seq 100000| head -c 1000k`
```

Any options will be read by **lateral** so this does not work (**lateral** interprets the **-l**):

```
lateral run ls -l
```

Composed commands do not work:

```
lateral run pwd ';' ls
```

Functions do not work:

```
myfunc() { echo a; }  
export -f myfunc  
lateral run myfunc
```

Running **emacs** in the terminal causes the parent shell to die:

```
echo '#!/bin/bash' > mycmd  
echo emacs -nw >> mycmd  
chmod +x mycmd  
lateral start  
lateral run ./mycmd
```

Here are the examples from <https://github.com/akramer/lateral> with the corresponding GNU **sem** and GNU **parallel** commands:

```
1$ lateral start  
  for i in $(cat /tmp/names); do  
    lateral run -- some_command $i  
  done  
  lateral wait
```

```
1$ for i in $(cat /tmp/names); do  
  sem some_command $i  
done  
sem --wait
```

```
1$ parallel some_command ::: /tmp/names
```

```
2$ lateral start  
  for i in $(seq 1 100); do  
    lateral run -- my_slow_command < workfile$i > /tmp/logfile$i  
  done  
  lateral wait
```

```
2$ for i in $(seq 1 100); do
```

```
    sem my_slow_command < workfile$i > /tmp/logfile$i
done
sem --wait

2$ parallel 'my_slow_command < workfile{} > /tmp/logfile{}' \
    ::: {1..100}

3$ lateral start -p 0 # yup, it will just queue tasks
for i in $(seq 1 100); do
    lateral run -- command_still_outputs_but_wont_spam inputfile$i
done
# command output spam can commence
lateral config -p 10; lateral wait

3$ for i in $(seq 1 100); do
    echo "command inputfile$i" >> joblist
done
parallel -j 10 ::: joblist

3$ echo 1 > /tmp/njobs
parallel -j /tmp/njobs command inputfile{} \
    ::: {1..100} &
echo 10 >/tmp/njobs
wait
```

<https://github.com/akramer/lateral> (Last checked: 2019-03)

DIFFERENCES BETWEEN with-this AND GNU Parallel

The examples from <https://github.com/amritb/with-this.git> and the corresponding GNU **parallel** command:

```
with -v "$(cat myurls.txt)" "curl -L this"
parallel curl -L ::: myurls.txt

with -v "$(cat myregions.txt)" \
    "aws --region=this ec2 describe-instance-status"
parallel aws --region={} ec2 describe-instance-status \
    ::: myregions.txt

with -v "$(ls)" "kubectl --kubeconfig=this get pods"
ls | parallel kubectl --kubeconfig={} get pods

with -v "$(ls | grep config)" "kubectl --kubeconfig=this get pods"
ls | grep config | parallel kubectl --kubeconfig={} get pods

with -v "$(echo {1..10})" "echo 123"
parallel -N0 echo 123 ::: {1..10}
```

Stderr is merged with stdout. **with-this** buffers in RAM. It uses 3x the output size, so you cannot have output larger than 1/3rd the amount of RAM. The input values cannot contain spaces. Composed commands do not work.

with-this gives some additional information, so the output has to be cleaned before piping it to the next command.

<https://github.com/amritb/with-this.git> (Last checked: 2019-03)

DIFFERENCES BETWEEN Tollef's parallel (moreutils) AND GNU Parallel

Summary (see legend above): - - - l4 - - l7 - - M3 - - M6 - O2 O3 - O5 O6 - x x E1 - - - - - E7 - x x x x x
x x x - -

EXAMPLES FROM Tollef's parallel MANUAL

Tollef parallel sh -c "echo hi; sleep 2; echo bye" -- 1 2 3

GNU parallel "echo hi; sleep 2; echo bye" ::: 1 2 3

Tollef parallel -j 3 ufw -o processed -- *.NEF

GNU parallel -j 3 ufw -o processed ::: *.NEF

Tollef parallel -j 3 -- ls df "echo hi"

GNU parallel -j 3 ::: ls df "echo hi"

(Last checked: 2019-08)

DIFFERENCES BETWEEN rargs AND GNU Parallel

Summary (see legend above): l1 - - - - - l7 - - M3 M4 - - - O2 O3 - O5 O6 - O8 - E1 - - E4 - - - - -
- - - - -

rargs has elegant ways of doing named regexp capture and field ranges.

With GNU **parallel** you can use **--rpl** to get a similar functionality as regexp capture gives, and use **join** and **@arg** to get the field ranges. But the syntax is longer. This:

```
--rpl ' {r(\d+)\.\.(\d+)} $_=join"$opt::colsep",@arg[$$1..$$2]'
```

would make it possible to use:

```
{1r3..6}
```

for field 3..6.

For full support of {n..m:s} including negative numbers use a dynamic replacement string like this:

```
PARALLEL=--rpl\ \'\{r((-?\d+)?)\.\.((-?\d+)?)((:([^\}]*))?)\}
$a = defined $$2 ? $$2 < 0 ? 1+$#arg+$$2 : $$2 : 1;
$b = defined $$4 ? $$4 < 0 ? 1+$#arg+$$4 : $$4 : $#arg+1;
$s = defined $$6 ? $$7 : " ";
$_ = join $s,@arg[$a..$b]'\ '
export PARALLEL
```

You can then do:

```
head /etc/passwd | parallel --colsep : echo ..={1r..} ..3={1r..3} \
4..={1r4..} 2..4={1r2..4} 3..3={1r3..3} ..3:-={1r..3:-} \
..3:/={1r..3:/} -1={-1} -5={-5} -6={-6} -3..={1r-3..}
```

EXAMPLES FROM rargs MANUAL

```
ls *.bak | rargs -p '(.)\.\bak' mv {0} {1}
ls *.bak | parallel mv {} {.}
```

```
cat download-list.csv | rargs -p '(?P<url>.*),(?P<filename>.*)' wget
{url} -O {filename}
```

```
cat download-list.csv | parallel --csv wget {1} -O {2}
# or use regexps:
cat download-list.csv |
  parallel --rpl '{url} s/,.*//' --rpl '{filename} s/.*/' wget {url}
-O {filename}
```

```
cat /etc/passwd | rargs -d: echo -e 'id: "{1}"\t name: "{5}"\t rest:
"{6...:}"'
cat /etc/passwd |
  parallel -q --colsep : echo -e 'id: "{1}"\t name: "{5}"\t rest: "{=6
$_=join":",@arg[6..$#arg]=}"'
```

<https://github.com/lotabout/rargs> (Last checked: 2020-01)

DIFFERENCES BETWEEN **threder** AND **GNU Parallel**

Summary (see legend above): I1 - - - - - M1 - M3 - - M6 O1 - O3 - O5 - - N/A N/A E1 - - E4 - - - - -
 - - - - -

Newline separates arguments, but newline at the end of file is treated as an empty argument. So this runs 2 jobs:

```
echo two_jobs | threder -run 'echo "$THREADID"'
```

threder ignores stderr, so any output to stderr is lost. **threder** buffers in RAM, so output bigger than the machine's virtual memory will cause the machine to crash.

<https://github.com/voodooEntity/threder> (Last checked: 2020-04)

DIFFERENCES BETWEEN **runp** AND **GNU Parallel**

Summary (see legend above): I1 I2 - - - - - M1 - (M3) - - M6 O1 O2 O3 - O5 O6 - N/A N/A - E1 - - - - -
 - - - - -

(M3): You can add a prefix and a postfix to the input, so it means you can only insert the argument on the command line once.

runp runs 10 jobs in parallel by default. **runp** blocks if output of a command is > 64 Kbytes. Quoting of input is needed. It adds output to stderr (this can be prevented with -q)

Examples as **GNU Parallel**

```
base='https://images-api.nasa.gov/search'
query='jupiter'
desc='planet'
type='image'
url="$base?q=$query&description=$desc&media_type=$type"

# Download the images in parallel using runp
curl -s $url | jq -r .collection.items[].href | \
  runp -p 'curl -s' | jq -r .[] | grep large | \
  runp -p 'curl -s -L -O'

time curl -s $url | jq -r .collection.items[].href | \
  runp -g 1 -q -p 'curl -s' | jq -r .[] | grep large | \
  runp -g 1 -q -p 'curl -s -L -O'

# Download the images in parallel
curl -s $url | jq -r .collection.items[].href | \
  parallel curl -s | jq -r .[] | grep large | \
```

```
parallel curl -s -L -O
```

```
time curl -s $url | jq -r .collection.items[].href | \  
  parallel -j 1 curl -s | jq -r .[] | grep large | \  
  parallel -j 1 curl -s -L -O
```

Run some test commands (read from file)

```
# Create a file containing commands to run in parallel.  
cat << EOF > /tmp/test-commands.txt  
sleep 5  
sleep 3  
blah      # this will fail  
ls $PWD   # PWD shell variable is used here  
EOF  
  
# Run commands from the file.  
runp /tmp/test-commands.txt > /dev/null  
  
parallel -a /tmp/test-commands.txt > /dev/null
```

Ping several hosts and see packet loss (read from stdin)

```
# First copy this line and press Enter  
runp -p 'ping -c 5 -W 2' -s '|' grep loss'  
localhost  
1.1.1.1  
8.8.8.8  
# Press Enter and Ctrl-D when done entering the hosts  
  
# First copy this line and press Enter  
parallel ping -c 5 -W 2 {} '|' grep loss'  
localhost  
1.1.1.1  
8.8.8.8  
# Press Enter and Ctrl-D when done entering the hosts
```

Get directories' sizes (read from stdin)

```
echo -e "$HOME\n/etc\n/tmp" | runp -q -p 'sudo du -sh'  
  
echo -e "$HOME\n/etc\n/tmp" | parallel sudo du -sh  
# or:  
parallel sudo du -sh ::: "$HOME" /etc /tmp
```

Compress files

```
find . -iname '*.txt' | runp -p 'gzip --best'  
  
find . -iname '*.txt' | parallel gzip --best
```

Measure HTTP request + response time

```
export CURL="curl -w 'time_total: %{time_total}\n'"  
CURL="$CURL -o /dev/null -s https://golang.org/"  
perl -wE 'for (1..10) { say $ENV{CURL} }' |  
  runp -q # Make 10 requests
```

```
perl -wE 'for (1..10) { say $ENV{CURL} }' | parallel
# or:
parallel -N0 "$CURL" ::: {1..10}
```

Find open TCP ports

```
cat << EOF > /tmp/host-port.txt
localhost 22
localhost 80
localhost 81
127.0.0.1 443
127.0.0.1 444
scanme.nmap.org 22
scanme.nmap.org 23
scanme.nmap.org 443
EOF

1$ cat /tmp/host-port.txt |
    runp -q -p 'netcat -v -w2 -z' 2>&1 | egrep '(succeeded!|open)$'

# --colsep is needed to split the line
1$ cat /tmp/host-port.txt |
    parallel --colsep ' ' netcat -v -w2 -z 2>&1 |
    egrep '(succeeded!|open)$'
# or use uq for unquoted:
1$ cat /tmp/host-port.txt |
    parallel netcat -v -w2 -z {=uq=} 2>&1 |
    egrep '(succeeded!|open)$'
```

<https://github.com/jreisinger/runp> (Last checked: 2020-04)

DIFFERENCES BETWEEN papply AND GNU Parallel

Summary (see legend above): - - - l4 - - - M1 - M3 - - M6 - - O3 - O5 - - N/A N/A O10 E1 - - E4 - - - -

papply does not print the output if the command fails:

```
$ papply 'echo %F; false' foo
"echo foo; false" did not succeed
```

papply's replacement strings (%F %d %f %n %e %z) can be simulated in GNU **parallel** by putting this in `~/.parallel/config`:

```
--rpl '%F'
--rpl '%d $_=Q(::dirname($_));'
--rpl '%f s:.*/:;:'
--rpl '%n s:.*/:;s:\.[^/.]+$::;'
--rpl '%e s:.*\.:;:'
--rpl '%z $_=" "'
```

papply buffers in RAM, and uses twice the amount of output. So output of 5 GB takes 10 GB RAM.

The buffering is very CPU intensive: Buffering a line of 5 GB takes 40 seconds (compared to 10 seconds with GNU **parallel**).

Examples as GNU Parallel

```
1$ papply gzip *.txt

1$ parallel gzip ::: *.txt

2$ papply "convert %F %n.jpg" *.png

2$ parallel convert {} {}.jpg ::: *.png
```

<https://pypi.org/project/papply/> (Last checked: 2020-04)

DIFFERENCES BETWEEN **async** AND GNU Parallel

Summary (see legend above): --- I4 -- I7 ----- M6 - O2 O3 - O5 O6 - N/A N/A O10 E1 -- E4 - E6 -
----- S1 S2

async is very similar to GNU **parallel**'s **--semaphore** mode (aka **sem**). **async** requires the user to start a server process.

The input is quoted like **-q** so you need **bash -c "...;..."** to run composed commands.

Examples as GNU Parallel

```
1$ S="/tmp/example_socket"

1$ ID=myid

2$ async -s="$S" server --start

2$ # GNU Parallel does not need a server to run

3$ for i in {1..20}; do
    # prints command output to stdout
    async -s="$S" cmd -- bash -c "sleep 1 && echo test $i"
done

3$ for i in {1..20}; do
    # prints command output to stdout
    sem --id "$ID" -j100% "sleep 1 && echo test $i"
    # GNU Parallel will only print job when it is done
    # If you need output from different jobs to mix
    # use -u or --line-buffer
    sem --id "$ID" -j100% --line-buffer "sleep 1 && echo test $i"
done

4$ # wait until all commands are finished
    async -s="$S" wait

4$ sem --id "$ID" --wait

5$ # configure the server to run four commands in parallel
    async -s="$S" server -j4

5$ export PARALLEL=-j4
```

```

6$ mkdir "/tmp/ex_dir"
   for i in {21..40}; do
       # redirects command output to /tmp/ex_dir/file*
       async -s="$S" cmd -o "/tmp/ex_dir/file$i" -- \
           bash -c "sleep 1 && echo test $i"
   done

6$ mkdir "/tmp/ex_dir"
   for i in {21..40}; do
       # redirects command output to /tmp/ex_dir/file*
       sem --id "$ID" --result '/tmp/my-ex/file-{=$_=""=} '$i' \
           "sleep 1 && echo test $i"
   done

7$ sem --id "$ID" --wait

7$ async -s="$S" wait

8$ # stops server
   async -s="$S" server --stop

8$ # GNU Parallel does not need to stop a server

```

<https://github.com/ctbur/async/> (Last checked: 2020-11)

DIFFERENCES BETWEEN **pardi** AND **GNU Parallel**

Summary (see legend above): I1 I2 - - - - I7 M1 - - - - M6 O1 O2 O3 O4 O5 - O7 - - O10 E1 - - E4 - - -

pardi is very similar to **parallel --pipe --cat**: It reads blocks of data and not arguments. So it cannot insert an argument in the command line. It puts the block into a temporary file, and this file name (%IN) can be put in the command line. You can only use %IN once.

It can also run full command lines in parallel (like: **cat file | parallel**).

EXAMPLES FROM **pardi test.sh**

```

1$ time pardi -v -c 100 -i data/decoys.smi -ie .smi -oe .smi \
   -o data/decoys_std_pardi.smi \
   -w '(standardiser -i %IN -o %OUT 2>&1) > /dev/null'

1$ cat data/decoys.smi |
   time parallel -N 100 --pipe --cat \
       '(standardiser -i {} -o {} 2>&1) > /dev/null; cat {}; rm {}' \
       > data/decoys_std_pardi.smi

2$ pardi -n 1 -i data/test_in.types -o data/test_out.types \
   -d 'r:^#atoms:' -w 'cat %IN > %OUT'

2$ cat data/test_in.types | parallel -n 1 -k --pipe --cat \
   --regexp --recstart '^#atoms' 'cat {}' > data/test_out.types

3$ pardi -c 6 -i data/test_in.types -o data/test_out.types \
   -d 'r:^#atoms:' -w 'cat %IN > %OUT'

```

```
3$ cat data/test_in.types | parallel -n 6 -k --pipe --cat \
    --regexp --recstart '^#atoms' 'cat {}' > data/test_out.types
```

```
4$ pardi -i data/decoys.mol2 -o data/still_decoys.mol2 \
    -d 's:@<TRIPOS>MOLECULE' -w 'cp %IN %OUT'
```

```
4$ cat data/decoys.mol2 |
    parallel -n 1 --pipe --cat --recstart '@<TRIPOS>MOLECULE' \
    'cp {} {#}; cat {#}; rm {#}' > data/still_decoys.mol2
```

```
5$ pardi -i data/decoys.mol2 -o data/decoys2.mol2 \
    -d b:10000 -w 'cp %IN %OUT' --preserve
```

```
5$ cat data/decoys.mol2 |
    parallel -k --pipe --block 10k --recend '' --cat \
    'cat {} > {#}; cat {#}; rm {#}' > data/decoys2.mol2
```

<https://github.com/UnixJunkie/pardi> (Last checked: 2021-01)

DIFFERENCES BETWEEN bthread AND GNU Parallel

Summary (see legend above): --- l4 ----- M6 O1 - O3 --- O7 O8 -- E1 -----

bthread takes around 1 sec per MB of output. The maximal output line length is 1073741759.

You cannot quote space in the command, so you cannot run composed commands like **sh -c "echo a; echo b"**.

<https://gitlab.com/netikras/bthread> (Last checked: 2021-01)

DIFFERENCES BETWEEN simple_gpu_scheduler AND GNU Parallel

Summary (see legend above): l1 ----- l7 M1 ---- M6 - O2 O3 -- O6 - x x O10 E1 -----

EXAMPLES FROM simple_gpu_scheduler MANUAL

```
1$ simple_gpu_scheduler --gpus 0 1 2 < gpu_commands.txt
```

```
1$ parallel -j3 --shuf \
    CUDA_VISIBLE_DEVICES='{=1 $_=slot()-1 =}' '{=uq;=}' < gpu_commands.txt
```

```
2$ simple_hypersearch "python3 train_dnn.py --lr {lr} --batch_size {bs}" \
    \
    -p lr 0.001 0.0005 0.0001 -p bs 32 64 128 |
    simple_gpu_scheduler --gpus 0,1,2
```

```
2$ parallel --header : --shuf -j3 -v \
    CUDA_VISIBLE_DEVICES='{=1 $_=slot()-1 =}' \
    python3 train_dnn.py --lr {lr} --batch_size {bs} \
    ::: lr 0.001 0.0005 0.0001 ::: bs 32 64 128
```

```
3$ simple_hypersearch \
    "python3 train_dnn.py --lr {lr} --batch_size {bs}" \
    --n-samples 5 -p lr 0.001 0.0005 0.0001 -p bs 32 64 128 |
    simple_gpu_scheduler --gpus 0,1,2
```

```
3$ parallel --header : --shuf \
```

```
CUDA_VISIBLE_DEVICES='{=1 $_=slot()-1; seq() > 5 and skip() =}' \
python3 train_dnn.py --lr {lr} --batch_size {bs} \
::: lr 0.001 0.0005 0.0001 ::: bs 32 64 128

4$ touch gpu.queue
tail -f -n 0 gpu.queue | simple_gpu_scheduler --gpus 0,1,2 &
echo "my_command_with | and stuff > logfile" >> gpu.queue

4$ touch gpu.queue
tail -f -n 0 gpu.queue |
  parallel -j3 CUDA_VISIBLE_DEVICES='{=1 $_=slot()-1 =} {=uq;=}' &
# Needed to fill job slots once
seq 3 | parallel echo true >> gpu.queue
# Add jobs
echo "my_command_with | and stuff > logfile" >> gpu.queue
# Needed to flush output from completed jobs
seq 3 | parallel echo true >> gpu.queue
```

https://github.com/ExpectationMax/simple_gpu_scheduler (Last checked: 2021-01)

DIFFERENCES BETWEEN **parasweep** AND GNU **Parallel**

parasweep is a Python module for facilitating parallel parameter sweeps.

A **parasweep** job will normally take a text file as input. The text file contains arguments for the job. Some of these arguments will be fixed and some of them will be changed by **parasweep**.

It does this by having a template file such as template.txt:

```
Xval: {x}
Yval: {y}
FixedValue: 9
# x with 2 decimals
DecimalX: {x:.2f}
TenX: ${x*10}
RandomVal: {r}
```

and from this template it generates the file to be used by the job by replacing the replacement strings.

Being a Python module **parasweep** integrates tighter with Python than GNU **parallel**. You get the parameters directly in a Python data structure. With GNU **parallel** you can use the JSON or CSV output format to get something similar, but you would have to read the output.

parasweep has a filtering method to ignore parameter combinations you do not need.

Instead of calling the jobs directly, **parasweep** can use Python's Distributed Resource Management Application API to make jobs run with different cluster software.

GNU **parallel** **--tmpl** supports templates with replacement strings. Such as:

```
Xval: {x}
Yval: {y}
FixedValue: 9
# x with 2 decimals
DecimalX: {=x $_=sprintf("%.2f",$_) =}
TenX: {=x $_=$_*10 =}
RandomVal: {=1 $_=rand() =}
```

that can be used like:

```
parallel --header : --tmpl my.tmpl={#}.t myprog {#}.t \  
::: x 1 2 3 ::: y 1 2 3
```

Filtering is supported as:

```
parallel --filter '{1} > {2}' echo ::: 1 2 3 ::: 1 2 3
```

<https://github.com/eviatarbach/parasweep> (Last checked: 2021-01)

DIFFERENCES BETWEEN parallel-bash AND GNU Parallel

Summary (see legend above): I1 I2 - - - - - M3 - - M6 - O2 O3 - O5 O6 - O8 x O10 E1 - - - - -
- - - - -

parallel-bash is written in pure bash. It is really fast (overhead of ~0.05 ms/job compared to GNU **parallel**'s ~3 ms/job). So if your jobs are extremely short lived, and you can live with the quite limited command, this may be useful.

parallel-bash will not start the first job, until it has read all input. The input can at most be 20935 lines and the lines cannot be all be empty.

Ctrl-C does not stop spawning new jobs. Ctrl-Z does not suspend running jobs.

EXAMPLES FROM parallel-bash

```
1$ some_input | parallel-bash -p 5 -c echo  
  
1$ some_input | parallel -j 5 echo  
  
2$ parallel-bash -p 5 -c echo < some_file  
  
2$ parallel -j 5 echo < some_file  
  
3$ parallel-bash -p 5 -c echo <<< 'some string'  
  
3$ parallel -j 5 -c echo <<< 'some string'  
  
4$ something | parallel-bash -p 5 -c echo {} {}  
  
4$ something | parallel -j 5 echo {} {}
```

<https://reposhub.com/python/command-line-tools/Akianonymus-parallel-bash.html> (Last checked: 2021-02)

DIFFERENCES BETWEEN bash-concurrent AND GNU Parallel

bash-concurrent is more an alternative to **make** than to GNU **parallel**. Its input is very similar to a Makefile, where jobs depend on other jobs.

It has a nice progress indicator where you can see which jobs completed successfully, which jobs are currently running, which jobs failed, and which jobs were skipped due to a depending job failed. The indicator does not deal well with resizing the window.

Output is cached in tempfiles on disk, but is only shown if there is an error, so it is not meant to be part of a UNIX pipeline. If **bash-concurrent** crashes these tempfiles are not removed.

It uses an $O(n*n)$ algorithm, so if you have 1000 independent jobs it takes 22 seconds to start it.

<https://github.com/thematrix/bash-concurrent> (Last checked: 2021-02)

Todo

<https://github.com/Nukesor/pueue>
<https://arxiv.org/pdf/2012.15443.pdf> KumQuat
<https://arxiv.org/pdf/2007.09436.pdf> PaSH: Light-touch Data-Parallel Shell Processing
https://github.com/JeiKeiLim/simple_distribute_job
<https://github.com/reggi/pkgrun> - not obvious how to use
<https://github.com/benoror/better-npm-run> - not obvious how to use
<https://github.com/bahmutov/with-package>
<https://github.com/xuchenCN/go-pssh>
<https://github.com/flesler/parallel>
<https://github.com/Julian/Verge>
<http://manpages.ubuntu.com/manpages/xenial/man1/tsp.1.html>
<http://vicerveza.homeunix.net/~viric/soft/ts/>

TESTING OTHER TOOLS

There are certain issues that are very common on parallelizing tools. Here are a few stress tests. Be warned: If the tool is badly coded it may overload your machine.

MIX: Output mixes

Output from 2 jobs should not mix. If the output is not used, this does not matter; but if the output *is* used then it is important that you do not get half a line from one job followed by half a line from another job.

If the tool does not buffer, output will most likely mix now and then.

This test stresses whether output mixes.

```
#!/bin/bash

paralleltool="parallel -j0"

cat <<-EOF > mycommand
#!/bin/bash

# If a, b, c, d, e, and f mix: Very bad
perl -e 'print STDOUT "a"x3000_000," "'
perl -e 'print STDERR "b"x3000_000," "'
perl -e 'print STDOUT "c"x3000_000," "'
perl -e 'print STDERR "d"x3000_000," "'
perl -e 'print STDOUT "e"x3000_000," "'
perl -e 'print STDERR "f"x3000_000," "'
echo
echo >&2
EOF
chmod +x mycommand

# Run 30 jobs in parallel
seq 30 |
  $paralleltool ./mycommand > >(tr -s abcdef) 2> >(tr -s abcdef >&2)
```

```
# 'a c e' and 'b d f' should always stay together
# and there should only be a single line per job
```

STDERRMERGE: Stderr is merged with stdout

Output from stdout and stderr should not be merged, but kept separated.

This test shows whether stdout is mixed with stderr.

```
#!/bin/bash

paralleltool="parallel -j0"

cat <<-EOF > mycommand
#!/bin/bash

echo stdout
echo stderr >&2
echo stdout
echo stderr >&2
EOF
chmod +x mycommand

# Run one job
echo |
  $paralleltool ./mycommand > stdout 2> stderr
cat stdout
cat stderr
```

RAM: Output limited by RAM

Some tools cache output in RAM. This makes them extremely slow if the output is bigger than physical memory and crash if the output is bigger than the virtual memory.

```
#!/bin/bash

paralleltool="parallel -j0"

cat <<'EOF' > mycommand
#!/bin/bash

# Generate 1 GB output
yes "`perl -e 'print \"c\"x30_000'`" | head -c 1G
EOF
chmod +x mycommand

# Run 20 jobs in parallel
# Adjust 20 to be > physical RAM and < free space on /tmp
seq 20 | time $paralleltool ./mycommand | wc -c
```

DISKFULL: Incomplete data if /tmp runs full

If caching is done on disk, the disk can run full during the run. Not all programs discover this. GNU Parallel discovers it, if it stays full for at least 2 seconds.

```
#!/bin/bash
```

```
paralleltool="parallel -j0"

# This should be a dir with less than 100 GB free space
smalldisk=/tmp/shm/parallel

TMPDIR="$smalldisk"
export TMPDIR

max_output() {
    # Force worst case scenario:
    # Make GNU Parallel only check once per second
    sleep 10
    # Generate 100 GB to fill $TMPDIR
    # Adjust if /tmp is bigger than 100 GB
    yes | head -c 100G >$TMPDIR/$$
    # Generate 10 MB output that will not be buffered due to full disk
    perl -e 'print "X"x10_000_000' | head -c 10M
    echo This part is missing from incomplete output
    sleep 2
    rm $TMPDIR/$$
    echo Final output
}

export -f max_output
seq 10 | $paralleltool max_output | tr -s X
```

CLEANUP: Leaving tmp files at unexpected death

Some tools do not clean up tmp files if they are killed. If the tool buffers on disk, they may not clean up, if they are killed.

```
#!/bin/bash

paralleltool=parallel

ls /tmp >/tmp/before
seq 10 | $paralleltool sleep &
pid=$!
# Give the tool time to start up
sleep 1
# Kill it without giving it a chance to cleanup
kill -9 $!
# Should be empty: No files should be left behind
diff <(ls /tmp) /tmp/before
```

SPCCHAR: Dealing badly with special file names.

It is not uncommon for users to create files like:

```
My brother's 12" *** record (costs $$$).jpg
```

Some tools break on this.

```
#!/bin/bash

paralleltool=parallel
```



```
touch "My brother's 12\" *** record  (costs \$\$\$).jpg"
ls My*.jpg | $paralleltool ls -l
```

COMPOSED: Composed commands do not work

Some tools require you to wrap composed commands into **bash -c**.

```
echo bar | $paralleltool echo foo';' echo {}
```

ONEREP: Only one replacement string allowed

Some tools can only insert the argument once.

```
echo bar | $paralleltool echo {} foo {}
```

INPUTSIZE: Length of input should not be limited

Some tools limit the length of the input lines artificially with no good reason. GNU **parallel** does not:

```
perl -e 'print "foo."."x"x100_000_000' | parallel echo {.}
```

GNU **parallel** limits the command to run to 128 KB due to `execve(1)`:

```
perl -e 'print "x"x131_000' | parallel echo {} | wc
```

NUMWORDS: Speed depends on number of words

Some tools become very slow if output lines have many words.

```
#!/bin/bash

paralleltool=parallel

cat <<-EOF > mycommand
#!/bin/bash

# 10 MB of lines with 1000 words
yes "`seq 1000`" | head -c 10M
EOF
chmod +x mycommand

# Run 30 jobs in parallel
seq 30 | time $paralleltool -j0 ./mycommand > /dev/null
```

4GB: Output with a line > 4GB should be OK

```
#!/bin/bash

paralleltool="parallel -j0"

cat <<-EOF > mycommand
#!/bin/bash

perl -e '\$a="a"x1000_000; for(1..5000) { print \$a }'
EOF
chmod +x mycommand
```

```
# Run 1 job
seq 1 | $paralleltool ./mycommand | LC_ALL=C wc
```

AUTHOR

When using GNU **parallel** for a publication please cite:

O. Tange (2011): GNU Parallel - The Command-Line Power Tool, ;login: The USENIX Magazine, February 2011:42-47.

This helps funding further development; and it won't cost you a cent. If you pay 10000 EUR you should feel free to use GNU Parallel without citing.

Copyright (C) 2007-10-18 Ole Tange, <http://ole.tange.dk>

Copyright (C) 2008-2010 Ole Tange, <http://ole.tange.dk>

Copyright (C) 2010-2021 Ole Tange, <http://ole.tange.dk> and Free Software Foundation, Inc.

Parts of the manual concerning **xargs** compatibility is inspired by the manual of **xargs** from GNU findutils 4.4.2.

LICENSE

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or at your option any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Documentation license I

Permission is granted to copy, distribute and/or modify this documentation under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in the file fdl.txt.

Documentation license II

You are free:

to Share

to copy, distribute and transmit the work

to Remix

to adapt the work

Under the following conditions:

Attribution

You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

Share Alike

If you alter, transform, or build upon this work, you may distribute the resulting work only under the same, similar or a compatible license.

With the understanding that:

Waiver

Any of the above conditions can be waived if you get permission from the copyright holder.

Public Domain

Where the work or any of its elements is in the public domain under applicable law, that status is in no way affected by the license.

Other Rights

In no way are any of the following rights affected by the license:

- Your fair dealing or fair use rights, or other applicable copyright exceptions and limitations;
- The author's moral rights;
- Rights other persons may have either in the work itself or in how the work is used, such as publicity or privacy rights.

Notice

For any reuse or distribution, you must make clear to others the license terms of this work.

A copy of the full license is included in the file as cc-by-sa.txt.

DEPENDENCIES

GNU **parallel** uses Perl, and the Perl modules Getopt::Long, IPC::Open3, Symbol, IO::File, POSIX, and File::Temp. For remote usage it also uses rsync with ssh.

SEE ALSO

find(1), **xargs(1)**, **make(1)**, **pexec(1)**, **ppss(1)**, **xjobs(1)**, **prll(1)**, **dxargs(1)**, **mdm(1)**